

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
AIR FLOW RESEARCH							AIR FLOW RESEARCH	
CHEVROLET							CHEVROLET	
0912	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series - Assembled. CNC ported, Vortec style head, straight plug, 74cc chambers, with parts.	0912
0912NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series - Assembled. CNC ported, Vortec style head, straight plug, 74cc chambers, without parts.	0912NP
0824	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Head - Bare. Vortec style head, straight plug, heat riser, 70cc chambers, no porting, no valve job, without parts.	0824
0913	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series - Assembled. CNC ported, factory straight plug, heat riser, 74cc chambers, with parts.	0913
0913NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series - Assembled. CNC ported, factory straight plug, heat riser, 74cc chambers, without parts.	0913NP
0826	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Head - Bare. Factory straight plug, heat riser, 70cc chambers, no porting, no valve job, without parts.	0826
0911	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series - Assembled. CNC ported, straight plug, heat riser, 74cc chambers, with parts.	0911
0911NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series - Assembled. CNC ported, straight plug, heat riser, 74cc chambers, without parts.	0911NP
0916	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series - Assembled. CNC ported, straight plug, heat riser, 68cc chambers, with parts.	0916
0916NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series - Assembled. CNC ported, straight plug, heat riser, 68cc chambers, without parts.	0916NP
0835	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Head - Bare. Straight plug, heat riser, 63cc chambers, no porting, no valve job, without parts.	0835
0825	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Head - Bare. Straight plug, heat riser, 70cc chambers, no porting, no valve job, without parts.	0825
0917	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series - Assembled. CNC ported, L98 angle plug, heat riser, 74cc chambers, with parts.	0917
0917NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series - Assembled. CNC ported, L98 angle plug, heat riser, 74cc chambers, without parts.	0917NP
0918	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series - Assembled. CNC ported, L98 angle plug, heat riser, 68cc chambers, with parts.	0918
0918NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series - Assembled. CNC ported, L98 angle plug, heat riser, 68cc chambers, without parts.	0918NP
0840	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Head - Bare. L98 angle plug, heat riser, 70cc chambers, no porting, no valve job, without parts.	0840
0845	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Head - Bare. L98 angle plug, heat riser, 63cc chambers, no porting, no valve job, without parts.	0845
0985	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series (Competition Package) - Assembled. CNC ported, straight plug, heat riser, 74cc chambers, with parts.	0985
0985NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series (Competition Package) - Assembled. CNC ported, straight plug, heat riser, 74cc chambers, without parts.	0985NP
0988	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series (Competition Package) - Assembled. CNC ported, L98 angle plug, heat riser, 74cc chambers, with parts.	0988
0988NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series (Competition Package) - Assembled. CNC ported, L98 angle plug, heat riser, 74cc chambers, without parts.	0988NP
0989	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series (Competition Package) - Assembled. CNC ported, Vortec style head, straight plug, 74cc chambers, with parts.	0989
0989NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series (Competition Package) - Assembled. CNC ported, Vortec style head, straight plug, 74cc chambers, without parts.	0989NP
0990	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series (Competition Package) - Assembled. CNC ported, factory straight plug, heat riser, 74cc chambers, with parts.	0990
0990NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc SBC Eliminator Street Series (Competition Package) - Assembled. CNC ported, factory straight plug, heat riser, 74cc chambers, without parts.	0990NP
1036	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc SBC Eliminator Street Series - Assembled. CNC ported, straight plug, heat riser, 74cc chambers, with parts.	1036
1036NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc SBC Eliminator Street Series - Assembled. CNC ported, straight plug, heat riser, 74cc chambers, without parts.	1036NP
1034	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc SBC Eliminator Street Series - Assembled. CNC ported, straight plug, heat riser, 68cc chambers, with parts.	1034
1034NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc SBC Eliminator Street Series - Assembled. CNC ported, straight plug, heat riser, 68cc chambers, without parts.	1034NP
1038	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc SBC Eliminator Street Series - Assembled. CNC ported, L98 angle plug, heat riser, 74cc chambers, with parts.	1038
1038NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc SBC Eliminator Street Series - Assembled. CNC ported, L98 angle plug, heat riser, 74cc chambers, without parts.	1038NP
1040	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc SBC Eliminator Street Series - Assembled. CNC ported, L98 angle plug, heat riser, 68cc chambers, with parts.	1040
1040NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc SBC Eliminator Street Series - Assembled. CNC ported, L98 angle plug, heat riser, 68cc chambers, without parts.	1040NP
1091	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc SBC Eliminator Street Series (Competition Package) - Assembled. CNC ported, straight plug, heat riser, 74cc chambers, with parts.	1091
1091NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc SBC Eliminator Street Series (Competition Package) - Assembled. CNC ported, straight plug, heat riser, 74cc chambers, without parts.	1091NP
1094	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc SBC Eliminator Street Series (Competition Package) - Assembled. CNC ported, L98 angle plug, heat riser, 68cc chambers, with parts.	1094
1094NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc SBC Eliminator Street Series (Competition Package) - Assembled. CNC ported, L98 angle plug, heat riser, 68cc chambers, without parts.	1094NP
1151	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc SBC Head - Bare. L98 angle plug, heat riser, 73cc chambers.	1151
1156	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc SBC Head - Bare. L98 angle plug, heat riser, 63cc chambers.	1156
1160	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc SBC Head - Bare. Straight plug, heat riser, 70cc chambers.	1160
1165	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc SBC Head - Bare. Straight plug, heat riser, 63cc chambers.	1165
1050	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, standard exhaust, 76cc chambers, with parts.	1050
1050NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, standard exhaust, 76cc chambers, without parts.	1050NP
1055	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, spread port exhaust, 76cc chambers, with parts.	1055
1055NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, spread port exhaust, 76cc chambers, without parts.	1055NP

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
AIR FLOW RESEARCH Continued							AIR FLOW RESEARCH Continued	
CHEVROLET Continued							CHEVROLET Continued	
1058	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, L98 angle plug, standard exhaust, 76cc chambers, with parts.	1058
1058NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, L98 angle plug, standard exhaust, 76cc chambers, without parts.	1058NP
1054	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, standard exhaust, 66cc chambers, with parts.	1054
1054NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, standard exhaust, 66cc chambers, without parts.	1054NP
1052	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, straight plug, standard exhaust, 76cc chambers, with parts.	1052
1052NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, straight plug, standard exhaust, 76cc chambers, without parts.	1052NP
1051	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, Fel-Pro 1205 gasket, standard exhaust, 76cc chambers, with parts.	1051
1051NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, Fel-Pro 1205 gasket, standard exhaust, 76cc chambers, without parts.	1051NP
1053	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Head (Race Ready) - Assembled. Straight plug, standard exhaust, 66cc chambers, with parts.	1053
1053NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Head (Race Ready) - Assembled. Straight plug, standard exhaust, 66cc chambers, without parts.	1053NP
1059	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Head (Race Ready) - Assembled. Spread port exhaust, 66cc chambers, with parts.	1059
1059NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Head (Race Ready) - Assembled. Spread port exhaust, 66cc chambers, without parts.	1059NP
1102	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, straight plug, standard exhaust, 76cc chambers, with parts.	1102
1102NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, straight plug, standard exhaust, 76cc chambers, without parts.	1102NP
1100	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, with parts.	1100
1100NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, without parts.	1100NP
1105	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, spread port exhaust, 76cc chambers, with parts.	1105
1105NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, spread port exhaust, 76cc chambers, without parts.	1105NP
1104	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, L98 angle plug, standard exhaust, 66cc chambers, with parts.	1104
1104NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, L98 angle plug, standard exhaust, 66cc chambers, without parts.	1104NP
1107	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Head (Competition Package) - Assembled. L98 angle plug, standard exhaust, 76cc chambers, with parts.	1107
1107NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Head (Competition Package) - Assembled. L98 angle plug, standard exhaust, 76cc chambers, without parts.	1107NP
1103	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, 66cc chambers, with parts.	1103
1103NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, 66cc chambers, without parts.	1103NP
1106	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Head (Competition Package) - Assembled. Spread port exhaust, 66cc chambers, with parts.	1106
1106NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Head (Competition Package) - Assembled. Spread port exhaust, 66cc chambers, without parts.	1106NP
1056	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC SPEC Racing Head (Race Ready, USCS Competition) - Assembled. CNC ported, angle plug, spread port exhaust, 66cc chambers, with parts.	1056
1056NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC SPEC Racing Head (Race Ready, USCS Competition) - Assembled. CNC ported, angle plug, spread port exhaust, 66cc chambers, without parts.	1056NP
1049	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Head (Race Ready) - Assembled. Fel-Pro 1205 gasket, standard exhaust, 66cc chambers, with parts.	1049
1049NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Head (Race Ready) - Assembled. Fel-Pro 1205 gasket, standard exhaust, 66cc chambers, without parts.	1049NP
1174	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Angle Plug Head - Bare. Spread port exhaust, 64cc chambers.	1174
1176	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Angle Plug Head - Bare. Standard exhaust, 64cc chambers.	1176
1175	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Angle Plug Head - Bare. Spread port exhaust, 70cc chambers.	1175
1170	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Angle Plug Head - Bare. Standard exhaust, 70cc chambers.	1170
1171	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC Straight Plug Head - Bare. Standard exhaust, 70cc chambers.	1171
1172	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc SBC L98 Angle Plug Head - Bare. Standard exhaust, 70cc chambers.	1172
1060	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, standard exhaust, 76cc chambers, with parts.	1060
1060NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, standard exhaust, 76cc chambers, without parts.	1060NP
1065	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, spread port exhaust, 76cc chambers, with parts.	1065

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
AIR FLOW RESEARCH Continued							AIR FLOW RESEARCH Continued	
CHEVROLET Continued							CHEVROLET Continued	
1065NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, spread port exhaust, 76cc chambers, without parts.	1065NP
1064	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Head (Race Ready) - Assembled. Spread port exhaust, 66cc chambers, with parts.	1064
1064NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Head (Race Ready) - Assembled. Spread port exhaust, 66cc chambers, without parts.	1064NP
1061	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, standard exhaust, 66cc chambers, with parts.	1061
1061NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, standard exhaust, 66cc chambers, without parts.	1061NP
1110	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, 76cc chambers, with parts.	1110
1110NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, 76cc chambers, without parts.	1110NP
1115	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, spread port exhaust, 76cc chambers, with parts.	1115
1115NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, spread port exhaust, 76cc chambers, without parts.	1115NP
1116	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, 66cc chambers, with parts.	1116
1116NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, 66cc chambers, without parts.	1116NP
1114	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Head (Competition Package) - Assembled. Spread port exhaust, 66cc chambers, with parts.	1114
1114NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Head (Competition Package) - Assembled. Spread port exhaust, 66cc chambers, without parts.	1114NP
1178	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Angle Plug Head - Bare. Standard exhaust, 64cc chambers.	1178
1184	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Angle Plug Head - Bare. Spread port exhaust, 64cc chambers.	1184
1180	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Angle Plug Head - Bare. Standard exhaust, 70cc chambers.	1180
1185	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc SBC Angle Plug Head - Bare. Spread port exhaust, 70cc chambers.	1185
1067	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, standard exhaust, 76cc chambers, with parts.	1067
1067NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, standard exhaust, 76cc chambers, without parts.	1067NP
1075	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, spread port exhaust, 76cc chambers, with parts.	1075
1075NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, spread port exhaust, 76cc chambers, without parts.	1075NP
1068	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, standard exhaust, 66cc chambers, with parts.	1068
1068NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Eliminator Racing Series (Race Ready) - Assembled. CNC ported, angle plug, standard exhaust, 66cc chambers, without parts.	1068NP
1120	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, 76cc chambers, with parts.	1120
1120NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, 76cc chambers, without parts.	1120NP
1125	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, spread port exhaust, 76cc chambers, with parts.	1125
1125NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, spread port exhaust, 76cc chambers, without parts.	1125NP
1121	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, 66cc chambers, with parts.	1121
1121NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Eliminator Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, 66cc chambers, without parts.	1121NP
1190	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Eliminator Racing Series (Stage 1) - Bare. No porting, angle plug, standard exhaust, 70cc chambers, without parts.	1190
1195	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Eliminator Racing Series (Stage 1) - Bare. No porting, angle plug, spread port exhaust, 70cc chambers, without parts.	1195
1074	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Head (Race Ready) - Assembled. Spread port exhaust, 66cc chambers, with parts.	1074
1074NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Head (Race Ready) - Assembled. Spread port exhaust, 66cc chambers, without parts.	1074NP
1206	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	215cc SBC Eliminator Raised Runner Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, without parts.	1206
1207	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	215cc SBC Eliminator Raised Runner Series (Competition Package) - Assembled. CNC ported, angle plug spread port exhaust, without parts.	1207
1208	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	215cc SBC Eliminator Raised Runner Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, with parts.	1208

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
AIR FLOW RESEARCH Continued							AIR FLOW RESEARCH Continued	
CHEVROLET Continued							CHEVROLET Continued	
1209	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	215cc SBC Eliminator Raised Runner Series (Competition Package) - Assembled. CNC ported, angle plug, spread port exhaust, with parts.	1209
1204	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	215cc SBC Eliminator Raised Runner Series (Stage 1) - Bare. No porting, angle plug, standard exhaust, 70cc chambers, without parts.	1204
1205	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	215cc SBC Eliminator Raised Runner Series (Stage 1) - Bare. No porting, angle plug, spread port exhaust, 70cc chambers, without parts.	1205
908	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc LT1 SBC Eliminator Street Series - Assembled. CNC ported, angle plug, reverse cooled, 56cc-74cc chambers, with parts.	908
0908NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc LT1 SBC Eliminator Street Series - Assembled. CNC ported, angle plug, reverse cooled, 56cc-74cc chambers, without parts.	0908NP
0909	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc LT1 SBC Eliminator Street Series (Competition Package) - Assembled. CNC ported, angle plug, reverse cooled, 56cc-74cc chambers, with parts.	0909
0909NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc LT1 SBC Eliminator Street Series (Competition Package) - Assembled. CNC ported, angle plug, reverse cooled, 56cc-74cc chambers, without parts.	0909NP
0870	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	180cc LT1 SBC Head - Bare. Angle plug, reverse cooled, 70cc chambers, no porting, no valve job, without parts.	0870
1031	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc LT4 SBC Eliminator Street Series - Assembled. CNC ported, angle plug, reverse cooled, 56cc-74cc chambers, with parts.	1031
1031NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc LT4 SBC Eliminator Street Series - Assembled. CNC ported, angle plug, reverse cooled, 56cc-74cc chambers, without parts.	1031NP
1163	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc LT4 SBC Head - Bare. Angle plug, reverse cooled, 70cc chambers.	1163
1039	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc LT4 SBC Eliminator Street Series (Competition Package) - Assembled. CNC ported, angle plug, reverse cooled, 56cc-74cc chambers, with parts.	1039
1039NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	195cc LT4 SBC Eliminator Street Series (Competition Package) - Assembled. CNC ported, angle plug, reverse cooled, 56cc-74cc chambers, without parts.	1039NP
1057	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc LT4 SBC Racing Series (Race Ready) - Assembled. CNC ported, angle plug, standard exhaust, reverse cooled, 58cc-76cc chambers, with parts.	1057
1057NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc LT4 SBC Racing Series (Race Ready) - Assembled. CNC ported. angle plug, standard exhaust, reverse cooled, 58cc-76cc chambers, without parts.	1057NP
1101	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc LT4 SBC Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, reverse cooled, 58cc-76cc chambers, with parts.	1101
1101NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc LT4 SBC Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, reverse cooled, 58cc-76cc chambers, without parts.	1101NP
1173	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	210cc LT4 SBC Head - Bare. Reverse cooled, 70cc chambers.	1173
1066	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc LT4 SBC Racing Series (Race Ready) - Assembled. CNC ported, angle plug, reverse cooled, 58cc-76cc chambers, with parts.	1066
1066NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc LT4 SBC Racing Series (Race Ready) - Assembled. CNC ported, angle plug, reverse cooled, 58cc-76cc chambers, without parts.	1066NP
1127	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc LT4 SBC Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, reverse cooled, 58cc-76cc chambers, with parts.	1127
1127NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc LT4 SBC Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, reverse cooled, 58cc-76cc chambers, without parts.	1127NP
1177	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	220cc LT4 SBC Head - Bare. Reverse cooled, 70cc chambers.	1177
1076	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc LT4 SBC Racing Series (Race Ready) - Assembled. CNC ported, angle plug, standard exhaust, reverse cooled, 58cc-76cc chambers, with parts.	1076
1076NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc LT4 SBC Racing Series (Race Ready) - Assembled. CNC ported, angle plug, standard exhaust, reverse cooled, 58cc-76cc chambers, without parts.	1076NP
1126	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc LT4 SBC Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, reverse cooled, 58cc-76cc chambers, with parts.	1126
1126NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc LT4 SBC Racing Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, reverse cooled, 58cc-76cc chambers, without parts.	1126NP
1196	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc LT4 SBC Racing Series (Stage 1) - Bare. No porting, angle plug, standard exhaust, reverse cooled, 70cc chambers, without parts.	1196
1191	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Angle Plug Head - Bare. Standard exhaust, 64cc chambers.	1191
1194	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC Angle Plug Head - Bare. Spread port exhaust, 64cc chambers.	1194
1124	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC (Competition Package). Spread port exhaust, 66cc chambers, with parts.	1124
1124NP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	227cc SBC (Competition Package). Spread port exhaust, 66cc chambers, without parts.	1124NP
1212	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	215cc LT4 SBC Raised Runner Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, without parts.	1212
1210	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	215cc LT4 SBC Raised Runner Series (Competition Package) - Assembled. CNC ported, angle plug, standard exhaust, with parts.	1210
1197	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	215cc LT4 SBC Raised Runner Series (Stage 1) - Bare. No porting, angle plug, reverse cool, standard exhaust, 70cc chambers, without parts.	1197

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
AIR FLOW RESEARCH Continued							AIR FLOW RESEARCH Continued	
CHEVROLET Continued							CHEVROLET Continued	
1510	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	APP5245	205cc LS1 Mongoose Street Series - Assembled. CNC ported, 66cc chambers, with parts.	1510
1520	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	APP5245	205cc LS1 Mongoose Street Series - Assembled. CNC ported, 66cc chambers, without parts.	1520
1541	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	APP5245	205cc LS1 Mongoose Street Series - As Cast (Professional porting required). No porting, valve job or guides honed, 64cc chambers, without parts.	1541
1610	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	APP5245	225cc LS1 Mongoose Strip Series - Assembled. Large bore, CNC ported, 62cc chambers, with parts.	1610
1620	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	APP5245	225cc LS1 Mongoose Strip Series - Assembled. Large bore, CNC ported, 62cc chambers, without parts.	1620
1630	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	APP5245	225cc LS1 Mongoose Strip Series - Assembled. Large bore, CNC ported, 72cc chambers, with parts.	1630
1640	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	APP5245	225cc LS1 Mongoose Strip Series - Assembled. Large bore, CNC ported, 72cc chambers, without parts.	1640
1660	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	APP5245	225cc LS1 Mongoose Strip Series - Assembled. Small bore, CNC ported, 72cc chambers, with parts.	1660
1670	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	APP5245	225cc LS1 Mongoose Strip Series - Assembled. Small bore, CNC ported, 62cc chambers, without parts.	1670
3050	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	305cc Magnum BBC Series - As Cast. Valve job, no porting, without parts, ready for assembly.	3050
2100	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	305cc Magnum BBC Series (Race Ready) - As Cast, Assembled. With parts.	2100
3050-1	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	305cc Magnum BBC Series - As Cast. Valve job, CNC chambers, without parts, ready for assembly.	3050-1
2100-1	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	305cc Magnum BBC Series (Race Ready) - As Cast, Assembled. CNC chambers, with parts.	2100-1
3150	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	315cc Magnum BBC Series (Competition Package). CNC ported, valve job, without parts, ready for assembly.	3150
2000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	315cc Magnum BBC Series (Competition Package) - Assembled. CNC ported, with parts.	2000
3250	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	325cc Magnum BBC Series (Competition Package) - As Cast, Bare. Valve job, no porting, without parts, ready for assembly.	3250
2101	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	325cc Magnum BBC Series (Competition Package) - As Cast, Assembled. With parts.	2101
3250-1	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	325cc Magnum BBC Series (Competition Package) - As Cast, Bare. Valve job, CNC chambers, without parts, ready for assembly.	3250-1
2101-1	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	325cc Magnum BBC Series (Competition Package) - As Cast, Assembled. CNC chambers, with parts.	2101-1
3350	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	335cc Magnum BBC Series (Competition Package). CNC ported, valve job, without parts, ready for assembly.	3350
2001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	335cc Magnum BBC Series (Competition Package) - Assembled. CNC ported, with parts.	2001
3450	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	345cc Magnum BBC Series (Competition Package) - As Cast, Bare. Valve job, no porting, without parts, ready for assembly.	3450
2110	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	345cc Magnum BBC Series (Competition Package) - As Cast, Assembled. With parts.	2110
3450-1	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	345cc Magnum BBC Series (Competition Package) - As Cast, Bare. Valve job, CNC chambers, without parts, ready for assembly.	3450-1
2110-1	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	345cc Magnum BBC Series (Competition Package) - As Cast, Assembled. CNC chambers, with parts.	2110-1
3750	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	357cc Magnum BBC Series (Competition Package). CNC ported, valve job, without parts, ready for assembly.	3750
2010	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	357cc Magnum BBC Series (Competition Package) - Assembled. CNC ported, with parts.	2010
3600	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	265cc BBC Oval Port - As Cast. Valve job, no porting, without parts, ready for assembly.	3600
3600-1	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	265cc BBC Oval Port - As Cast. Valve job, CNC chambers, without parts, ready for assembly.	3600-1
3610	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	265cc BBC Oval Port (Race Ready) - As Cast, Assembled. With hydraulic roller springs.	3610
3610-01	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	265cc BBC Oval Port (Race Ready) - As Cast, Assembled. CNC chambers, with hydraulic roller springs.	3610-01
3620	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	265cc BBC Oval Port (Race Ready) - As Cast, Assembled. With solid roller springs.	3620
3620-1	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	265cc BBC Oval Port (Race Ready) - As Cast, Assembled. CNC chambers, with solid roller springs.	3620-1
3630	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	290cc BBC Oval Port. CNC ported, valve job, without parts, ready for assembly.	3630
3640	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	290cc BBC Oval Port (Competition Package) - Assembled. CNC ported, with hydraulic roller springs.	3640
3650	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	290cc BBC Oval Port (Competition Package) - Assembled. CNC ported, with solid roller springs.	3650
FORD							FORD	
0138	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	170cc SBF Head- Bare. Stud mount, no EGR, no porting, no valve job, without parts.	0138
0139	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	140cc SBF Head- Bare. Stud mount, no EGR, no porting, no valve job, without parts.	0139
1402	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	165cc SBF Outlaw Street Series - Assembled. CNC ported, stud mount, 58cc chambers, with parts.	1402
1403	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	165cc SBF Outlaw Street Series - Assembled. CNC ported, stud mount, 58cc chambers, without parts.	1403
1472	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	165cc SBF Outlaw Street Series - Assembled. CNC ported, pedestal mount, 60cc chambers, with parts.	1472
1473	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	165cc SBF Outlaw Street Series - Assembled. CNC ported, pedestal mount, 60cc chambers, without parts.	1473
1400	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	165cc SBF Outlaw Street Series - Assembled. CNC ported, stud mount, 61cc chambers, with parts.	1400
1401	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	165cc SBF Outlaw Street Series - Assembled. CNC ported, stud mount, 61cc chambers, without parts.	1401
1404	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	165cc SBF Outlaw Street Series (Competition Package) - Assembled. CNC ported, stud mount, 58cc chambers, with parts.	1404
1405	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	165cc SBF Outlaw Street Series (Competition Package) - Assembled. CNC ported, stud mount, 58cc chambers, without parts.	1405
0140	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	140cc SBF Outlaw Street Series (Stage 1) - Bare. Stud mount, no porting, no valve job, 50cc chambers, without parts.	0140
0147	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	140cc SBF Outlaw Street Series (Stage 1) - Bare. Pedestal mount, no porting, no valve job, 50cc chambers, without parts.	0147
1399	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	165cc SBF Outlaw Street/Strip Series - Assembled. CNC ported, no EGR or air pump, stud mount, 58cc chambers, with parts.	1399
1399-C	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	165cc SBF Outlaw Street/Strip Series - Assembled. CNC ported, no EGR or air pump, stud mount, 58cc chambers, with parts.	1399-C
1395-C	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	165cc SBF Outlaw Street/Strip Series. No EGR or air pump, stud mount, 58cc chambers, without parts.	1395-C
1398	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	165cc SBF Outlaw Street/Strip Series - Assembled. CNC ported, no EGR or air pump, stud mount, 61cc chambers, with parts.	1398
1397	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	165cc SBF Outlaw Street/Strip Series - Assembled. CNC ported, no EGR or air pump, stud mount, 61cc chambers, without parts.	1397
1396	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	165cc SBF Outlaw Street/Strip Series (Nitrous Exhaust) - Assembled. CNC ported, no EGR or air pump, stud mount, 58cc chambers, with parts.	1396
1394	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	165cc SBF Outlaw Street/Strip Series (Nitrous Exhaust). No EGR or air pump, stud mount, 58cc chambers, without parts.	1394
1422	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	185cc SBF Outlaw Street Series - Assembled. CNC ported, stud mount, 58cc chambers, with parts.	1422

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
AIR FLOW RESEARCH Continued							AIR FLOW RESEARCH Continued	
FORD Continued							FORD Continued	
1423	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	185cc SBF Outlaw Street Series - Assembled. CNC ported, stud mount, 58cc chambers, without parts.	1423
1492	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	185cc SBF Outlaw Street Series - Assembled. CNC ported, pedestal mount, 60cc chambers, with parts.	1492
1493	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	185cc SBF Outlaw Street Series - Assembled. CNC ported, pedestal mount, 60cc chambers, without parts.	1493
1420	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	185cc SBF Outlaw Street Series - Assembled. CNC ported, stud mount, 61cc chambers, with parts.	1420
1421	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	185cc SBF Outlaw Street Series - Assembled. CNC ported, stud mount, 61cc chambers, without parts.	1421
0142	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	170cc SBF Outlaw Street Series (Stage 1) - Bare. Stud mount, no porting, no valve job, 55cc chambers, without parts.	0142
0149	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	170cc SBF Outlaw Street Series (Stage 1) - Bare. Pedestal mount, no porting, no valve job, 55cc chambers, without parts.	0149
1388	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	185cc SBF Outlaw Street/Strip Series - Assembled. CNC ported, no EGR or air pump, stud mount, 58cc chambers, with parts.	1388
1387	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	185cc SBF Outlaw Street/Strip Series - Assembled. CNC ported, no EGR or air pump, stud mount, 61cc chambers, with parts.	1387
1385	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	185cc SBF Outlaw Street/Strip Series - Assembled. CNC ported, no EGR or air pump, stud mount, 58cc chambers, without parts.	1385
1386	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	185cc SBF Outlaw Street/Strip Series - Assembled. CNC ported, no EGR or air pump, stud mount, 61cc chambers, without parts.	1386
1389	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	185cc SBF Outlaw Street/Strip Series (Nitrous Exhaust) - Assembled. CNC ported, no EGR or air pump, stud mount, 58cc chambers, with parts.	1389
1384	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	185cc SBF Outlaw Street/Strip Series (Nitrous Exhaust) - Assembled. CNC ported, no EGR or air pump, stud mount, 58cc chambers, without parts.	1384
1450	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	205cc SBF Outlaw Race Series (Race Ready) - Assembled. CNC ported, stud mount, 58cc chambers, with parts.	1450
1454	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	205cc SBF Outlaw Race Series - Assembled. CNC ported, stud mount, 58cc chambers, without parts.	1454
1452	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	205cc SBF Outlaw Race Series (Nitrous Exhaust) - Assembled. CNC ported, stud mount, 58cc chambers, with parts.	1452
1453	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	205cc SBF Outlaw Race Series (Nitrous Exhaust) - Assembled. CNC ported, stud mount, 58cc chambers, without parts.	1453
0145	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	190cc SBF Outlaw Race Series (Stage 1) - Bare. Stud mount, no porting, no valve job, 55cc chambers, without parts.	0145
1451	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	225cc SBF Outlaw Race Series (Race Ready) - Assembled. CNC ported, stud mount, 58cc chambers, with parts.	1451
1455	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	225cc SBF Outlaw Race Series - Assembled. CNC ported, stud mount, 58cc chambers, without parts.	1455
0146	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	210cc SBF Outlaw Race Series (Stage 1) - Bare. Stud mount, no porting, no valve job, 53cc chambers, without parts.	0146
ALAN JOHNSON PERFORMANCE ENGINEERING							ALAN JOHNSON PERFORMANCE ENGINEERING	
CHEVROLET							CHEVROLET	
01C-003	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	12° SBC Head - Bare.	01C-003
01C-009	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	18° SBC Head - Bare.	01C-009
01C-014	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	23° SBC Head - Bare.	01C-014
CHRYSLER							CHRYSLER	
01A-001	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	AR2592	Top Fuel Head Stage I - Bare with shoes.	01A-001
01A-002	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	AR2592	Top Fuel Head Stage II - Bare with shoes.	01A-002
01A-021	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	AR2592	Alcohol Head Stage I - Bare without shoes.	01A-021
01A-022	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	AR2592	Alcohol Head Stage II - Bare without shoes.	01A-022
01B-001	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	AR2592	A.J. 481x Billet Alcohol Head Stage I - Bare without girdles.	01B-001
01B-021	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	AR2592	A.J. 481x Cast Supercharged Alcohol Head Stage I - Bare without girdles.	01B-021
FORD							FORD	
01F-001	ALUMINUM	6-CYLINDER	14MM - .750"	5/8"	GASKET	AR3932	4.9L 6-Cylinder Race Head - Assembled.	01F-001
01D-001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	5.0" Pro-Stock Head - Bare.	01D-001
ALL PRO ALUMINUM HEADS							ALL PRO ALUMINUM HEAD	
CHEVROLET							CHEVROLET	
R260RE-13	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	Ultra Series Head - Bare. 50cc chambers, 260cc intake ports.	R260RE-13
R270RE-13	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	Ultra Series Head - Bare. 50cc chambers, 270cc intake ports.	R270RE-13
R285RE-13	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	Ultra Series Head - Bare. 50cc chambers, 285cc intake ports.	R285RE-13
R286RE-13	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	Ultra Series Head - Bare. 50cc chambers, 285cc intake ports.	R286RE-13
260LM-13	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	Late Model Head - Bare. 260cc intake ports.	260LM-13
270LM-13	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	Late Model Head - Bare. 270cc intake ports.	270LM-13
R267ULTRA 13M	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	Ultra Late Model Head - Bare. 279cc intake ports.	R267ULTRA 13M
R265RE-15	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	Raised & Rolled 15° Head - Bare. 265cc intake ports.	R265RE-15
R292RE-15	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	Raised & Rolled 15° Head - Bare. 292cc intake ports.	R292RE-15
RR260SP-17	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	Raised Runner 17° Spread Port Head - Bare. 60cc chamber options, 247cc & 260cc intake port options.	RR260SP-17
RR245SP-23	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	Raised Runner 23° Spread Port Head - Bare. 60cc - 73cc chamber options, 245cc intake ports.	RR245SP-23
RR245-S	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	Raised Runner Head - Bare. 245cc intake ports. Stud mounted rockers.	RR245-S
RR227SP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	Raised Runner Spread Port Head - Bare. 227cc intake ports.	RR227SP
RR227SP-W	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	Raised Runner 23° Spread Port NASCAR Head - Bare. 60cc - 74cc chamber options, 244cc & 250cc intake port options.	RR227SP-W
AP220S	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	23° Standard Port Exhaust Head - Bare. 60cc - 74cc chamber options.	AP220S
AP220SP	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	23° Spread Port Exhaust Head - Bare. 60cc - 74cc chamber options.	AP220SP
AP360SP-23	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	360 CID Sprint "Special Gasket" Head - Bare.	AP360SP-23
360B-21	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	360 CID Sprint "Open" Head - Bare.	360B-21
272-21	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	21° Ultra Head - Bare. 57cc - 60cc chamber options, 272cc intake ports.	272-21
280-22	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	22° Ultra Head - Bare. 57cc - 60cc chamber options, 280cc intake ports	280-22
S/S	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	23° Street/Strip Head - Bare. 68cc chambers, 185cc intake ports. Angle & straight plug options.	S/S

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
ALL PRO ALUMINUM HEADS Continued							ALL PRO ALUMINUM HEAD Continued	
CHEVROLET Continued							CHEVROLET Continued	
(S) = Street; (R) = Racing								
305-23	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	305 Series Small Spec Head - Bare. 62cc chambers, 179cc intake ports.	305-23
LS1-LS6	ALUMINUM	LS GEN III BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) = AR3933	Hurricane Series Head - Bare. 64cc - 72cc chamber options, 230cc intake ports.	LS1-LS6
MOPAR							MOPAR	
W9-RP 13	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	Midget profile, Sprint car, Drag race Head - Bare.	W9-RP 13
BLUE THUNDER							BLUE THUNDER	
FORD							FORD	
CHSB360HP50	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	3.60" High Port Head - Bare. 50cc chambers. 289, 302, 351W engines. Race only.	CHSB360HP50
CHSB360HP70	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	3.60" High Port Head - Bare. 70cc chambers. 289, 302, 351W engines. Race only.	CHSB360HP70
CHSB430HPC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	4.30" High Port Canted Valve Head - Bare. 289, 302, 351W engines. Race only.	CHSB430HPC
CHSB430HPS	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	4.30" High Port Standard Valve Head - Bare. 289, 302, 351W engines. Race only.	CHSB430HPS
CHFELBMR	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Big Block FE, Medium Riser, Large Bore, Quench Chamber Head - Bare. 390, 427, 428 CID engines.	CHFELBMR
CHFELBOEMR	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Big Block FE, Medium Riser, Large Bore, OE Wedge Chamber Head - Bare. 390, 427, 428 CID engines.	CHFELBOEMR
CHFELBHR	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Big Block FE, High Riser, Large Bore, Quench Chamber Head - Bare. 390, 427, 428 CID engines.	CHFELBHR
CHFELBOEHR	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Big Block FE, High Riser, Large Bore, OE Wedge Chamber Head - Bare. 390, 427, 428 CID engines.	CHFELBOEHR
CHFESBMR	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Big Block FE, Medium Riser, Small Bore, Quench Chamber Head - Bare. 390, 427, 428 CID engines.	CHFESBMR
CHFESBOEMR	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Big Block FE, Medium Riser, Small Bore, OE Wedge Chamber Head - Bare. 390, 427, 428 CID engines.	CHFESBOEMR
CHFESBHR	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Big Block FE, High Riser, Small Bore, Quench Chamber Head - Bare. 390, 427, 428 CID engines.	CHFESBHR
CHFALPCCC	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	429-460 Cobra Jet Style, Standard Height Ford Exhaust Head - Bare. 74cc chambers.	CHFALPCCC
CHFALPCC	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	429-460 Cobra Jet Style, Standard Height Ford Exhaust Head - Bare. 80cc chambers.	CHFALPCC
CHFALPOC	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	429-460 Cobra Jet Style, Standard Height Ford Exhaust Head - Bare. 100cc chambers.	CHFALPOC
CHFACC	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	429-460 Cobra Jet Style, Raised Ford Exhaust Head - Bare. 78cc chambers.	CHFACC
CHFAOC	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	429-460 Cobra Jet Style, Raised Ford Exhaust Head - Bare. 100cc chambers.	CHFAOC
CHCACC	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	429-460 Cobra Jet Style, Chevy Exhaust Pattern Head - Bare. 78cc chambers.	CHCACC
CHCAOC	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	429-460 Cobra Jet Style, Chevy Exhaust Pattern Head - Bare. 100cc chambers.	CHCAOC
CHBBTHLS	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	429-460 THOR, Large Bore, Standard Exhaust Flange Head - Bare.	CHBBTHLS
CHBBTHLA	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	429-460 THOR, Large Bore, Angle Exhaust Flange Head - Bare.	CHBBTHLA
BMF RACING HEADS™							BMF RACING HEADS™	
CHEVROLET							CHEVROLET	
18° SBC 238cc	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	CNC Ported Head - Assembled. 238cc intake ports.	18° SBC 238cc
18° SBC 248cc	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	CNC Ported Head - Assembled. 248cc intake ports.	18° SBC 248cc
18° SBC 260cc	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	CNC Ported Head - Assembled. 260cc intake ports.	18° SBC 260cc
18° SBC 268cc	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	CNC Ported Head - Assembled. 268cc intake ports.	18° SBC 268cc
BBC 310cc	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	CNC Ported Head - Assembled. 119cc chambers, 310cc intake ports.	BBC 310cc
BBC 330cc	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	CNC Ported Head - Assembled. 119cc chambers, 330cc intake ports.	BBC 330cc
BBC 350cc	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	CNC Ported Head - Assembled. 119cc chambers, 350cc intake ports.	BBC 350cc
BBC 385cc	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	CNC Ported Head - Assembled. 119cc chambers, 385cc intake ports.	BBC 385cc
BBC 405cc	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932	CNC Ported Head - Assembled. 119cc chambers, 405cc intake ports.	BBC 405cc
BMF Racing Heads™ is a division of CFE Racing Products™ and is used in this catalog for identification purposes only.								
BRODIX® INC.							BRODIX® INC.	
CHEVROLET							CHEVROLET	
(S) = Street; (R) = Racing								
Not Listed	ALUMINUM	6-CYLINDER	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	90° V6 Series. V6 -8 Bare.	Not Listed
Not Listed	ALUMINUM	6-CYLINDER	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	90° V6 Series. V6 -8 Pkg.	Not Listed
Not Listed	ALUMINUM	6-CYLINDER	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	90° V6 Series. V6 -8 Pkg.	Not Listed
Not Listed	ALUMINUM	6-CYLINDER	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	90° V6 Series. V6 -10 Bare.	Not Listed
Not Listed	ALUMINUM	6-CYLINDER	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	90° V6 Series. V6 -10 Pkg.	Not Listed
Not Listed	ALUMINUM	6-CYLINDER	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	90° V6 Series. V6 -10 Pkg.	Not Listed
1020001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	IK™ Series. IK 180 Bare.	1020001
1021002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	IK™ Series. IK 180 Pkg.	1021002
1021003	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	IK™ Series. IK 180 Pkg.	1021003
1021004	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	IK™ Series. IK 180 Pkg.	1021004
1021005	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	IK™ Series. IK 180 Pkg.	1021005
1020000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	IK™ Series. IK 200 Bare.	1020000
1021000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	IK™ Series. IK 200 Pkg.	1021000
1021001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	IK™ Series. IK 200 Pkg.	1021001
1010001S	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race-Rite® Series. RR 180 Bare. Straight Plug.	1010001S
1011003S	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race-Rite® Series. RR 180 Pkg. Straight Plug.	1011003S
1010000A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race-Rite® Series. RR 180 Bare. Angle Plug.	1010000A
1011000A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race-Rite® Series. RR 180 Pkg. Angle Plug.	1011000A
1010003S	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race-Rite® Series. RR 200 Bare. Straight Plug.	1010003S
1011014S	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race-Rite® Series. RR 200 Pkg. Straight Plug.	1011014S
1010002A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race-Rite® Series. RR 200 Bare. Angle Plug.	1010002A
1011008A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race-Rite® Series. RR 200 Pkg. Angle Plug.	1011008A

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
BRODIX® INC. Continued						BRODIX® INC. Continued		
CHEVROLET						CHEVROLET		
						(S) = Street; (R) = Racing		
100000A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR3933 or AR3934	Track 1™ Series. T1 STD Bare.	100000A
1001001A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR3933 or AR3934	Track 1™ Series. T1 STD Pkg.	1001001A
1000002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR3933 or AR3934	Track 1™ Series. T1 STD X Bare.	1000002
1001012	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR3933 or AR3934	Track 1™ Series. T1 STD X Pkg.	1001012
1001013	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR3933 or AR3934	Track 1™ Series. T1 STD X Pkg.	1001013
1008000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR3933 or AR3934	Track 1™ Series. STS T1 215 Bare.	1008000
1008100	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR3933 or AR3934	Track 1™ Series. STS T1 215 Pkg.	1008100
1008002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR3933 or AR3934	Track 1™ Series. KC T1 227 Bare.	1008002
1008104	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR3933 or AR3934	Track 1™ Series. KC T1 227 Pkg.	1008104
1080000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	(S) 3924; (R) AR51	-8 Pro™ Series. 8 Pro Bare. Straight Plug.	1080000
1081002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	(S) 3924; (R) AR51	-8 Pro™ Series. 8 Pro Pkg. Straight Plug.	1081002
1080001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	(S) 3924; (R) AR51	-8 Pro™ Series. 8 Pro Bare. Angle Plug.	1080001
1081005	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	(S) 3924; (R) AR51	-8 Pro™ Series. 8 Pro Pkg. Angle Plug.	1081005
1080002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR51	-8™ Series. 8 SP Bare	1080002
1081012	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR51	-8™ Series. 8 SP Pkg.	1081012
1080003	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR51	-8™ Series. 8 STD Bare.	1080003
1081014	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR51	-8™ Series. 8 STD Pkg.	1081014
1100000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR51	-10™ Series. 10 SP Bare.	1100000
1101000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR51	-10™ Series. 10 SP Pkg.	1101000
1100002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR51	-10™ Series. 10 STD Bare.	1100002
1101003	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR51	-10™ Series. 10 STD Pkg.	1101003
1110000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR51	-11™ Series. 11 SP Bare.	1110000
1111000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR51	-11™ Series. 11 SP Pkg.	1111000
1110004	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR51	-11™ Series. 11 STD Bare.	1110004
1111008	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	AR51	-11™ Series. 11 STD Pkg.	1111008
1110005	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-11 X™ Series. 11 STD X Bare.	1110005
1111010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-11 X™ Series. 11 STD X Pkg.	1111010
1110001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-11 X™ Series. 11 SP X Bare.	1110001
1111002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-11 X™ Series. 11 SP X Pkg.	1111002
1118000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-11 X™ Series. KC 11 SP X Bare.	1118000
1118100	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-11 X™ Series. KC 11 SP X Pkg.	1118100
1118101	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-11 X™ Series. KC 11 SP X Pkg.	1118101
1108001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-10 RI™ Series. WP 10 SP RI Bare.	1108001
1108102	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-10 RI™ Series. WP 10 SP RI Pkg.	1108102
1108000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-10 X™ Series. WP 10 SP X Bare.	1108000
1108100	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-10 X™ Series. WP 10 SP X Pkg.	1108100
1108002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-10 X™ Series. WP 10 SP X AP Bare.	1108002
1108103	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-10 X™ Series. WP 10 SP X AP Pkg.	1108103
1180001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-18 X™ Series. 18 STD X Bare.	1180001
1181002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-18 X™ Series. 18 STD X Pkg.	1181002
1188002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-18 X™ Series. M2 18 STD X Bare.	1188002
1188103	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-18 X™ Series. M2 18 STD X Pkg.	1188103
1180000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-18 X™ Series. 18 SP X Bare.	1180000
1181000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-18 X™ Series. 18 SP X Pkg.	1181000
1188000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-18 X™ Series. M2 18 SP X Bare.	1188000
1188100	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-18 X™ Series. M2 18 SP X Pkg.	1188100
1180003	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-18 C™ Series. 18 SP C Bare.	1180003
1180005	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-18 C™ Series. 18 STD C Bare.	1180005
1188001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-18 C™ Series. WP 18 SP C Bare.	1188001
1188102	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-18 C™ Series. WP 18 SP C Pkg.	1188102
1188004	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-18 C™ Series. KC 18 SP C Bare.	1188004
1188106	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-18 C™ Series. KC 18 SP C Pkg.	1188106
1188003	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-18 C™ Series. WP 18 SP C AP Bare.	1188003
1188105	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-18 C™ Series. WP 18 SP C AP Pkg.	1188105
1268000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-16™ Series. KC 16 STD Bare.	1268000
1268100	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-16™ Series. KC 16 STD Pkg.	1268100
1258000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-15™ Series. WP 15 SP Bare.	1258000
1258100	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-15™ Series. WP 15 SP Pkg.	1258100
1258001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-15™ Series. WP 15 STD Bare.	1258001
1258101	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-15™ Series. WP 15 STD Pkg.	1258101
1150004	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-12™ Series. 12 SP P Bare.	1150004
1158005	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-12™ Series. WP 12 SP RI 247 Bare.	1158005

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
BRODIX® INC. Continued							BRODIX® INC. Continued	
CHEVROLET							CHEVROLET	
(S) = Street; (R) = Racing								
1158002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-12™ Series. WP 12 SP RI 262 Bare.	1158002
1150000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-12™ Series. 12 SP B Bare.	1150000
1158000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-12™ Series. KC 12 SP B Bare.	1158000
1158100	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-12™ Series. KC 12 SP B Pkg.	1158100
1158004	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	-12™ Series. STS 12 SP WB MC Bare.	1158004
1120000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	12X12™ Series. 12X12 SP B Bare.	1120000
1128002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	12X12™ Series. WP 12X12 B 286 Bare.	1128002
1128101	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	12X12™ Series. WP 12X12 B 286 Pkg.	1128101
1120001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	12X12™ Series. 12X12 SP RP Bare.	1120001
1128006	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	12X12™ Series. WP 12X12 RP 299 Bare.	1128006
1128103	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	12X12™ Series. WP 12X12 RP 299 Pkg.	1128103
1130000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	GB 2000™ Series. GB 2000 Bare.	1130000
1138001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	GB 2000™ Series. WP GB 2000 Bare.	1138001
1138000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	GB 2000™ Series. WP GB 2000 L Bare.	1138000
1138101	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	GB 2000™ Series. WP GB 2000 Pkg.	1138101
1138100	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	GB 2000™ Series. WP GB 2000 L Pkg.	1138100
1138002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	GB 2000™ Series. WP GB 2200 L Bare.	1138002
1138003	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	GB 2000™ Series. WP GB 2300 L Bare.	1138003
1138004	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	GB 2000™ Series. WP GB 2400 Bare.	1138004
1138005	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	GB 2000™ Series. WP GB 2400 L Bare.	1138005
1138102	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	GB 2000™ Series. WP GB 2400 Pkg.	1138102
1138103	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	GB 2000™ Series. WP GB 2400 L Pkg.	1138103
1200000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BD™ Series. BD 2000 Bare.	1200000
1200001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BD™ Series. BD 1010 Bare.	1200001
1208000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BD™ Series. WP BD 2000 Bare.	1208000
1208001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BD™ Series. WP BD 1010 Bare.	1208001
1208100	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BD™ Series. WP BD 2000 Pkg.	1208100
1208101	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BD™ Series. WP BD 1010 Pkg.	1208101
1140000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	Canted Valve Series. CV SP 265 Bare.	1140000
1140001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	Canted Valve Series. CV SP 330 Bare.	1140001
Custom Order	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	Canted Valve Series. CV SP 265 Pkg.	Custom Order
Custom Order	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	Canted Valve Series. CV SP 265 Pkg.	Custom Order
Custom Order	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	SPEC. CHEVY Cylinder Head. SP CH Bare.	Custom Order
1110002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	ASCS Series. 11 SP X ASCS Chevy Bare.	1110002
1111004	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	ASCS Series. 11 SP X ASCS Chevy Pkg.	1111004
1110003	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	SUPR Series. 11 SP X SUPR Chevy Bare.	1110003
1111006	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	SUPR Series. 11 SP X SUPR Chevy Pkg.	1111006
2060001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	(S) 65; (R) AR3934	Race-Rite® Series. RR BB-R Bare.	2060001
2061010	ALUMINUM	BIG BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	(S) 65; (R) AR3934	Race-Rite® Series. RR BB-R Pkg.	2061010
2061013	ALUMINUM	BIG BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	(S) 65; (R) AR3934	Race-Rite® Series. RR BB-R Pkg.	2061013
2060000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	(S) 65; (R) AR3934	Race-Rite® Series. RR BB-O Bare.	2060000
2061001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	(S) 65; (R) AR3934	Race-Rite® Series. RR BB-O Pkg.	2061001
2061004	ALUMINUM	BIG BLOCK	14MM - .750"	5/8" & 13/16"	GASKET	(S) 65; (R) AR3934	Race-Rite® Series. RR BB-O Pkg.	2061004
2010000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-1™ Series. BB-1 Bare.	2010000
2011001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-1™ Series. BB-1 Pkg.	2011001
2011004	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-1™ Series. BB-1 Pkg.	2011004
2011007	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-1™ Series. BB-1 Pkg.	2011007
2018001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-1™ Series. M2 BB-1 Bare.	2018001
2018102	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-1™ Series. M2 BB-1 Pkg.	2018102
2020000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2™ Series. BB-2 Bare.	2020000
2021000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2™ Series. BB-2 Pkg.	2021000
2021002	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2™ Series. BB-2 Pkg.	2021002
2020001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2 PLUS™ Series. BB-2 PLUS Bare.	2020001
2021012	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2 PLUS™ Series. BB-2 PLUS Pkg.	2021012
2021014	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2 PLUS™ Series. BB-2 PLUS Pkg.	2021014
2028001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2 PLUS™ Series. STS BB-2 PLUS Bare.	2028001
2028109	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2 PLUS™ Series. STS BB-2 PLUS Pkg.	2028109
2028110	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2 PLUS™ Series. STS BB-2 PLUS Pkg.	2028110
2020003	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2 X™ Series. BB-2 X Bare.	2020003
2021036	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2 X™ Series. BB-2 X Pkg.	2021036
3031038	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2 X™ Series. BB-2 X Pkg.	3031038
2020002	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2 XTRA™ Series. BB-2 XTRA Bare.	2020002

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #	
BRODIX® INC. Continued								BRODIX® INC. Continued	
CHEVROLET							(S) = Street; (R) = Racing	(S) = Street; (R) = Racing	CHEVROLET
2021024	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2 XTRA™ Series. BB-2 XTRA Pkg.	2021024	
2121026	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2 XTRA™ Series. BB-2 XTRA Pkg.	2121026	
2028000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2 XTRA™ Series. BP BB-2 XTRA Bare.	2028000	
2081000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2 XTRA™ Series. BP BB-2 XTRA Pkg.	2081000	
2028101	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-2 XTRA™ Series. BP BB-2 XTRA Pkg.	2028101	
2030000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-3™ Series. BB-3 Bare.	2030000	
2031000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-3™ Series. BB-3 Pkg.	2031000	
2031002	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-3™ Series. BB-3 Pkg.	2031002	
2030001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-3 XTRA™ Series. BB-3 XTRA Bare.	2030001	
2031003	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-3 XTRA™ Series. BB-3 XTRA Pkg.	2031003	
2031004	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-3 XTRA™ Series. BB-3 XTRA Pkg.	2031004	
2038000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-3 XTRA™ Series. KC BB-3 XTRA Bare.	2038000	
2023100	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-3 XTRA™ Series. KC BB-3 XTRA Pkg.	2023100	
2038101	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-3 XTRA™ Series. KC BB-3 XTRA Pkg.	2038101	
2038001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-3 XTRA™ Series. KC BB-3 XTRA O Bare.	2038001	
2038104	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-3 XTRA™ Series. KC BB-3 XTRA O Pkg.	2038104	
2038105	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-3 XTRA™ Series. KC BB-3 XTRA O Pkg.	2038105	
Custom Order	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-4™ Series. BB-4 Bare.	Custom Order	
2041004	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-4™ Series. BB-4 Pkg.	2041004	
2041006	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-4™ Series. BB-4 Pkg.	2041006	
2048000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-4™ Series. STS BB-4 XTRA Bare.	2048000	
2048100	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-4™ Series. STS BB-4 XTRA Pkg.	2048100	
2048101	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-4™ Series. STS BB-4 XTRA Pkg.	2048101	
2050000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-5™ Series. BB-5 Bare.	2050000	
2051000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BB-5™ Series. BB-5 Pkg.	2051000	
2180000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 1800™ Series. PB 1800 Bare.	2180000	
2181000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 1800™ Series. PB 1800 Pkg.	2181000	
2180002	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 1800™ Series. PB 1801 Bare.	2180002	
2181004	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 1800™ Series. PB 1801 Pkg.	2181004	
2180001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 1800™ Series. PB 1802 Bare.	2180001	
2181002	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 1800™ Series. PB 1802 Pkg.	2181002	
2180003	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 1800™ Series. PB 1803 Bare.	2180003	
2181006	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 1800™ Series. PB 1803 Pkg.	2181006	
2181007	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 1800™ Series. PB 1803 Pkg.	2181007	
2188001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 1800™ Series. KC PB 1803 Bare.	2188001	
2188102	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 1800™ Series. KC PB 1803 Pkg.	2188102	
2140000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 2005™ Series. PB 2005 Bare.	2140000	
2141000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 2005™ Series. PB 2005 Pkg.	2141000	
Custom Order	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 2005™ Series. PB 2005 Bare. (Minor Port)	Custom Order	
Custom Order	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 2005™ Series. PB 2005 Pkg. (Minor Port)	Custom Order	
2128000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 1200™ Series. KC PB 1200 Bare.	2128000	
2128101	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 1200™ Series. KC PB 1200 Pkg.	2128101	
2128001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 1200™ Series. KC PB 1201 Bare.	2128001	
2128102	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932 or AR3933	PB 1200™ Series. KC PB 1201 Pkg.	2128102	
FORD							(S) = Street; (R) = Racing	FORD	
1050000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	ST 5.0™ Series. ST 5.0 Bare.	1050000	
1051000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	ST 5.0™ Series. ST 5.0 Pkg.	1051000	
1050001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	ST 5.0™ Series. ST 5.0 R Bare.	1050001	
1051004	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	ST 5.0™ Series. ST 5.0 R Pkg.	1051004	
1058000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	ST 5.0™ Series. M2 ST 5.0 R Bare.	1058000	
1058100	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	ST 5.0™ Series. M2 ST 5.0 R Pkg.	1058100	
1058101	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	ST 5.0™ Series. M2 ST 5.0 R Pkg.	1058101	
1060000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934 or AR3933	TRACK 1 Ford Series. T1 F STD Bare.	1060000	
1061002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934 or AR3933	TRACK 1 Ford Series. T1 F STD Pkg.	1061002	
1061006	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934 or AR3933	TRACK 1 Ford Series. T1 F STD Pkg.	1061006	
1060001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934 or AR3933	TRACK 1 Ford Series. T1 F STD X Bare.	1060001	
1061010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934 or AR3933	TRACK 1 Ford Series. T1 F STD X Pkg.	1061010	
1061014	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934 or AR3933	TRACK 1 Ford Series. T1 F STD X Pkg.	1061014	
1068000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934 or AR3933	TRACK 1 Ford Series. M2 T1 F STD Bare.	1068000	
1068101	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934 or AR3933	TRACK 1 Ford Series. M2 T1 F STD Pkg.	1068101	
1068103	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934 or AR3933	TRACK 1 Ford Series. M2 T1 F STD Pkg.	1068103	
1068001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934 or AR3933	TRACK 1 Ford Series. STS T1 F STD 214 Bare.	1068001	

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
BRODIX® INC. Continued						BRODIX® INC. Continued		
FORD Continued						Ford Continued		
						(S) = Street; (R) = Racing		
1068104	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934 or AR3933	TRACK 1 Ford Series. STS T1 F STD 214 Pkg.	1068104
1068105	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934 or AR3933	TRACK 1 Ford Series. STS T1 F STD 214 Pkg.	1068105
1068002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934 or AR3933	TRACK 1 Ford Series. STS T1 F STD 225 Bare.	1068002
1068106	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934 or AR3933	TRACK 1 Ford Series. STS T1 F STD 225 Pkg.	1068106
1068107	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934 or AR3933	TRACK 1 Ford Series. STS T1 F STD 225 Pkg.	1068107
1040000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BF Series. BF 200 Bare.	1040000
1041000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BF Series. BF 200 Pkg.	1041000
1040001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BF Series. BF 201 Bare.	1040001
1041003	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BF Series. BF 201 Pkg.	1041003
1040002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BF Series. BF 202 Bare.	1040002
1041005	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BF Series. BF 202 Pkg.	1041005
1040004	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BF Series. BF 301 Bare.	1040004
1041008	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	BF Series. BF 301 Pkg.	1041008
Custom Order	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	SPEC. FORD Cylinder Head. SP FO Bare.	Custom Order
Custom Order	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	ASCS Series. 27-223 ASCS Ford Bare.	Custom Order
Custom Order	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	ASCS Series. 27-223 ASCS Ford Pkg.	Custom Order
Custom Order	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	SUPR Series. T1 F STD X SUPR Ford Bare.	Custom Order
Custom Order	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	SUPR Series. T1 F STD X SUPR Ford Pkg.	Custom Order
MOPAR						MOPAR		
3180000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	B1 Mopar Series. B1 BA Bare.	3180000
3181000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	B1 Mopar Series. B1 BA Pkg.	3181000
3180002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	B1 Mopar Series. B1 BA MC Bare.	3180002
Custom Order	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	B1 Mopar Series. B1 BA MC Pkg.	Custom Order
Custom Order	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	SPEC. MOPAR Cylinder Head. SP MO Bare.	Custom Order
Custom Order	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	ASCS Series. 27-222 ASCS Mopar Bare.	Custom Order
Custom Order	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	ASCS Series. 27-222 ASCS Mopar Pkg.	Custom Order
Custom Order	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	SUPR Series. B1 BA SUPR Mopar Bare.	Custom Order
Custom Order	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	SUPR Series. B1 BA SUPR Mopar Pkg.	Custom Order
3180001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	B1 Mopar Series. B1 BS Bare.	3180001
3181002	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	B1 Mopar Series. B1 BS Pkg.	3181002
3150000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	B1 Mopar Series. B1 Mopar Bare.	3150000
3151000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	B1 Mopar Series. B1 Mopar Pkg.	3151000
Custom Order	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	B1 Mopar Series. B1 Mopar MC Bare.	Custom Order
Custom Order	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933 or AR3934	B1 Mopar Series. B1 Mopar MC Pkg.	Custom Order
IK, Race-Rite, Track 1, -8 PRO, -8, -10, -11, -11K, -10RI, -10X, -18X, -18C, -16, -15, -12, 12X12, GB2000, BD, BB-1, BB-2, BB-2 Plus, BB-2X, BB-2 Xtra, BB-3, BB-3 Xtra, BB-4, BB-5, PB1800, PB2005, PB1200, & ST 5.0, are registered trademarks of Brodix, Inc. and are used in this catalog for identification purposes only.								
CANFIELD						CANFIELD		
CHEVROLET						CHEVROLET		
23-500-65	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Small Runner Head - Bare. 65cc chambers & 195cc intake ports.	23-500-65
23-600-65	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Large Runner Head - Bare. 65cc chambers & 220cc intake ports.	23-600-65
24.5-800-119-0	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	310cc Runner Head - Bare. 113cc, 119cc, or 125cc chambers & 310cc intake ports	24.5-800-119-0
24.5-990	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	350cc Runner Head - Bare. 113cc, 119cc, or 125cc chambers & 350cc intake ports.	24.5-990
FORD						FORD		
20475-54/58/65-1-B	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	CNC Chamber Head - Bare. 54cc, 58cc, or 65cc chambers & 192cc intake ports.	20475-54/58/65-1-B
Custom Order	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	CNC Ported Head - Bare. 54cc, 58cc, or 65cc chambers with 212cc or 225cc intake ports.	Custom Order
18350-61-1A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	18° Head - Bare. Designed for the 5.0L. 61cc chambers & 170cc intake ports.	18350-61-1A
1820-900-50	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	18° - 20° Aluminum Race Head - Bare. Windsor style block.	1820-900-50
CFE RACING PRODUCTS, INC.						CFE RACING PRODUCTS, INC.		
CHEVROLET						CHEVROLET		
15° SBC 242	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Oval Track Edition Head - Bare. 42cc - 72cc chambers, 242cc intake ports.	15° SBC 242
15° SBC 255	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Oval Track Edition Head - Bare. 42cc - 72cc chambers, 255cc intake ports.	15° SBC 255
15° SBC 268	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Oval Track Edition Head - Bare. 42cc - 72cc chambers, 268cc intake ports.	15° SBC 268
18° 580/855	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	GM Head - Bare. Machined to custom specifications.	18° 580/855
15° 615X	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	GM Head - Bare. Machined to custom specifications.	15° 615X
13° Pro Truck	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	GM Head - Bare. Machined to custom specifications.	13° Pro Truck
10° Pro Comp	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	GM Head - Bare. Machined to custom specifications.	10° Pro Comp
23° LT4	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR474	GM Head - Bare. Machined to custom specifications.	23° LT4
23° L98	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	GM Head - Bare. Machined to custom specifications.	23° L98
23° Fast Burn	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR474	GM Head - Bare. Machined to custom specifications. Top Stock.	23° Fast Burn
11° SB2.2 NASCAR	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	GM Head - Bare. Machined to custom specifications. NASCAR Nextel Cup Series racing.	11° SB2.2 NASCAR
11° SB2.2 NASCAR Busch & Truck	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	GM Head - Bare. Machined to custom specifications. NASCAR Busch Series & Truck Series racing.	11° SB2.2 NASCAR Busch & Truck
11° SB2.2 Pro Comp	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	GM Head - Bare. Machined to custom specifications. Pro Comp Series drag racing.	11° SB2.2 Pro Comp

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
CFE RACING PRODUCTS, INC. Continued							CFE RACING PRODUCTS, INC. Continued	
CHEVROLET Continued							CHEVROLET Continued	
10° Splayed Valve	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	GM Spread Port Head - Bare. Machined to custom specifications.	10° Splayed Valve
10° Splayed Valve	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	GM Symmetrical Port Head - Bare. Machined to custom specifications.	10° Splayed Valve
18° A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Racing Head - Bare. Machined to custom specifications.	18° A
18° 243cc	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Racing Head - Bare. Machined to custom specifications.	18° 243cc
18° 257cc	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Racing Head - Bare. Machined to custom specifications.	18° 257cc
18° 270cc	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Racing Head - Bare. Machined to custom specifications.	18° 270cc
23° Raised Runner	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Racing Head - Bare. Machined to custom specifications.	23° Raised Runner
11° C5R	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR474	GM Head - Bare. Machined to custom specifications.	11° C5R
15° LS1	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR474	GM Head - Bare. Machined to custom specifications.	15° LS1
15° LS6	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR474	GM Head - Bare. Machined to custom specifications.	15° LS6
18° Nitrous Oxide	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	18° Five Inch Bore Spaced Head - Bare. Nitrous Oxide use in Pro-Mod, Pro Outlaw, Pro Street, Top Dragster, Top Sportsman racing series.	18° Nitrous Oxide
14° Naturally Aspirated	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	14° Five Inch Bore Spaced Head - Bare. Naturally aspirated or supercharged drag racing, tractor pulling, offshore boats.	14° Naturally Aspirated
10° Maximum Performance	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	10° Five Inch Bore Spaced Head - Bare. Naturally aspirated or supercharged drag racing, tractor pulling, offshore boats.	10° Maximum Performance
26° Standard Port	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	GM/Edelbrock Head - Bare. Machined to custom specifications. Top Stock.	26° Standard Port
DRCE 4.840" Bore Space	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	GM Head - Bare. Machined to custom specifications.	DRCE 4.840" Bore Space
DRCE 4.900" Bore Space	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	GM Head - Bare. Machined to custom specifications.	DRCE 4.900" Bore Space
DRCE II 4.900" Bore Space	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	GM Head - Bare. Machined to custom specifications.	DRCE II 4.900" Bore Space
DRCE 5.000" Bore Space	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	GM Head - Bare. Machined to custom specifications.	DRCE 5.000" Bore Space
18° 381A Sportsman	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Big Chief Series Head - Assembled. Machined to custom specifications.	18° 381A Sportsman
18° 381 Oval Port	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Big Chief Series Head - Assembled. Machined to custom specifications.	18° 381 Oval Port
18° 381 Square Port	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Big Chief Series Head - Assembled. Machined to custom specifications.	18° 381 Square Port
14° 3815A Sportsman	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Big Chief Series Head - Assembled. Machined to custom specifications.	14° 3815A Sportsman
14° 3815 Oval Port	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Big Chief Series Head - Assembled. Machined to custom specifications.	14° 3815 Oval Port
14° 3815 Supercharged	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Big Chief Series Head - Assembled. Machined to custom specifications.	14° 3815 Supercharged
14° 384 H.S.P.	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Big Chief Series Head - Assembled. Machined to custom specifications.	14° 384 H.S.P.
14° 385	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Big Chief Series Head - Assembled. Machined to custom specifications.	14° 385
11° Big Chief II Pro 1 Oval Port	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Big Chief Series Head - Assembled. Machined to custom specifications.	11° Big Chief II Pro 1 Oval Port
11° Big Chief II Pro 1 Square Port	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Big Chief Series Head - Assembled. Machined to custom specifications.	11° Big Chief II Pro 1 Square Port
265cc Oval Port	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Racing Head - Bare. Machined to custom specifications.	265cc Oval Port
320cc Oval Port	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Racing Head - Bare. Machined to custom specifications.	320cc Oval Port
360cc Oval Port	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Racing Head - Bare. Machined to custom specifications.	360cc Oval Port
18° Standard Port-NE Modified	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Dart CNC Ported Racing Head - Bare. Machined to custom specifications.	18° Standard Port-NE Modified
FORD							FORD	
ProKing SBF	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	10° Windsor Style Head - Bare. Machined, ported, assembled to custom specifications.	ProKing SBF
MOPAR							MOPAR	
15° W-8	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Mopar Head - Bare. Machined to custom specifications.	15° W-8
13° W-8	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Mopar Head - Bare. Machined to custom specifications.	13° W-8
10° W-8	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Mopar Head - Bare. Machined to custom specifications.	10° W-8
11° P-7 NASCAR	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Mopar Head - Bare. Machined to custom specifications. NASCAR Cup Series racing.	11° P-7 NASCAR
11° P-7 NASCAR	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Mopar Head - Bare. Machined to custom specifications. NASCAR Busch Series & Truck Series racing.	11° P-7 NASCAR
11° P-7 Drag Race	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Mopar Head - Bare. Machined to custom specifications. Drag Race (1x4bbl) classes.	11° P-7 Drag Race
10° P-5 Hemi	ALUMINUM	HEMI	14MM - .750"	5/8"	GASKET	AR3933	Mopar Head - Bare. Machined to custom specifications.	10° P-5 Hemi
12° Hemi '99 Pro Stock	ALUMINUM	HEMI	14MM - .750"	5/8"	GASKET	AR3933	Mopar Head - Bare. Machined to custom specifications.	12° Hemi '99 Pro Stock
CHAMPION RACING HEADS							CHAMPION RACING HEADS	
BUICK							BUICK	
GN1	ALUMINUM	6-CYLINDER	14MM - .708"	5/8"	TAPERED	104	CNC machined cylinder head for Buick V6 turbo 3.8L engine.	GN1
CHAPMAN							CHAPMAN	
BUICK							BUICK	
V6 R/M	ALUMINUM	6-CYLINDER	14MM - .750"	5/8"	GASKET	AR3911	Buick Stage II V6 Head - Bare. With 247cc intake ports.	V6 R/M
CHEVROLET							CHEVROLET	
10X 234	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Brodix 10X Series 23° Head - Bare. With 234cc intake ports.	10X 234
10X 238	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Brodix 10X Series 23° Head - Bare. With 238cc intake ports.	10X 238
10X 242	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Brodix 10X Series 23° Head - Bare. With 242cc intake ports.	10X 242
10X 247	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Brodix 10X Series 23° Head - Bare. With 247cc intake ports.	10X 247
-12 288	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Brodix -12 Series 15° Head - Bare. With 288cc intake ports.	-12 288
-12 292	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Brodix -12 Series 15° Head - Bare. With 292cc intake ports.	-12 292
12x12 272	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Brodix 12X12 Series 12° Head - Bare. With 272cc intake ports.	12x12 272
12x12 292	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Brodix 12X12 Series 12° Head - Bare. With 292cc intake ports.	12x12 292

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
CHAPMAN Continued								CHAPMAN Continued
CHEVROLET Continued								CHEVROLET Continued
12x12 303	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Brodix 12X12 Series 12° Head - Bare. With 303cc intake ports.	12x12 303
18° SP 262	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Brodix 18° RI Series Head - Bare. With 262cc intake ports & spread port exhaust.	18° SP 262
18° SP 278	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Brodix 18° RI Series Head - Bare. With 278cc intake ports & spread port exhaust.	18° SP 278
18° 236	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Chevrolet 18° Series Head - Bare. With 236cc intake ports.	18° 236
18° 246	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Chevrolet 18° Series Head - Bare. With 246cc intake ports.	18° 246
18° 256	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Chevrolet 18° Series Head - Bare. With 256cc intake ports.	18° 256
18° 266	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Chevrolet 18° Series Head - Bare. With 266cc intake ports.	18° 266
18° 247RS	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Chevrolet 18° Raised Seat Series Head - Bare. With 247cc intake ports.	18° 247RS
18° 255RS	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Chevrolet 18° Raised Seat Series Head - Bare. With 255cc intake ports.	18° 255RS
18° 270RS	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Chevrolet 18° Raised Seat Series Head - Bare. With 270cc intake ports.	18° 270RS
15° 615X	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Chevrolet 15° Head - Bare. With 261cc intake ports.	15° 615X
SB2.2 267	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Chevrolet SB2.2 Racing Head - Bare. With 267 intake ports.	SB2.2 267
SB2.2 292	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Chevrolet SB2.2 Racing Head - Bare. With 292 intake ports.	SB2.2 292
Canted Valve 517	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Chevrolet Canted Valve Head - Bare. With 294 intake ports.	Canted Valve 517
L98 Corvette	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Chevrolet L98 Head - Bare. With 185cc intake ports.	L98 Corvette
6120	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Edlebrock/Chapman Series 23° Head - Bare. With 238cc intake ports.	6120
6122	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Edlebrock/Chapman Series 23° Head - Bare. With 243cc intake ports.	6122
6124	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Edlebrock/Chapman Series 23° Head - Bare. With 247cc intake ports.	6124
6043	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Edelbrock/Chapman Series Victor Jr. Oval Port Head - Bare. With 295cc intake ports.	6043
6040	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Edelbrock/Chapman Series Victor Jr. Rectangular Port Head - Bare. With 320cc intake ports.	6040
7765	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Edelbrock/Chapman Series Victor Head - Bare. With 372cc intake ports.	7765
18° Big Chief	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Dart Big Chief Series 18° Head - Bare. With 422cc intake ports.	18° Big Chief
FORD								FORD
C3L 215	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Yates Style Head - Bare. With 215cc intake ports.	C3L 215
C3L 221	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Yates Style Head - Bare. With 221cc intake ports.	C3L 221
C3	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Yates Style Head - Bare. With 233cc intake ports.	C3
C3-L 233	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Yates Style Head - Bare. With 233cc intake ports.	C3-L 233
233 Raised Seat	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Yates Style Head - Bare. Raised seat with 233cc intake ports.	233 Raised Seat
246 SC1	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	SC-1 Hi-Port Series Head - Bare. With 246cc intake ports.	246 SC1
249 SC1	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	SC-1 Hi-Port Series Head - Bare. With 249cc intake ports.	249 SC1
255 SC1	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	SC-1 Hi-Port Series Head - Bare. With 255cc intake ports.	255 SC1
257 SC1	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	SC-1 Hi-Port Series Head - Bare. With 257cc intake ports.	257 SC1
274 SC1	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	SC-1 Hi-Port Series Head - Bare. With 274cc intake ports.	274 SC1
C3H 249	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Yates C3H Hi-Port Head - Bare. With 249cc intake ports.	C3H 249
BF201	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Brodix/Neal Head - Bare. With 287cc intake ports.	BF201
6130	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Edelbrock/Glidden 18° Victor Jr. Series Head - Bare. With 212cc intake ports.	6130
6126	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Edelbrock/Chapman Victor Jr. Series Head - Bare. With 230cc intake ports.	6126
6127	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Edelbrock/Chapman Victor Jr. Series Head - Bare. With 230cc intake ports.	6127
6129	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Edelbrock/Chapman Victor Series Head - Bare. With 277cc intake ports.	6129
6109	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Edelbrock/Billy Glidden Victor Series Head - Bare. With 280cc intake ports.	6109
D3	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	NASCAR Series Head - Bare.	D3
MOPAR								MOPAR
W8 269	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	15° As-Cast Port Head - Bare. With 269cc intake ports.	W8 269
W8 RS	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	15° Raised Seat Head - Bare. With 278cc intake ports.	W8 RS
W9 360 Sprint 261	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Mopar 15° W9 Sprint Racing Head - Bare. With 261cc intake ports.	W9 360 Sprint 261
W9 360 Sprint 268	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Mopar 15° W9 Sprint Racing Head - Bare. With 268cc intake ports.	W9 360 Sprint 268
W9RP 296	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	13° Wedge Raised Port Head - Bare. With 296cc intake ports.	W9RP 296
W9RP 278 Midget	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	13° Wedge Raised Port Midget Racing Head - Bare. With 278cc intake ports.	W9RP 278 Midget
W9RP 325	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	13° Wedge Raised Port Head - Bare. With 325cc intake ports.	W9RP 325
P7	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Mopar P7 Head - Bare. With 327cc intake ports.	P7
Stage VI 235	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Stage VI B/RB Large Port CNC Ported Head - Bare. With 235cc intake ports.	Stage VI 235
Stage VI 260	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Stage VI B/RB Large Port CNC Ported Head - Bare. With 260cc intake ports.	Stage VI 260
Stage VI 285 Mx Wdg	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Stage VI B/RB Max Wedge CNC Ported Head - Bare. With 285cc intake ports.	Stage VI 285 Mx Wdg
PONTIAC								PONTIAC
6050	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Edelbrock Performer RPM Series Head - Bare. With 232cc intake ports.	6050
DART								DART
CHEVROLET								CHEVROLET
(S) = Street; (R) = Racing								
10021070	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ SS Series - Bare.	10021070
10021171	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ SS Series - Assembled.	10021171
10110010	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10110010
10110010F	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10110010F
10111111	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10111111

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
						(S) = Street; (R) = Racing		
DART								DART
CHEVROLET								CHEVROLET
1011112	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	1011112
10120010	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10120010
10121111	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10121111
10121112	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10121112
10210010	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10210010
10211111	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10211111
10211112	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10211112
10220010	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10220010
10221111	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10221111
10221112	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10221112
10310010	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10310010
10310010F	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10310010F
10310020	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10310020
10310030	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10310030
10311111	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10311111
10311112	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10311112
10311122	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10311122
10311123	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10311123
10311133	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10311133
10320010	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10320010
10320020	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10320020
10320030	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10320030
10321111	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10321111
10321112	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10321112
10321122	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10321122
10321123	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10321123
10321133	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10321133
10410010	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10410010
10410020	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10410020
10410030	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10410030
10411111	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10411111
10411112	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10411112
10411122	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10411122
10411123	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10411123
10411133	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10411133
10420010	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10420010
10420020	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10420020
10420030	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10420030
10421111	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10421111
10421112	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10421112
10421122	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10421122
10421123	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10421123
10421133	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10421133
10510020	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10510020
10510020F	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10510020F
10510030	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10510030
10510040	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10510040
10510050	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10510050
10511122	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10511122
10511123	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10511123
10511133	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10511133
10511143	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10511143
10511153	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10511153
10520020	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10520020
10520030	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10520030
10520040	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10520040
10520050	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10520050
10521122	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10521122
10521123	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10521123
10521133	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10521133
10521143	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10521143
10521153	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10521153

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
DART Continued								DART Continued
CHEVROLET							(S) = Street; (R) = Racing	CHEVROLET
10610020	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10610020
10610030	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10610030
10610040	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10610040
10610050	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10610050
10611122	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10611122
10611123	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10611123
10611133	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10611133
10611143	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10611143
10611153	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10611153
10620020	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10620020
10620030	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10620030
10620040	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10620040
10620050	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10620050
10621122	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10621122
10621123	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10621123
10621133	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10621133
10621143	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10621143
10621153	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10621153
10710020	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10710020
10710040	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10710040
10710040F	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10710040F
10710050	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10710050
10711143	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10711143
10711153	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10711153
10720040	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10720040
10720050	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10720050
10721143	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10721143
10721153	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10721153
10810040	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10810040
10810050	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10810050
10811143	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10811143
10811153	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10811153
10820040	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10820040
10820050	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Bare.	10820050
10820153	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10820153
10821143	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Series - Assembled.	10821143
10310010P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Bare.	10310010P
10311111P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10311111P
10311112P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10311112P
10311113P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10311113P
10320010P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Bare.	10320010P
10321111P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10321111P
10321112P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10321112P
10321113P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10321113P
10410010P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Bare.	10410010P
10411111P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10411111P
10411112P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10411112P
10411113P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10411113P
10420010P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Bare.	10420010P
10421111P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10421111P
10421112P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10421112P
10421113P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10421113P
10510020P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Bare.	10510020P
10511122P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10511122P
10511123P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10511123P
10520020P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Bare.	10520020P
10511122P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10511122P
10521123P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10521123P
10610020P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Bare.	10610020P
10611122P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10611122P
10611123P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10611123P
10620020P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Bare.	10620020P

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
DART Continued						DART Continued		
CHEVROLET						CHEVROLET		
						(S) = Street; (R) = Racing		
10621122P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10621122P
10621123P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10621123P
10710040P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Bare.	10710040P
10711143P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10711143P
10720040P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Bare.	10720040P
10721143P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10721143P
10810040P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Bare.	10810040P
10811143P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10811143P
10820040P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Bare.	10820040P
10821143P	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	(S) 24; (R) AR134	Iron Eagle™ Platinum Series - Assembled.	10821143P
11110010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11110010
11111111	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11111111
11111112	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11111112
11120010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11120010
11121111	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11121111
11121112	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11121112
11220010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11220010
11221111	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11221111
11221112	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11221112
11310010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11310010
11310020	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11310020
11310030	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11310030
11311111	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11311111
11311112	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11311112
11311122	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11311122
11311123	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11311123
11311133	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11311133
11320010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11320010
11320020	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11320020
11320030	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11320030
11321111	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11321111
11321112	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11321112
11321122	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11321122
11321123	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11321123
11321133	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11321133
11410010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11410010
11410020	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11410020
11410030	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11410030
11411111	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11411111
11411112	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11411112
11411122	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11411122
11411123	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11411123
11411133	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11411133
11420010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11420010
11420020	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11420020
11420030	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11420030
11421111	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11421111
11421112	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11421112
11421122	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11421122
11421123	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11421123
11421133	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11421133
11510020	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11510020
11510030	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11510030
11510040	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11510040
11510050	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11510050
11511122	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11511122
11511123	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11511123
11511133	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11511133
11511143	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11511143
11511153	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11511153
11520020	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11520020
11520030	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11520030

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
DART Continued						DART Continued		
CHEVROLET						CHEVROLET		
						(S) = Street; (R) = Racing		
11520040	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11520040
11520050	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11520050
11521122	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11521122
11521123	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11521123
11521133	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11521133
11521143	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11521143
11521153	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11521153
11610020	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11610020
11610030	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11610030
11610040	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11610040
11610050	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11610050
11611122	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11611122
11611123	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11611123
11611133	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11611133
11611143	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11611143
11611153	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11611153
11620020	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11620020
11620030	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11620030
11620040	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11620040
11620050	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11620050
11621122	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11621122
11621123	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11621123
11621133	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11621133
11621143	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11621143
11621153	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11621153
11710040	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11710040
11710050	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11710050
11711143	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11711143
11711153	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11711153
11720040	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11720040
11720050	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11720050
11721143	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11721143
11721153	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11721153
11810040	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11810040
11810050	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11810050
11811143	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11811143
11811153	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11811153
11820040	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11820040
11820050	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	11820050
11821143	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11821143
11821153	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	11821153
11970040	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ CNC Ported Series - Bare.	11970040
11971143	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ CNC Ported Series - Assembled.	11971143
14300000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series (15°) - Bare.	14300000
14372010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series (15°) - Assembled.	14372010
14372030	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series (15°) - Assembled.	14372030
14382030	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series (15°) - Assembled.	14382030
14200000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series (16°) - Bare.	14200000
14272010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series (16°) - Assembled.	14272010
14272030	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series (16°) - Assembled.	14272030
14100000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series (18°) - Bare.	14100000
14132010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series (18°) - Assembled.	14132010
14162010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series (18°) - Assembled.	14162010
14172010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series (18°) - Assembled.	14172010
14172030	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series (18°) - Assembled.	14172030
14182030	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series (18°) - Assembled.	14182030
14600000	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Little Chief™ Series - Bare.	14600000
14672050	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Little Chief™ Series - Assembled.	14672050
14772060	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Little Chief™ Series - Assembled.	14772060
14773060	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Little Chief™ Series - Assembled.	14773060
11010010	ALUMINUM	LS GEN III BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	LS1 Performance Head - Bare. With 205cc intake port.	11010010
11011112	ALUMINUM	LS GEN III BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	LS1 Performance Head - Assembled. With 205cc intake port.	11011112

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
DART Continued						DART Continued		
CHEVROLET						CHEVROLET		
						(S) = Street; (R) = Racing		
11020020	ALUMINUM	LS GEN III BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	LS1 Performance Head - Bare. With 225cc intake port.	11020020
11021122	ALUMINUM	LS GEN III BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	LS1 Performance Head - Assembled. With 225cc intake port.	11021122
15100010	IRON	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Iron Eagle™ Series - Bare.	15100010
15100111	IRON	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Iron Eagle™ Series - Assembled.	15100111
15100112	IRON	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Iron Eagle™ Series - Assembled.	15100112
15100116	IRON	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Iron Eagle™ Series - Assembled.	15100116
15200030	IRON	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Iron Eagle™ Series - Bare.	15200030
15200132	IRON	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Iron Eagle™ Series - Assembled.	15200132
15200136	IRON	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Iron Eagle™ Series - Assembled.	15200136
19100010	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	19100010
19100030	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	19100030
19100111	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	19100111
19100112	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	19100112
19100116	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	19100116
19100132	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	19100132
19100136	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	19100136
19200010	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	19200010
19200030	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	19200030
19200111	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	19200111
19200112	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	19200112
19200116	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	19200116
19200132	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	19200132
19200136	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	19200136
19300030	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	19300030
19300132	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	19300132
19390136	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	19390136
19474030	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ CNC Series - Bare.	19474030
19474136	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ CNC Series - Assembled.	19474136
19574030	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ CNC Series - Bare.	19574030
19574136	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ CNC Series - Assembled.	19574136
16300000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series - Bare.	16300000
16400000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series - Bare.	16400000
16500000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series - Bare.	16500000
16600000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series - Bare.	16600000
16500000S	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series - Bare.	16500000S
16600000S	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series - Bare.	16600000S
16774030	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series - Bare.	16774030
16775030	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series - Bare.	16775030
16800000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series - Bare.	16800000
16874050	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series - Bare.	16874050
16875050	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series - Bare.	16875050
16876040	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series - Bare.	16876040
16877040	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series - Bare.	16877040
16900000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Race Series - Bare.	16900000
18000000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Bare.	18000000
18000000S	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Bare.	18000000S
18034136	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Assembled.	18034136
18035136	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Assembled.	18035136
18074136	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Assembled.	18074136
18075136	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Assembled.	18075136
18100000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Bare.	18100000
18100000S	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Bare.	18100000S
18200000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Bare.	18200000
18275070	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Assembled.	18275070
18275179	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Assembled.	18275179
18300000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Bare.	18300000
18474030	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Bare.	18474030
18474136	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Assembled.	18474136
18475030	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Bare.	18475030
18475136	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Assembled.	18475136
18575070	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Bare.	18575070
18575179	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	Big Chief™ Series - Assembled.	18575179

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
DART Continued								DART Continued
FORD							(S) = Street; (R) = Racing	FORD
13100080	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	13100080
13111181	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	13111181
13111182	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	13111182
13200010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Bare.	13200010
13211111	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	13211111
13211112	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	13211112
13211113	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ Series - Assembled.	13211113
13071020	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ CNC Series - Bare.	13071020
13071122	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ CNC Series - Assembled.	13071122
13071123	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ CNC Series - Assembled.	13071123
13072040	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ CNC Series - Bare.	13072040
13072142	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ CNC Series - Assembled.	13072142
13072143	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	PRO 1™ CNC Series - Assembled.	13072143
HONDA								HONDA
17074020	ALUMINUM	4-CYLINDER	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	GSR CNC Head - Bare.	17074020
17074123	ALUMINUM	4-CYLINDER	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	GSR CNC Head - Assembled.	17074123
17075020	ALUMINUM	4-CYLINDER	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	GSR CNC Head - Bare.	17075020
17075123	ALUMINUM	4-CYLINDER	14MM - .750"	5/8"	GASKET	(S) 3924; (R) AR3934	GSR CNC Head - Assembled.	17075123
PRO 1, Big Chief, Little Chief & Iron Eagle are registered trademarks of Dart Machinery, Ltd. and are used in this catalog for identification purposes only.								
EDELBROCK								EDELBROCK
AMC								AMC
60109	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Bare. Fits 1967-91 343, 360, 390, 401 CID AMC engines. Without exhaust cross-over port.	60109
60119	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Assembled. Fits 1967-91 343, 360, 390, 401 CID AMC engines. Without exhaust cross-over port.	60119
60129	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Bare. Fits 1967-91 343, 360, 390, 401 CID AMC engines. With exhaust cross-over port.	60129
60139	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Assembled. Fits 1967-91 343, 360, 390, 401 CID AMC engines. With exhaust cross-over port.	60139
CHEVROLET								CHEVROLET
60759	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Assembled. Fits 302, 327, 350, 400 CID engines up to 1986.	60759
60659	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Bare. Fits 302, 327, 350, 400 CID engines up to 1986.	60659
60909	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Assembled. Fits 302, 327, 350, 400 CID engines up to 1986.	60909
60859	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Assembled. Centerbolt Valve Cover Type. Fits 1987-95 5.7L engines.	60859
60849	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Bare. Centerbolt Valve Cover Type. Fits 1987-95 5.7L engines.	60849
60879	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Assembled. Centerbolt Valve Cover Type (Corvette). Fits 1987-91 5.7L engines.	60879
60869	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Bare. Centerbolt Valve Cover Type (Corvette). Fits 1987-91 5.7L engines.	60869
61909	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Assembled. LT1 Head. Fits 1992-97 LT1 engines.	61909
61919	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Bare. LT1 Head. Fits 1992-97 LT1 engines.	61919
60719	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Assembled. Fits 302, 327, 350, 400 CID engines up to 1986. With angled plugs.	60719
60619	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Bare. Fits 302, 327, 350, 400 CID engines up to 1986. With angled plugs.	60619
60999	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Assembled. Fits 302, 327, 350, 400 CID engines up to 1986. With angled plugs.	60999
60949	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Bare. Fits 302, 327, 350, 400 CID engines up to 1986. With angled plugs.	60949
60739	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Assembled. Fits 302, 327, 350, 400 CID engines up to 1986. With straight plugs.	60739
60639	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Bare. Fits 302, 327, 350, 400 CID engines up to 1986. With straight plugs.	60639
60899	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Assembled. Fits 302, 327, 350, 400 CID engines up to 1986. With straight plugs.	60899
60889	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Bare. Fits 302, 327, 350, 400 CID engines up to 1986. With straight plugs.	60889
607119	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series (Polished) - Assembled. Fits 302, 327, 350, 400 CID engines up to 1986. With angled plugs.	607119
607319	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series (Polished) - Assembled. Fits 302, 327, 350, 400 CID engines up to 1986. With straight plugs.	607319
608919	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series (Polished) - Assembled. Fits 302, 327, 350, 400 CID engines up to 1986. With straight plugs.	608919
60979	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	E-Tec 170 Series - Assembled. Fits 302, 327, 350, 400 CID engines with "Vortec-style" intake manifolds.	60979
60959	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	E-Tec 170 Series - Bare. Fits 302, 327, 350, 400 CID engines with "Vortec-style" intake manifolds.	60959
60989	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	E-Tec 200 Series - Assembled. Fits 302, 327, 350, 400 CID engines with "Vortec-style" intake manifolds.	60989
60969	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	E-Tec 200 Series - Bare. Fits 302, 327, 350, 400 CID engines with "Vortec-style" intake manifolds.	60969
77639	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. 23° Head - Bare. For Competition & Ultra high performance applications.	77639
77569	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. 23° Head - Bare. For Competition & Ultra high performance applications.	77569
77649	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. 23° Head - With Valves. For Competition & Ultra high performance applications.	77649
77579	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. 23° Head - With Valves. For Competition & Ultra high performance applications.	77579
77619	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. 23° Head - Assembled. Use with Hyd. Roller or Mechanical Flat tappet Cams. For Competition & Ultra high performance applications.	77619
77589	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. 23° Head - Assembled. Use with Hyd. Roller or Mechanical Flat tappet Cams. For Competition & Ultra high performance applications.	77589
77629	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. 23° Head - Assembled. Use with Hyd. Roller Cams. For Competition & Ultra high performance applications.	77629
77599	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. 23° Head - Assembled. Use with Hyd. Roller Cams. For Competition & Ultra high performance applications.	77599
77559	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor 23° High-Port Head - Semi-Finished. NASCAR Touring Class.	77559
77509	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor 18° Head - Semi-Finished.	77509

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
EDELBROCK Continued								EDELBROCK Continued
CHEVROLET Continued								CHEVROLET Continued
77519	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor 18° Head - Semi-Finished.	77519
77529	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor 18° Head - Semi-Finished. With seats .100" closer to deck.	77529
77539	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor 18° Head - Semi-Finished. Without seats & guides.	77539
61189	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor 18° CNC Head - Bare. For 350 CID short track & 350-400 CID street/strip drag race.	61189
61129	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor 18° CNC Head - Bare. For open carburetor, high compression, 1/2 mile oval & drag race 370-420 CID.	61129
61149	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor 18° CNC Head - Bare. For open carburetor, long track, 400+ CID, drag race 380 CID and larger.	61149
61199	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor 18° CNC Head - Bare. For all-out competition, high air flow for maximum high end power.	61199
61059	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor 18° CNC Head - Bare. Raised seat, small chamber, designed for maximum power with small cross section for 350-380 CID 5000-9000 RPM, dirt late model.	61059
61179	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor 18° CNC Head - Bare. Raised seat, small chamber, designed for maximum power with small cross section for 350-440 CID late model.	61179
61119	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor 15° CNC High-Port Head - Bare. Raised seat, small chamber, designed for maximum power with small cross section for late model or high horsepower drag race engine.	61119
61139	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor 15° CNC High-Port Head - Bare. Raised seat, small chamber, designed for maximum power for high horsepower drag race engine.	61139
61209	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor 23° CNC High-Port Head - Bare. Southwest Tour, 390 carb., short - intermediate tracks, 350-400 CID street/strip.	61209
61229	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor 23° CNC High-Port Head - Bare. 9.0:1 compression Southwest Tour, long tracks, radical street, drag race 350-400 CID.	61229
61249	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor 23° CNC High-Port Head - Bare. For 358 CID Sprint, 350 CID Drag to 8500 RPM or 400+ CID to 7500 RPM.	61249
61969	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS1 Head.	61969
60479	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer 454-O Series - Assembled. Fits 396 - 502 CID engines. With exhaust cross-over passage.	60479
60469	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer 454-O Series - Bare. Fits 396 - 502 CID engines. With exhaust cross-over passage.	60469
60499	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer High Compression 454-O Series - Assembled. Fits 396, 427, 454 (7.4L) CID engines.	60499
60489	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer High Compression 454-O Series - Bare. Fits 396, 427, 454 (7.4L) CID engines.	60489
60459	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM 454-O Series - Assembled. Fits 396 - 502 CID engines.	60459
60449	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM 454-O Series - Bare. Fits 396 - 502 CID engines.	60449
604519	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM 454-O Series (Polished) - Assembled. Fits 396 - 502 CID engines.	604519
60559	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM 454-R Series - Assembled. Fits 396 - 502 CID engines.	60559
60549	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM 454-R Series - Bare. Fits 396 - 502 CID engines.	60549
605519	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM 454-R Series (Polished) - Assembled. Fits 396 - 502 CID engines.	605519
61459	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM 454-O Marine Duty Series - Assembled. Fits 396-502 CID marine engines.	61459
61559	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM 454-R Marine Duty Series - Assembled. Fits 396-502 CID marine engines.	61559
60409	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. CNC Rectangular Port - With Valves. For Super Gas, Super Comp, Hi-Po Marine, all-out street, Pro Brackets.	60409
61419	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. CNC Rectangular Port - Bare. For Super Gas, Super Comp, Hi-Po Marine, all-out street, Pro Brackets.	61419
60429	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. CNC Oval Port - With Valves. For Super Gas, Super Comp, Hi-Po Marine, all-out street, Pro Brackets.	60429
60439	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. CNC Oval Port - Bare. For Super Gas, Super Comp, Hi-Po Marine, all-out street, Pro Brackets.	60439
77659	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. CNC Rectangular Port - Bare. For 540+ CID, Super Gas, Super Comp, Hi-Po Marine, Pro Brackets.	77659
77459	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. 24° Rectangular Port - With Valves.	77459
77469	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. 24° Rectangular Port - Bare.	77469
77409	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor 24° As-Cast Rectangular Port - With Valves.	77409
77419	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor 24° As-Cast Rectangular Port - Bare.	77419
77609	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Bare Rectangular Port. Heads require professional preparation.	77609
CHRYSLER								CHRYSLER
60779	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Assembled. Fits 1967-85 318, 340, 360 CID engines.	60779
60769	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Bare. Fits 1967-85 318, 340, 360 CID engines.	60769
60179	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series Chrysler 340 - Assembled. For 1968-73 Chrysler high performance, street, strip, marine.	60179
60199	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series Chrysler 340 - Bare. For 1968-73 Chrysler high performance, street, strip, marine.	60199
61779	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series Chrysler Magnum - Assembled. For 1992 & later 5.2L and 1993 & later 5.9L engines.	61779
61769	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series Chrysler Magnum - Bare. For 1992 & later 5.2L and 1993 & later 5.9L engines.	61769
60929	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series Chrysler 440 - Assembled. For 1961-78 Chrysler 361-440 CID Wedge engines.	60929
60919	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series Chrysler 440 - Bare. For 1968-73 Chrysler 361-440 CID Wedge engines.	60919
60189	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series Chrysler 440 - Assembled. For 1961-78 Chrysler 361-440 CID Wedge engines.	60189
60149	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series Chrysler 440 - Bare. For 1968-73 Chrysler 361-440 CID Wedge engines.	60149
FORD								FORD
1115	ALUMINUM	FLAT HEAD	14MM - .437"	13/16"	GASKET	216	Fits 1949-53 Ford-Mercury.	1115
1125	ALUMINUM	FLAT HEAD	14MM - .437"	13/16"	GASKET	216	Fits 1948 & earlier Ford-Mercury.	1125
60329	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Assembled. With 1.90" intake valves. Fits 1965-95 289, 302 CID & 351 Windsor engines.	60329
60319	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Bare. Fits 1965-95 289, 302 CID & 351 Windsor engines.	60319
60359	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Assembled. With 2.02" intake valves. Fits 1965-95 289, 302 CID & 351 Windsor engines.	60359

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
EDELBROCK Continued								EDELBROCK Continued
FORD Continued								FORD Continued
60349	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Bare. Fits 1965-95 289, 302 CID & 351 Windsor engines.	60349
60279	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Assembled. With 2.02" intake valves, machined for Fel-Pro Loc Wire gasket. Fits 1965-95 289, 302 CID & 351 Windsor engines.	60279
60379	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer 5.0/5.8L Series - Assembled. With 1.90" intake valves. Fits 1982-95 5.0L and 5.8L (351W) engines.	60379
60369	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer 5.0/5.8L Series - Bare. With 1.90" intake valves. Fits 1982-95 5.0L and 5.8L (351W) engines.	60369
60289	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer 5.0/5.8L Series - Assembled. With 1.90" intake valves, machined for Fel-Pro Loc Wire gasket. Fits 1982-95 and 5.8L (351W) engines.	60289
60399	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer 5.0/5.8L Series - Assembled. With 2.02" intake valves. Fits 1982-95 5.0L and 5.8L (351W) engines.	60399
60389	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer 5.0/5.8L Series - Bare. With 2.02" intake valves. Fits 1982-95 5.0L and 5.8L (351W) engines.	60389
60299	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer 5.0/5.8L Series - Assembled. With 2.02" intake valves. Fits 1982-95 5.0L and 5.8L (351W) engines.	60299
60229	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Assembled. With 1.90" intake valves. Fits 1965-95 289, 302 CID & 351 Windsor engines.	60229
60219	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Bare. Fits 1965-95 289, 302 CID & 351 Windsor engines.	60219
60259	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Assembled. With 2.02" intake valves. Fits 1965-95 289, 302 CID & 351 Windsor engines.	60259
60249	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Bare. Fits 1965-95 289, 302 CID & 351 Windsor engines.	60249
60269	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Assembled. With 2.02" intake valves, machined for Fel-Pro Loc Wire gasket. Fits 1965-95 289, 302 CID & 351 Windsor engines.	60269
602519	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series (Polished) - Assembled. With 2.02" intake valves. Fits 1965-95 289, 302 CID & 351 Windsor engines.	602519
77169	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. Series - Bare.	77169
77179	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. Series - With valves only.	77179
77189	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. Series - With valves, springs, retainers and keepers for mechanical flat tappet or hydraulic roller cams.	77189
77199	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. Series - With valves, springs, retainers and keepers for mechanical roller cams.	77199
77389	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. 70cc Series - Bare.	77389
77399	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. 70cc Series - Bare. Machined for Fel-Pro Loc Wire gasket.	77399
61309	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Glidden 18° Victor Jr. CNC Series - Bare.	61309
61099	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Glidden Victor Series CNC - Bare.	61099
77099	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Glidden Victor Series (As-Cast) - Bare.	77099
61269	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor Jr. CNC Series - Bare. Fits 289-351W engines. With standard exhaust bolt pattern.	61269
77089	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor Jr. CNC Series (As-Cast) - Bare.	77089
61279	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor Jr. CNC Series - Bare. Fits 289-351W engines. With J302 exhaust bolt pattern.	61279
77219	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Series - Bare. Fits 302-351 and larger CID Windsor engines.	77219
61299	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor Series CNC - Bare.	61299
77289	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor Series CNC - Bare.	77289
77299	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Edelbrock/Chapman Victor Series CNC - Bare.	77299
60069	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM FE Series - Assembled. Fits 390 - 428 Cobra Jet.	60069
60059	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM FE Series - Bare. Fits 390 - 428 Cobra Jet.	60059
60057	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM FE Series - Bare. Fits 390 CID engines. Used in NHRA Stock & Super Stock classes.	60057
60058	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM FE Series - Bare. Fits 428 CID engines. Used in NHRA Stock & Super Stock classes.	60058
60079	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM FE Series - Assembled. Fits 427 CID Low-Riser/Medium-Riser engines.	60079
60089	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM FE Series - Bare. Fits 427 CID Low-Riser/Medium-Riser engines.	60089
60669	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM 460 Series - Assembled. Fits 1968-87 429/460 CID engines.	60669
60689	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM 460 Series - Bare. Fits 1968-87 429/460 CID engines.	60689
60679	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM 460 Series - Assembled. Fits 1968-87 429/460 CID engines.	60679
60699	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM 460 Series - Bare. Fits 1968-87 429/460 CID engines.	60699
61649	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM 460 CJ Series - Assembled. Fits 1968-87 429/460 CID engines and SVO 514 CID engines.	61649
61659	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM 460 CJ Series - Bare. Fits 1968-87 429/460 CID engines and SVO 514 CID engines.	61659
61669	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Victor Jr. 460 CJ Series - Assembled. Fits 1968-87 429/460 CID engines and SVO 514 CID engines.	61669
OLDSMOBILE								OLDSMOBILE
60519	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Assembled. Fits 1965-76 400, 425, 455 CID Oldsmobile engines.	60519
60529	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Bare. Fits 1965-76 400, 425, 455 CID Oldsmobile engines.	60529
PONTIAC								PONTIAC
60579	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Assembled. Fits 1965-79 389-455 CID Pontiac engines.	60579
60569	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer Series - Bare. Fits 1965-79 389-455 CID Pontiac engines.	60569
60599	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Assembled. Fits 1965-79 389-455 CID Pontiac engines.	60599
60589	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Bare. Fits 1965-79 389-455 CID Pontiac engines.	60589
60509	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Performer RPM Series - Bare. Fits 1965-79 389-455 CID Pontiac engines. Valve guides & seats installed with no intake pushrod holes. Requires professional machining.	60509
ELIMINATOR PRODUCTS								ELIMINATOR PRODUCTS
FORD								FORD
ELIM-385-900 C-J	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	AR2592, AR2594	Bare heads with semi finished chambers and unfinished seats.	ELIM-385-900 C-J
ELIM-385-901	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	AR2592, AR2594	Bare heads with semi finished chambers and unfinished seats.	ELIM-385-901
ELIM-385-902	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	AR2592, AR2594	Bare heads with CNC finished chambers and finished seats.	ELIM-385-902
ELIM-385-903	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	AR2592, AR2594	Bare heads with CNC finished chambers, intake and exhaust ports.	ELIM-385-903

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
ELIMINATOR PRODUCTS								ELIMINATOR PRODUCTS
FORD								FORD
ELIM-385-902A	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	AR2592, AR2594	Assembled heads with CNC finished chambers and finished seats.	ELIM-385-902A
ELIM-385-903A	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	AR2592, AR2594	Assembled heads with CNC finished chambers, intake and exhaust ports, and finished seats.	ELIM-385-903A
ESSLINGER								ESSLINGER
FORD								FORD
D-Port	ALUMINUM	4-CYLINDER	14MM - .708"	5/8"	TAPERED	AR473	2.3L D-Port Performance Head - Assembled.	D-Port
SVO	ALUMINUM	4-CYLINDER	12MM - .750"	5/8"	GASKET	Availability to be announced.	SVO Head - Available bare, ready to assemble, or fully assembled.	SVO
ARCA	ALUMINUM	4-CYLINDER	12MM - .750"	5/8"	GASKET	Availability to be announced.	2.3L ARCA Head - Assembled.	ARCA
FORD								FORD
M-6049-A230	ALUMINUM	4-CYLINDER	12MM - .750"	5/8"	GASKET	Availability to be announced.	2.3L "Competition Only" aluminum cylinder head.	M-6049-A230
M-6049-E23A	ALUMINUM	4-CYLINDER	14MM - .708"	5/8"	TAPERED	AR473	2.3L D-Port aluminum cylinder head.	M-6049-E23A
M-6049-ZX3P	ALUMINUM	4-CYLINDER	14MM - 1.00"	5/8"	TAPERED	APP5363 or XP5364	2000-04 Focus ZX3 2.0L ZETEC aluminum cylinder head.	M-6049-ZX3P
M6049-D23P	ALUMINUM	4-CYLINDER	14MM - .708"	5/8"	TAPERED	104	2.3L High Flow Duratec cylinder head	M6049-D23P
M-6049-I49	ALUMINUM	6-CYLINDER	14MM - .750"	5/8"	GASKET	AR3934	4.9L 6-Cylinder aluminum race head.	M-6049-I49
E5AE-6090-CA	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	24	Installed on 5.8L/351 CID 2V carburetor & 4V carburetor crate engines.	E5AE-6090-CA
M-6049-N351	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	103	Bare "Sportsman" short track cast iron cylinder head used by NASCAR and other stock car sanctioning groups.	M-6049-N351
M-6049-N352	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	103	Bare "Sportsman" short track cast iron cylinder head.	M-6049-N352
M-6049-X303	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	104	Complete GT40X XTRA Performance aluminum cylinder head with 64cc chamber.	M-6049-X303
M-6049-X305	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	104	Complete GT40X XTRA Performance aluminum cylinder head with 58cc chamber.	M-6049-X305
M-6049-Z304A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	APP3924	Installed on "Z" head crate engines.	M-6049-Z304A
M-6049-Z304D	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	APP3924	Bare machined "Z" aluminum head.	M-6049-Z304D
M-6049-Z304DA	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Complete "Z" aluminum head.	M-6049-Z304DA
M-6049-SC1	ALUMINUM	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	Bare High Port head used in Drag, Sprint Car, & Circle track racing.	M-6049-SC1
M-6049-C3L	ALUMINUM	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	"Yates" Competition Cylinder Head - Bare. Racing use only on 302 - 351 Ford racing blocks.	M-6049-C3L
M-6049-C35	ALUMINUM	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	"Yates" Competition Cylinder Head - Bare. Racing use only on 302 - 351 Ford racing blocks.	M-6049-C35
M-6049-D3	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	High Port NASCAR head used in NASCAR & ARCA racing.	M-6049-D3
M-6049-D35	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	High Port NASCAR head w/o seats, guides or pushrod holes. Used in NASCAR & ARCA racing.	M-6049-D35
M-6049-T46	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	XP103	Bare high flow 4.6L DOHC 4-valve Mustang Cobra right hand cylinder head.	M-6049-T46
M-6050-T46	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	XP103	Bare high flow 4.6L DOHC 4-valve Mustang Cobra left hand cylinder head.	M-6050-T46
M-6049-D46	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	104	4.6L SOHC High Performance aluminum cylinder head.	M-6049-D46
M-6049-GT	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	XP103	GT cylinder head assembly - right hand.	M-6049-GT
M-6099-GT	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	XP103	GT cylinder head assembly - left hand.	M-6099-GT
M-6049-P46	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	104	4.6L Power Improvement cylinder head - right hand. Current production of 4.6L SOHC 2 valve aluminum head.	M-6049-P46
M-6050-P46	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	104	4.6L Power Improvement cylinder head - left hand. Current production of 4.6L SOHC 2 valve aluminum head.	M-6050-P46
M-6049-SCJ	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924 or colder	Bare machined Super Cobra Jet aluminum cylinder head.	M-6049-SCJ
M-6049-SCJA	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924 or colder	Assembled SCJ aluminum cylinder head for 429-460 engines.	M-6049-SCJA
M-6049-SCJB	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924 or colder	Assembled SCJ aluminum cylinder head for 514 engines.	M-6049-SCJB
M-6049-C460	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	AR51	Bare 460 "Sportsman" wedge-style cylinder head.	M-6049-C460
M-6049-E460	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	AR51	Bare NHRA Pro Stock cylinder head.	M-6049-E460
GENERAL MOTORS								GENERAL MOTORS
BUICK								BUICK
25500030	ALUMINUM	6-CYLINDER	14MM - .708"	5/8"	TAPERED	103	Buick Stage II V6 cylinder head.	25500030
CHEVROLET								CHEVROLET
12591190	ALUMINUM	4-CYLINDER	14MM - .750"	5/8"	GASKET	3923	Installed on the 2.0L DOHC SUPERCHARGED ECOTEC (RPO LSJ) engine # 12499466.	12591190
12580077	ALUMINUM	4-CYLINDER	14MM - 1.00"	5/8"	GASKET	APP5263	Installed on the 2.2L DOHC NATURALLY ASPIRATED ECOTEC (RPO L61) engine # 12499679.	12580077
88958640	ALUMINUM	4-CYLINDER	14MM - .750"	5/8"	GASKET	AR3910	Ecotec high performance CNC ported cylinder head. Modified for .750" reach spark plugs.	88958640
88958619	ALUMINUM	4-CYLINDER	14MM - .750"	5/8"	GASKET	AR3910	Ecotec "Sportsman" CNC ported cylinder head. Modified for .750" reach spark plugs.	88958619
XGH614	ALUMINUM	4-CYLINDER	14MM - .750"	5/8"	GASKET	AR3931	Ecotec GM Racing head (SAAB). CNC ported version of the LSJ 2.0L head for applications over 1000 HP.	XGH614
14054879	IRON	6-CYLINDER	14MM - .460"	5/8"	TAPERED	25	Large valve cylinder head used on high performance and competition V6-60° engines.	14054879
14054884	IRON	6-CYLINDER	14MM - .460"	5/8"	TAPERED	23	Bare High Performance cylinder head used on Chevrolet High Output V6-60° engines.	14054884
12363214	IRON	6-CYLINDER	14MM - .460"	5/8"	TAPERED	23	Assembled version of 14054884 head installed on HT 3.4L truck 1982-85 replacement engine.	12363214
10048649	ALUMINUM	6-CYLINDER	14MM - .708"	5/8"	TAPERED	103	Gen II production V6-60° heads. Used in Midget racing classes	10048649
24507577	ALUMINUM	6-CYLINDER	14MM - .708"	5/8"	TAPERED	103	Bare cylinder head used on late model Chevrolet V6-60° engines.	24507577
10218168	ALUMINUM	6-CYLINDER	14MM - .708"	5/8"	TAPERED	103	Bare cylinder head used on late model Chevrolet V6-60° engines.	10218168
10134359	ALUMINUM	6-CYLINDER	14MM - .708"	5/8"	TAPERED	AR472	Bare 18° valve angle aluminum cylinder head for Chevrolet V6-90° block.	10134359
			14MM - .750"	5/8"	GASKET	AR3932	Head is machined for both tapered seat and gasket seat type plugs.	
12480009	ALUMINUM	6-CYLINDER	14MM - .708"	5/8"	TAPERED	AR472	Bare version of the 10134359 cylinder head with revised intake port for Daytona Dash Racing Series.	12480009
			14MM - .750"	5/8"	GASKET	AR3932	Head is machined for both tapered seat and gasket seat type plugs.	
10134394	ALUMINUM	6-CYLINDER	14MM - .708"	5/8"	TAPERED	103	Splayed Valve Bow Tie cylinder head for Chevrolet V6-90° block - Bare.	10134394
14044883	ALUMINUM	6-CYLINDER	14MM - .708"	5/8"	TAPERED	103	Raised Runner head for Chevrolet V6-60° engines - Bare.	14044883
			14MM - .750"	5/8"	GASKET	3924	Head is machined for both tapered seat and gasket seat type plugs.	
14044884	ALUMINUM	6-CYLINDER	14MM - .708"	5/8"	TAPERED	103	Version of the Raised Runner head # 14044883 for Chevrolet V6-60° engines with valve guides and seats.	14044884
			14MM - .750"	5/8"	GASKET	3924	Head is machined for both tapered seat and gasket seat type plugs.	

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
GENERAL MOTORS Continued							GENERAL MOTORS Continued	
CHEVROLET Continued							CHEVROLET Continued	
24502523	ALUMINUM	6-CYLINDER	14MM - .708" 14MM - .750"	5/8" 5/8"	TAPERED GASKET	103 3924	Semi-finished CNC'd 18° valve angle aluminum cylinder head for Chevrolet V6-90 degree block. Head is machined for both tapered seat and gasket seat type plugs.	24502523
3987376	IRON	SMALL BLOCK	14MM - .375"	13/16"	GASKET	85	Service replacement head with 64cc chambers & straight plugs used on 1967-70 302, 327, 350 CID engines with 10.0:1 - 11.0:1 compression ratios.	3987376
464045	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	26	Service replacement head with 76cc chambers & straight plugs used on 1971-79 350 CID engines with 9.0:1 compression ratios.	464045
10125377	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	26	Installed on the 350/285 hp crate engine.	10125377
93438649	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	26	Installed on the 350/290 hp crate engine.	93438649
10159552	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	26	Bare version of the 93438649 cylinder head.	10159552
12356026	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25	Installed on the 350/300 hp crate engine.	12356026
12558060	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	103	Vortec cylinder head installed on 350/330 hp, Ram Jet 350 Fuel Injected, 350/350 hp, & HT383 crate engines.	12558060
12529093	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	103	Bare version of the Vortec 12558060 cylinder head.	12529093
14011058	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	144	Bow Tie cylinder head - Bare. 64cc chambers, angle plugs, finished valve seats.	14011058
10051108	IRON	SMALL BLOCK	UNMACHINED	-	-	-	Semi-finished version of the Bow Tie head # 14011058 with unmachined spark plug holes.	10051108
25534421	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	103	Small Port Vortec Bow Tie head assembly.	25534421
25534351	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	103	Bare version of the Small Port Vortec Bow Tie 25534421 head assembly.	25534351
25534431	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	103	Large Port Vortec Bow Tie head assembly.	25534431
25534371	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	103	Bare version of the Large Port Vortec Bow Tie 25534431 head assembly.	25534371
10134392	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25	Phase 2 Cast Iron Bow Tie cylinder head.	10134392
12480053	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25	Phase 2 Cast Iron Bow Tie cylinder head.	12480053
12480034	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25	Phase 3 Cast Iron Bow Tie cylinder head.	12480034
12480092	IRON	SMALL BLOCK	14MM - .375"	13/16"	GASKET	303	Bare "Camel Back" replacement cylinder head with 2.02"/1.60" valves.	12480092
88958692	IRON	SMALL BLOCK	14MM - .375"	13/16"	GASKET	303	Bare Cast Iron High Performance Leaded Fuel Head with 1.94"/1.60" valves.	88958692
10088115	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3926	Raised D-Port exhaust style head used on 1988 Corvette 5.7L engine.	10088115
10185086	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3926	Raised D-Port exhaust style head used on 1988 Corvette 5.7L engine.	10185086
10185087	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3926	Installed on ZZ, ZZ1, ZZ2, ZZ3 crate engines.	10185087
12556463	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	103	Installed on the ZZ4 crate engine.	12556463
12464298	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	103	Installed on the 350/400 hp "FAST BURN 400", FAST BURN 385, & ZZ383/425 hp crate engines.	12464298
12497186	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	103	Bare version of the 12464298 "FAST BURN" cylinder head.	12497186
12363287	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	103	LT4 aluminum cylinder head assembly.	12363287
12557773	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	103	LT4 aluminum cylinder head - Bare. With valve seats, guides, & studs.	12557773
10051101	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	103	Raised Runner Aluminum Bow Tie cylinder head.	10051101
14011049	ALUMINUM	SMALL BLOCK	14MM - .750" 14MM - .708"	13/16" 5/8"	GASKET TAPERED	64 103	Phase 6 Bow Tie head - Bare. Without seats, guides or pushrod clearance holes. Head is machined for both tapered seat and gasket seat type plugs.	14011049
10051167	ALUMINUM	SMALL BLOCK	14MM - .750" 14MM - .708"	13/16" 5/8"	GASKET TAPERED	64 103	Phase 6 Bow Tie head - Bare. With iron valve guides and valve seat inserts. Head is machined for both tapered seat and gasket seat type plugs.	10051167
10134352	ALUMINUM	SMALL BLOCK	14MM - .708" 14MM - .750"	5/8" 5/8"	TAPERED GASKET	AR472 AR3932	18° Bow Tie Low-Port cylinder head - Bare. Head is machined for both tapered seat and gasket seat type plugs.	10134352
10134363	ALUMINUM	SMALL BLOCK	14MM - .708" 14MM - .750"	5/8" 5/8"	TAPERED GASKET	AR472 AR3932	18° Bow Tie High-Port cylinder head - Bare. For 4.060" cylinder bores & larger. Head is machined for both tapered seat and gasket seat type plugs.	10134363
10134364	ALUMINUM	SMALL BLOCK	14MM - .708" 14MM - .750"	5/8" 5/8"	TAPERED GASKET	AR472 AR3932	18° Bow Tie High-Port cylinder head - Bare. For cylinder bores under 4.060". Head is machined for both tapered seat and gasket seat type plugs.	10134364
24502569	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Semi-Finished 18° cylinder head. Used in NASCAR racing.	24502569
24502482	ALUMINUM	SMALL BLOCK	14MM - .708" 14MM - .750"	5/8" 5/8"	TAPERED GASKET	AR472 AR3932	18° Bow Tie High-Port CNC Ported cylinder head - Bare. Head is machined for both tapered seat and gasket seat type plugs.	24502482
24502582	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Semi-Finished 18° cylinder head, High Port "Low Compression CNC". Intake runners configured for 9:1 compression & 390 cfm carburetor.	24502582
24502580	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Semi-Finished 18° cylinder head. Used in NASCAR racing.	24502580
12370855	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Semi-Finished, X-rayed 18° cylinder head. Used in NASCAR racing.	12370855
24502615	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Semi-Finished 15° cylinder head. Used in NHRA drag racing.	24502615
12480146	ALUMINUM	SMALL BLOCK	UNMACHINED	-	-	-	Unmachined Splayed-Valve Aluminum cylinder head. Used in NHRA drag racing.	12480146
12480147	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Semi-finished Splayed-Valve Aluminum cylinder head. Used in NHRA drag racing.	12480147
24502517	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Semi-finished Splayed-Valve Aluminum cylinder head. Used in NHRA drag racing.	24502517
12480153	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Semi-finished Splayed-Valve ROX Aluminum cylinder head. Used with ROX cylinder block 25534352 for NHRA drag racing.	12480153
12480011	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Semi-finished SB2.2 NASCAR Aluminum cylinder head with .500" guide holes.	12480011
12480021	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	CNC ported version of the 1248011 cylinder head with beryllium copper valve seats and bronze valve guides.	12480021
12480129	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Semi-finished SB2.2 NASCAR Aluminum cylinder head with .375" guide holes.	12480129
88958667	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Semi-finished SB2.2 Design ROX Aluminum cylinder head. Used with ROX cylinder block 25534453.	88958667
24502559	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	SB2 Aluminum racing cylinder head.	24502559
24502560	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	CNC ported version of the 24502559 SB2 Aluminum racing cylinder head.	24502560
12559855	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	XP5245	Installed on the LS1 engine.	12559855
12480109	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	XP5245	ASA type racing version of the LS1 head 12559855 with ASA springs & seats. Fits LS1 engine only.	12480109

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
GENERAL MOTORS Continued								GENERAL MOTORS Continued
CHEVROLET Continued								CHEVROLET Continued
12480005	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	XP5245	Bare C5R Racing cylinder head. 1st design w/38cc combustion chamber. For LS7/C5R race blocks.	12480005
12480090	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	XP5245	Bare C5R Racing cylinder head. 2nd design w/30cc combustion chamber. For LS7/C5R race blocks.	12480090
88958609	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	XP5245	Semi-finished CNC ported C5R Racing cylinder head.	88958609
12564825	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	XP5245	Bare cylinder head used on LS6 & LS2 engines.	12564825
12564824	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	XP5245	Assembled cylinder head used on LS6 & LS2 engines.	12564824
88958665	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	XP5245	CNC ported version of the 12564825 head with 65cc CNC'd combustion chambers.	88958665
88958622	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	XP5245	CNC ported version of the 12564825 head with 61.9cc CNC'd combustion chambers.	88958622
12562319	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	XP5245	Installed on the 6.0L (RPO LQ9) replacement engine #19156262.	12562319
12564826	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	XP5245	Installed on the LS2 engine. Used on the 2005 Corvette, SSR, GTO.	12564826
12576063	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	XP5245	LS2 cylinder head assembly.	12576063
88958765	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	XP5245	CNC ported LS2 cylinder head assembly.	88958765
12578450	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	XP5245	Bare cylinder head used on the LS7 engine in the 2006 Corvette Z06.	12578450
12578449	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	XP5245	LS7 cylinder head assembly.	12578449
10140633	IRON	BIG BLOCK	14MM - .750"	13/16"	GASKET	404	Mark IV Service Replacement head with closed combustion chambers. Originally produced 1965-71	10140633
6260482	IRON	BIG BLOCK	14MM - .750"	13/16"	GASKET	404	Mark IV Service Replacement head with open combustion chambers. Originally produced 1968-71. Used on LS6 & LS7 engines.	6260482
14096801	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	144	Installed on 454 HO/425 HP MUSCLE CAR MUSCLE & 502 crate engines.	14096801
14096802	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	144	Installed on 454 HO/425 HP MUSCLE CAR MUSCLE & 502 crate engines.	14096802
12562920	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	144	Installed on 454 HO/425 HP MUSCLE CAR MUSCLE & 502 crate engines.	12562920
12562925	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	144	Bare version of the 12562920 cylinder head.	12562925
12562926	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	144	Bare version of the 12562920 cylinder head with 3/8" accessory bolt holes.	12562926
12552888	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	25	Installed on HT502 Towing Performance & Truck Conversion Kit crate engines.	12552888
3919838	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	403	Mark IV Service Replacement head with closed combustion chambers. Originally installed 1965-69 396 CID & 427 CID engines.	3919838
14011076	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	403	Mark IV Service Replacement head with "C" port exhaust.	14011076
14044861	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	403	Mark IV Bow Tie head - Bare.	14044861
14044862	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	403	Mark IV Bow Tie head. With raised intake/exhaust runners, special combustion chambers, "W-Port" head.	14044862
12363392	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	64	Installed on ZZ454/440 crate engine.	12363392
12363399	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	64	Installed on 454 ZL1 Ram Jet Fuel injected & Ram Jet 502 crate engines.	12363399
12363390	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	64	Installed on ZZ502 & Ram Jet 502 crate engines.	12363390
12499255	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	66	Installed on ZZ572/620 Base model & ZZ572/620 Deluxe crate engines.	12499255
88961160	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	63	Installed on ZZ572/720R Base Model & ZZ572/720R Deluxe crate engines.	88961160
12363408	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	64	Bare replacement head with 315cc rectangular intake ports. Used on 1969 Camaro & 1968-71 Corvette L88 engines.	12363408
12363410	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	64	Bare version of the 1236408 head with 300cc rectangular intake ports.	12363410
12363400	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	64	Assembled version of the 12363410 cylinder head.	12363400
14044876	ALUMINUM	BIG BLOCK	UNMACHINED	-	-	-	Bow Tie cylinder head.	14044876
12363425	ALUMINUM	BIG BLOCK	14MM - .750"	5/8" or 13/16"	GASKET	AR51 or AR3933	Bow Tie racing cylinder head.	12363425
10051128	ALUMINUM	BIG BLOCK	14MM - .708"	5/8"	TAPERED	AR103	Symmetrical port cylinder heads for Pro Stock drag racing. Fits 1965-90 big blocks.	10051128
10051129	ALUMINUM	BIG BLOCK	UNMACHINED	-	-	-	Unmachined symmetrical port Bowtie racing cylinder head. Used in Pro Stock drag racing.	10051129
24502585	ALUMINUM	BIG BLOCK	UNMACHINED	-	-	-	DRCE 2 raw cylinder head used specifically on DRCE 2 engine block in NHRA Pro Stock drag racing.	24502585
12480010	ALUMINUM	BIG BLOCK	UNMACHINED	-	-	-	DRCE 2 semi finished cylinder head used specifically on DRCE 2 engine block in NHRA Pro Stock drag racing.	12480010
25534404	ALUMINUM	BIG BLOCK	UNMACHINED	-	-	-	DRCE 3 raw cylinder head used on DRCE 2 & DRCE 3 engine blocks in NHRA Pro Stock drag racing.	25534404
25534405	ALUMINUM	BIG BLOCK	UNMACHINED	-	-	-	DRCE 3 semi-finished cylinder head used on DRCE 2 & DRCE 3 engine blocks in NHRA Pro Stock drag racing.	25534405
PONTIAC								PONTIAC
347056	IRON	4-CYLINDER	14MM - .460"	5/8"	TAPERED	25	Pontiac Cast Iron performance bare head for use on 151 CID & 153 CID engines.	347056
10049801	ALUMINUM	4-CYLINDER	14MM - .750"	13/16"	GASKET	AR2593	Pontiac Super Duty Four High Port Special aluminum cylinder head - Bare.	10049801
10045437	ALUMINUM	4-CYLINDER	14MM - .750"	13/16"	GASKET	AR2593	Pontiac 2.5L Super Duty aluminum cylinder head.	10045437
10033867	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Pontiac Motorsports cylinder head.	10033867
10093385	ALUMINUM	BIG BLOCK	UNMACHINED	-	-	-	Unmachined head that fits 1965-90 Chevy Big Block engines & has a Pontiac logo.	10093385
10093386	ALUMINUM	BIG BLOCK	NLA	-	-	-	Pontiac developed cylinder head for use on Chevrolet Mark IV Big Block engines only.	10093386
10045427	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3934	Pontiac Super Duty cylinder head. Fits 1965-90. Designed for Pro Stock racing.	10045427
HRD RACING HEADS								HRD RACING HEADS
CHEVROLET								CHEVROLET
10134394	ALUMINUM	6-CYLINDER	14MM - .708"	5/8"	TAPERED	AR103	GM Performance Parts V6 Splayed Valve Head. Machined to custom specifications.	10134394
AFR 215	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Air Flow Research Raised Runner Head. Machined to custom specifications.	AFR 215
RR 245SP-23	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	All Pro Raised Runner 23° Spread Port Head. Machined to custom specifications.	RR 245SP-23
RR 227SP-W	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	All Pro Raised Runner 23° Spread Port NASCAR Head. Machined to custom specifications.	RR 227SP-W
R296E-13	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	All Pro Head. Exclusive HRD production, machined to custom specifications.	R296E-13
Track 1 SBC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933, AR3934	Brodix Track 1 Series Head. Machined to custom specifications.	Track 1 SBC
Spec Head	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933, AR3934	Brodix Spec Chevy Head. Machined to custom specifications.	Spec Head
GB 2411-11°	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933, AR3934	Brodix GB2400 Series Head. Exclusive HRD production, machined to custom specifications.	GB 2411-11°
24502615X	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	GM Performance Parts 15° Head. Machined to custom specifications.	24502615X
12370855	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	GM Performance Parts 18° Head. Machined to custom specifications.	12370855

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
HRD RACING HEADS							HRD RACING HEADS	
CHEVROLET Continued							CHEVROLET Continued	
24502580	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	GM Performance Parts 18° Head. Machined to custom specifications.	24502580
10134364	ALUMINUM	SMALL BLOCK	14MM - .750" 14MM - .708"	5/8" 5/8"	GASKET TAPERED	AR3932 AR472	GM Performance Parts 18° Bow Tie High Port Head. Machined to custom specifications. Head is machined for both tapered seat & gasket seat type plugs.	10134364
10051101	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	GM Performance Parts 23° Raised Runner Bow Tie Head. Machined to custom specifications.	10051101
24502517	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	GM Performance Parts Splayed Valve Head. Machined to custom specifications.	24502517
12480011	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	GM Performance Parts SB2 Head. Machined to custom specifications.	12480011
SB2.2 Hi/Lo	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	GM Performance Parts SB2.2 Head. Machined to custom specifications.	SB2.2 Hi/Lo
LS Pro Stock	ALUMINUM	LS GEN III BLOCK	14MM - .750"	5/8"	GASKET	AR3933, AR3934	All Pro Head. Exclusive HRD production, machined to custom specifications.	LS Pro Stock
LS Turbo	ALUMINUM	LS GEN III BLOCK	14MM - .750"	5/8"	GASKET	AR3933, AR3934	All Pro Head. Exclusive HRD production, machined to custom specifications.	LS Turbo
LS1/LS6	ALUMINUM	LS GEN III BLOCK	14MM - .750"	5/8"	GASKET	AR3933, AR3934	All Pro Head. Machined to custom specifications.	LS1/LS6
Big Duke PB 1802	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3932, AR3933	Brodix PB1800 Series Big Duke Head. Machined to custom specifications.	Big Duke PB 1802
16300000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933, AR3934	Dart Race Series Head. Machined to custom specifications.	16300000
16500000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933, AR3934	Dart Race Series Head. Machined to custom specifications.	16500000
18100000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933, AR3934	Dart Big Chief Series Head. Machined to custom specifications.	18100000
18200000	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933, AR3934	Dart Big Chief Series Head. Machined to custom specifications.	18200000
24502585	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933, AR3934	GM Performance Parts DRCE2 Head. Machined to custom specifications.	24502585
FORD							FORD	
BF301	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933, AR3934	Brodix BF Series Head. Machined to custom specifications.	BF301
D3 Drag Race	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Ford Motorsports High Port Head. Machined to custom specifications.	D3 Drag Race
D3 Circle Track	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933, AR3934	Ford Motorsports High Port Head. Machined to custom specifications.	D3 Circle Track
D3 # M-6049-D3	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Ford Motorsports High Port Head. Machined to custom specifications.	D3 # M-6049-D3
C3 # M-6049-C35	ALUMINUM	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	Ford Motorsports "Yates" Competition Cylinder Head. Machined to custom specifications.	C3 # M-6049-C35
C3 # M-6049-C3I	ALUMINUM	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	Ford Motorsports "Yates" Competition Cylinder Head. Machined to custom specifications.	C3 # M-6049-C3I
SC1 # M-6049-SC1	ALUMINUM	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	Ford Motorsports High Port Head. Machined to custom specifications.	SC1 # M-6049-SC1
Victor/Glidden 77099	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933, AR3934	HRD (In-house-design version) Edelbrock Head. Designed for use in NMRA racing.	Victor/Glidden 77099
MOPAR							MOPAR	
P5007428	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	Dodge P-7 Head. Machined to custom specifications.	P5007428
P4529336	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	AR51	426 Hemi Head. Machined to custom specifications.	P4529336
HOLLEY®							HOLLEY®	
CHEVROLET							CHEVROLET	
300-552-1	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3934	SysteMAX II™ Series - Assembled. Fits 1962-86 302, 327, 350 CID engines.	300-552-1
300-554	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3934	SysteMAX II™ Series - Assembled. Oval Port. Fits 1965-Present 396-502 CID engines.	300-554
300-556	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3934	SysteMAX II™ Series - Assembled. Oval Port. Fits 1965-Present 396-502 CID engines. With heat cross-over.	300-556
FORD							FORD	
300-575	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	SysteMAX™ Series - Assembled. Stud mount 17° head with 2.02" intake valves. Fits 1965-95 289, 302, and 351W CID engines (exc. Boss 302).	300-575
SysteMAX & SysteMAX II are registered trademarks of Holley® and are used in this catalog for identification purposes only.								
HOT HEADS RESEARCH & RACING, INC.							HOT HEADS RESEARCH & RACING, INC.	
CHRYSLER							CHRYSLER	
WJ540	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	65	Street/Marine Cast Head - Bare. Seats & guides installed. 1951-54 331 CID Hemi engines.	WJ540
WJ541	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	65	Street/Marine Cast Head - Bare. Seats & guides installed. 1955-56 331 & 354 CID Hemi engines.	WJ541
WJ542	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	65	Street/Marine Cast Head - Assembled. 1951-54 331 CID Hemi engines.	WJ542
WJ543	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	65	Street/Marine Cast Head - Assembled. 1955-56 331 & 354 CID Hemi engines.	WJ543
WJ921	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	65	Street/Marine Cast Head - Bare. Seats & guides installed. 392 CID Hemi engines.	WJ921
WJ922	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	65	Street/Marine Cast Head - Assembled. 392 CID Hemi engines.	WJ922
SR923B	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	AR50	"War Heads" Cast Head - Bare. Solid without water jackets. Race-only 392 CID Hemi engines.	SR923B
WJ923B	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	AR50	"War Heads" Cast Head - Bare. With water jackets. Race-only 392 CID Hemi engines.	WJ923B
KOFFEL'S PERFORMANCE							KOFFEL'S PERFORMANCE	
MOPAR							MOPAR	
B-1 B/A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Sportsman racing head for 340/360 CID "A" engines.	B-1 B/A
B-1 BA M/C	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	B-1 BA head with moved center line. 239cc intake ports and 67cc chambers.	B-1 BA M/C
B-1	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Race head for B/RB Mopar engines.	B-1
B-1 B/S	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Budget Sportsman head. Bolt-on replacement for B/RB engines.	B-1 B/S
B-1 T/S	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Race head for B-1 Phoenix block, Hemi, or modified B/RB blocks.	B-1 T/S
LINGENFELTER							LINGENFELTER	
CHEVROLET							CHEVROLET	
LT1CNC	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	103	LT1 Head - Assembled. CNC ported version of OE head used on 1992-96 Corvette, 1993-97 Camaro & Firebird.	LT1CNC
LT4CNC	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	103	LT4 Head - Assembled. CNC ported version of OE head used on 1996 Corvette.	LT4CNC
CNCL98	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	L98 Head - Assembled. CNC ported version of OE head used on 1988-91 Corvette.	CNCL98
LS1CNC-C	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	LS1 Head - Assembled. CNC ported version of OE head used on 1999-04 Corvette, 1999-02 Camaro & Firebird, 2004 GTO.	LS1CNC-C
LS1CNC-P	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	LS1 Head - Assembled. CNC ported version of OE head used on 1998 Camaro & Firebird.	LS1CNC-P

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
LINGENFELTER Continued								LINGENFELTER Continued
CHEVROLET Continued								ued
LS6LS2CNC	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	LS Series Head. Assembled. CNC ported version of OE head used on 2005 LS2 Corvette, Cadillac CTS-V, 2001-04 Corvette Z06, 2005 SSR & Pontiac GTO.	LS6LS2CNC
88998622	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	LS6 CNC Ported Head - Assembled. GM Performance Parts head available through Lingenfelter.	88998622
88998666	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	LS6 CNC Ported Head - Assembled. GM Performance Parts head available through Lingenfelter.	88998666
EDL61969	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	LS1 CNC Head - Assembled. Edelbrock head available through Lingenfelter.	EDL61969
MOPAR								MOPAR
P3690497	ALUMINUM	4-CYLINDER	14MM - .750"	13/16"	GASKET	404, 403	C2 High Performance head with valves. Used on Colt-Arrow 1600cc engines.	P3690497
P3690481	ALUMINUM	4-CYLINDER	14MM - .750"	13/16"	GASKET	404, 403	C2 High Performance head - complete. Used on Colt-Arrow 1600cc engines.	P3690481
P4286863	ALUMINUM	4-CYLINDER	14MM - .750"	13/16"	GASKET	65	Ported High Performance head - Assembled. Fits 1981-82 2.2L FWD engines.	P4286863
P4349065	ALUMINUM	4-CYLINDER	14MM - .750"	13/16"	GASKET	65	Cylinder head fitting 1983-84 2.2L FWD engines.	P4349065
2463476	IRON	6-CYLINDER	14MM - .750"	13/16"	GASKET	65, 63, AR52	Cylinder head used on 1964-66 Slant Six engines.	2463476
2843819	IRON	6-CYLINDER	14MM - .750"	13/16"	GASKET	65, 63, AR52	Cylinder head used on 1967-74 Slant Six engines.	2843819
2847116	IRON	6-CYLINDER	14MM - .750"	13/16"	GASKET	65, 63, AR52	Replacement cylinder head for part numbers 2463476 & 2843819.	2847116
3671636	IRON	6-CYLINDER	14MM - .750"	13/16"	GASKET	65, 63, AR52	Cylinder head used on 1972-73 Slant Six engines with air injection.	3671636
3671476	IRON	6-CYLINDER	14MM - .750"	13/16"	GASKET	65, 63, AR52	Cylinder head used on 1972-74 Slant Six engines.	3671476
3830329	IRON	6-CYLINDER	14MM - .460"	5/8"	TAPERED	26, 24, AR12	Cylinder head used on 1975-77 Slant Six engines.	3830329
3698448	IRON	6-CYLINDER	14MM - .460"	5/8"	TAPERED	26, 24, AR12	Cylinder head used on 1978 Slant Six engines.	3698448
4095776	IRON	6-CYLINDER	14MM - .460"	5/8"	TAPERED	26, 24, AR12	Cylinder head used on 1979-83 Slant Six engines.	4095776
4104363	IRON	6-CYLINDER	14MM - .460"	5/8"	TAPERED	26, 24, AR12	Cylinder head used on 1981-83 Slant Six engines.	4104363
2532080	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	66	Cylinder head used on 1964-65 273 CID engines.	2532080
2536176	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Cylinder head used on 1966 273 CID engines.	2536176
P5007950	IRON	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	"A" engine replacement cylinder head. Magnum R/T design. Fits 318/340/360 through '91.	P5007950
P4452748	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65, 63, AR52	318 Swirl-port, ported head.	P4452748
2806213	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	66	Cylinder head used on 1967 273/318 CID engines.	2806213
P4876891	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	273/318 Cylinder head.	P4876891
2843674	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	66	Cylinder head used on 1968-71 318 CID engines.	2843674
3671637	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	66	Cylinder head used on 1972 318 CID engines.	3671637
3698615	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	66	Cylinder head used on 1973-74 318 CID engines.	3698615
3769950	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Cylinder head used on 1975-76 318 CID engines.	3769950
4006335	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Cylinder head used on 1976 318 CID engines.	4006335
4027591	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Cylinder head used on 1976-79 318 CID engines.	4027591
4041001	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Cylinder head used on 1976-79 318 CID engines.	4041001
4100405	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Cylinder head used on 1980-83 318 CID engines.	4100405
4100408	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Cylinder head used on 1981-83 318 CID High Performance & 1980 360 CID engines.	4100408
4100409	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Cylinder head used on 1981-83 318 CID High Performance & 1980 360 CID engines.	4100409
2531902	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Cylinder head used on 1968-71 340 CID engines.	2531902
3577053	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Cylinder head used on 1970 340 T/A engines.	3577053
4529493	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	340 T/A replacement head. Limited re-introduction of the head for the 1970 340 T/A engine.	4529493
P5249574	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	340 Cylinder head. 340HP.	P5249574
3671639	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	66	Cylinder head used on 1972 340/360 CID engines.	3671639
3698617	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	66	Cylinder head used on 1973-74 340/360 CID engines.	3698617
P4529269	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	340/360 Cylinder head - Bare. 360HP.	P4529269
P5249767	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	340/360 High Performance head - Bare. With hardened seats.	P5249767
P5249573	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	340/360 High Performance head - Bare. With 1.925" intake & 1.625" exhaust valves.	P5249573
P5249459	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	340/360 Cylinder head assembly. 360HP.	P5249459
P4876179	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	340/360 Ported cylinder head assembly. 360HP.	P4876179
P4876180	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	340/360 Ported cylinder head assembly. 360HP.	P4876180
3418432	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	66	Cylinder head used on 1971 360 CID engines.	3418432
3671873	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	66	Cylinder head used on 1973 360 CID engines with air pump.	3671873
3769952	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Cylinder head used on 1975-76 360 CID engines.	3769952
4006337	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Cylinder head used on 1976 360 CID engines.	4006337
4041003	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Cylinder head used on 1977-79 360 CID engines.	4041003
4027594	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Cylinder head used on 1977-79 360 CID engines.	4027594
4071047	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Cylinder head used on 1977-79 360 CID engines.	4071047
4071049	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Cylinder head used on 1977-79 360 CID engines.	4071049
P4286864	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65, 63, AR52	360 A - Engine Bracket head. Race prepared and ported.	P4286864
P4876330	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	360 Ported "old-style" cylinder head assembly with bronze valve guides. Fits 1971-92.	P4876330
P3870812	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65, 63, AR52	W2 Standard head.	P3870812
P5007445	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W2 Cast Iron Race cylinder head with revised intake ports.	P5007445
P5007445AB	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W2 Cast Iron Race cylinder head with revised intake ports.	P5007445AB
P5249769	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W2 Small chamber cast iron race head. 65cc chambers	P5249769
P5249770	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W2 Small chamber cast iron race head. 55cc chambers	P5249770

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #	
MOPAR Continued								MOPAR Continued	
P4876336	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W2 head. Fits 48° "A" engine block.	P4876336	
P5007089	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W2 head assembly.	P5007089	
P5007708	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W2 Cast Iron Race cylinder head with revised intake ports.	P5007708	
P5007708AB	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W2 Cast Iron Race cylinder head with revised intake ports.	P5007708AB	
P5007355	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W2 Cast Iron Race cylinder head.	P5007355	
P4529446	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W2 Cast Iron Race cylinder head - Bare.	P4529446	
P4120043	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65, 63, AR52	W2 Econo head.	P4120043	
P4529994	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W2 Econo head - Bare. For standard length valves.	P4529994	
P4529995	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W2 Econo head - Bare. For long valves.	P4529995	
P4120034	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65, 63, AR52	Ported W2 head - Assembled.	P4120034	
P5249109	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	Ported W2 Econo head. With standard valves.	P5249109	
P5249110	IRON	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	Ported W2 Econo head. With long valves.	P5249110	
P5007374	IRON	SMALL BLOCK	14MM - .750"	5/8"	GASKET	5224	Magnum cylinder head - Bare. 1992-2001 5.2L & 1993-2001 5.9L truck engines.	P5007374	
P5007086	IRON	SMALL BLOCK	14MM - .750"	5/8"	GASKET	5224	Magnum cylinder head - Assembled. 1992-2001 5.2L & 1993-2001 5.9L truck engines.	P5007086	
P4876257	IRON	SMALL BLOCK	14MM - .750"	5/8"	GASKET	5224	Magnum Ported cylinder head - Assembled. 1992-2001 5.2L & 1993-2001 5.9L truck engines.	P4876257	
P5007141	IRON	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Cast Iron R/T head for 5.2L/5.9L Dodge Truck Magnum/Jeep engines.	P5007141	
P5007140	IRON	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Cast Iron R/T head for 5.2L/5.9L Dodge Truck Magnum/Jeep engines.	P5007140	
P5007145	IRON	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Magnum R/T Cast Iron Head Assembly for 5.2L/5.9L Truck Magnum/Jeep engines.	P5007145	
P4265395	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	65, 63, AR52	W2 Aluminum head. Quenched.	P4265395	
P4265396	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	65, 63, AR52	W2 Aluminum head. Non-Quenched.	P4265396	
P4876624	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Magnum Aluminum cylinder head for 1992-02 5.2L & 1993-03 5.9L Dodge Truck Magnum/Jeep/Magnum crate engines.	P4876624	
P4452924	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	65, 63, AR52	W5 head.	P4452924	
P5249002	ALUMINUM	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W5 head - Bare. 59cc chambers.	P5249002	
P5249435	ALUMINUM	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W5 head - Bare. 51cc chambers.	P5249435	
P5249050	ALUMINUM	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W5 Race head - Bare. Semi machined.	P5249050	
P4876183	ALUMINUM	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W5 Ported long valve head - Assembled.	P4876183	
P4876310	ALUMINUM	SMALL BLOCK	14MM - .750"	13/16"	GASKET	AR51	W5 Big Port Commando cylinder head.	P4876310	
P4876785	ALUMINUM	SMALL BLOCK	14MM - .750"	13/16"	GASKET	65	Aluminum Commando cylinder head.	P4876785	
P5249143	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W7 Professional racing head - Complete. Small valve.	P5249143	
P5249144	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W7 Professional racing head - Complete. Big valve, drag racing use.	P5249144	
P5249983	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W7 Professional racing head - Complete. Six bolt.	P5249983	
P4876043	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W7 As-Cast racing head. Non-ported, small valve.	P4876043	
P4876044	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W7 As-Cast racing head. Non-ported, big valve, drag racing use.	P4876044	
P5249851	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W7 Chapman CNC Ported racing head.	P5249851	
P4876720	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W7 Chapman CNC Ported racing head. Same head as P5249851 except lightened by 3 lbs.	P4876720	
P4876723	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W7 Chapman CNC Ported racing head. Raised intake & exhaust ports.	P4876723	
P4876724	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W7 Chapman CNC Ported racing head. Same head as P4876723 except lightened by 3 lbs.	P4876724	
P4876725	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W7 Chapman CNC Ported racing head. Lightened & raised ports. Same head as P4876724 with down nozzle capability for fuel injection. Alcohol use.	P4876725	
P4876726	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W7 Chapman CNC Ported racing head. Lightened & raised ports. Includes down nozzle for fuel injection. 410 World of Outlaws Series and drag racing use.	P4876726	
P4876281	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W8 Partially machined head. Does not include valve seats or guides. NASCAR Truck Series racing.	P4876281	
P4876697	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W8 CNC machined head. Includes valve seats & guides. NASCAR Truck Series racing.	P4876697	
P4876783	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W8 Partially machined head. Does not include valve seats or guides. NHRA Pro Stock Truck Series racing.	P4876783	
P5007904	ALUMINUM	SMALL BLOCK	UNMACHINED	-	-	-	W9 Raised Port Aluminum cylinder head. Requires machining for spark plugs.	P5007904	
P4510324	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W9 Aluminum cylinder head for 59° small block.	P4510324	
P5007065	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W9 Aluminum cylinder head.	P5007065	
P5007065AB	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W9 Aluminum cylinder head for small block & A-4 Midget block.	P5007065AB	
P5007066	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W9 Partially machined cylinder head.	P5007066	
P5007179	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W9 cylinder head.	P5007179	
P5007061	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W9 CNC ported cylinder head.	P5007061	
P5007062	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W9 CNC ported cylinder head.	P5007062	
P5007063	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W9 CNC ported cylinder head. Alcohol fuel.	P5007063	
P5007064	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W9 CNC ported cylinder head. Alcohol fuel.	P5007064	
P5007855	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W9 Aluminum cylinder head for small block & A-4 Midget block.	P5007855	
P5007861	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	W9 Aluminum cylinder head for small block & A-4 Midget block.	P5007861	
P5007928	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3933	Brodix Nascar Touring Series head. Unmachined.	P5007928	
P5007428	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3911	P7 NASCAR Aluminum cylinder head. For use with R5 engine block only.	P5007428	
2128589	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Head used on 1960-62 361-383-413 CID engines.	2128589	
2402358	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Head used on 1962 413 CID Max Wedge engine.	2402358	
2406732	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Head used on 1964-67 361-383 engines.	2406732	
2406736	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Head used on 1964 426 Max Wedge engine.	2406736	
2448752	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Head used on 1963 361-383-413 CID engines.	2448752	

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
MOPAR Continued								MOPAR Continued
2406754	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Head used on 1963 426 Max Wedge engine.	2406754
2806762	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Head used on 1967 440 High Performance engine.	2806762
2843904	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Head used on 1968-70 383-440 CID engines.	2843904
3462344	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Head used on 1971-72 383-400-440 CID engines.	3462344
3671640	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Head used on 1973 400-440 CID engines.	3671640
3751218	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	23	Head used on 1973 400-440 CID Motor Home/Truck engines. Engine ID 440-3.	3751218
3769910	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Head used on 1974 400-440 CID engines.	3769910
3769954	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Head used on 1975-78 400-440 CID engines.	3769954
P4529997	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Max Wedge III Cast pedestal cylinder head. For 6 bolt valve covers.	P4529997
P5007997	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Max Wedge III cylinder head. Designed to replace '62-'64 Max Wedge heads.	P5007997
P5007494	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Max Wedge III cylinder head. Same as head P5007997 with revised ports.	P5007494
P5249824	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Max Wedge III cylinder head. Designed to replace '62-'64 Max Wedge heads.	P5249824
P4120352	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85 or AR72	Stage IV cylinder head.	P4120352
P4452923	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85 or AR72	Ported big valve B/RB cylinder head.	P4452923
P4286526	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85 or AR72	Stage V cylinder head.	P4286526
P4529992	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Stage V cylinder head. Replaces stock - same as '68-'78 casting & chamber.	P4529992
P4529993	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Stage V cylinder head. Replaces stock - same as '68-'78 casting & chamber.	P4529993
P5007047	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Stage V cylinder head. Service part for 500 CID 505HP crate motor.	P5007047
P5249112	IRON	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	Stage V cylinder head. Ported assembly with 15% air flow increase.	P5249112
P5153524	ALUMINUM	BIG BLOCK	14MM - .375"	13/16"	GASKET	85	383/440 Head - Assembled. Fits 1961-78 361-440 CID engines.	P5153524
P4876382	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	CNC-Ported Stage VI cylinder head.	P4876382
P4876383	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	CNC-Ported Stage VI cylinder head.	P4876383
P4876386	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	CNC-Ported Stage VI cylinder head. (Max Wedge)	P4876386
P5007834	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Stage VI cylinder head. Partially machined for CNC porting or hand porting.	P5007834
P4529335	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Stage VI Big Port cylinder head - Bare.	P4529335
P5249579	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Stage VI Big Port cylinder head - Bare.	P5249579
P4876311	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Stage VI 383/440 small chamber cylinder head.	P4876311
P4876819	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Stage VI head with machined chambers.	P4876819
P4876818	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Stage VI head with standard plug, chambers and offset rockers.	P4876818
P4876991	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Stage VI head. Service part for 500 CID 575HP crate motor.	P4876991
P4876186	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Stage VI Ported head with 12% intake increase.	P4876186
P4876187	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Stage VI Ported head with 20% intake increase.	P4876187
B1	ALUMINUM	BIG BLOCK	14MM - .750"	13/16"	GASKET	AR51	B/RB race head.	B1
P4349600	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3933	B1 Series race head.	P4349600
2468014	IRON	HEMI	14MM - .750"	13/16"	GASKET	63	Original Hemi head part number introduced in 1964.	2468014
2780557	IRON	HEMI	14MM - .750"	13/16"	GASKET	63	Street Hemi head 1966-71.	2780557
3512131	IRON	HEMI	14MM - .750"	13/16"	GASKET	AR50 - AR52	D4 head used in nitro-methane and alcohol fuel type racing. Two plugs per cylinder.	3512131
P3690210	IRON	HEMI	14MM - .750"	13/16"	GASKET	AR50 - AR52	Head assembly.	P3690210
P4876855	IRON	HEMI	14MM - .750"	13/16"	GASKET	65	Head assembly (426 Hemi) same outward appearance as '66-'71 production. All components attach the same as original.	P4876855
P4529898	IRON	HEMI	14MM - .750"	13/16"	GASKET	65	Bare machined head (426 Hemi) same outward appearance as '66-'71 production. All components attach the same as original.	P4529898
2531108	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	AR50 - AR52	Super Stock heads introduced in 1965.	2531108
P3690038	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	AR50 - AR52	Replacement for the Super Stock 1965 aluminum head. With two plugs per cylinder.	P3690038
P3690148	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	AR50 - AR52	Two plug per cylinder head with blank plug filled for single plug use.	P3690148
P3614487	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	AR50 - AR52	D6 head.	P3614487
P4120988	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	AR50 - AR52	Dart Hemi Head - Bare. Two plugs per cylinder. Machined by Dart Engineering.	P4120988
P4876857	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	65	Head assembly (528 Hemi) interchangeable with production cast iron head.	P4876857
P4529336	ALUMINUM	HEMI	14MM - .750"	13/16"	GASKET	65	Bare machined head (426 Hemi) interchangeable with production cast iron head.	P4529336
P5153343	ALUMINUM	HEMI	14MM - 1.00"	5/8"	TAPERED	AP5263	5.7L Hemi head - Assembled (Left). CNC ported.	P5153343
P5153344	ALUMINUM	HEMI	14MM - 1.00"	5/8"	TAPERED	AP5263	5.7L Hemi head - Assembled (Right). CNC ported.	P5153344
P4876883AB	ALUMINUM	HEMI	UNMACHINED	-	-	-	Hemi Pro-Stock NHRA cylinder head with 4.90" bore center.	P4876883AB
P5007135	ALUMINUM	HEMI	UNMACHINED	-	-	-	Hemi Pro-Stock IHRA cylinder head with 5.00" bore center.	P5007135
P5007178	ALUMINUM	HEMI	UNMACHINED	-	-	-	Hemi Pro-Mod IHRA cylinder head with 5.00" bore center.	P5007178
P5007509AB	ALUMINUM	HEMI	UNMACHINED	-	-	-	P5 Hemi Aluminum cylinder head. For use with R4 & A4 4-cylinder block.	P5007509AB
PATRIOT PERFORMANCE								PATRIOT PERFORMANCE
GENERAL MOTORS								GENERAL MOTORS
2020	ALUMINUM	4-CYLINDER	14MM - .708"	5/8"	TAPERED	AR103	2.2L OHV Stage I Head - Bare.	2020
2021	ALUMINUM	4-CYLINDER	14MM - .708"	5/8"	TAPERED	AR103	2.2L OHV Stage I Head - Assembled.	2021
2038	ALUMINUM	4-CYLINDER	14MM - 1.00"	5/8"	TAPERED	XP5263	2.2L Ecotec Stage I Head - Bare.	2038
2039	ALUMINUM	4-CYLINDER	14MM - 1.00"	5/8"	TAPERED	XP5263	2.2L Ecotec Stage I Head - Assembled. Without cams.	2039
2041	ALUMINUM	4-CYLINDER	14MM - 1.00"	5/8"	TAPERED	XP5263	2.2L Ecotec Stage II Head - Bare.	2041
2042	ALUMINUM	4-CYLINDER	14MM - 1.00"	5/8"	TAPERED	XP5263	2.2L Ecotec Stage II Head - Assembled. Without cams.	2042
CHEVROLET								CHEVROLET
2052	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Head - Bare. Angle plug. 64cc chambers, 195cc intake ports.	2052

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
PATRIOT PERFORMANCE Continued							PATRIOT PERFORMANCE Continued	
CHEVROLET Continued							CHEVROLET Continued	
2053	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Head - Bare. Straight plug. 64cc chambers, 195cc intake ports.	2053
2054	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Head - Bare. Angle plug. 64cc chambers, 215cc intake ports.	2054
2055	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Head - Bare. Straight plug. 64cc chambers, 215cc intake ports.	2055
2056	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Head - Bare. Angle plug. 64cc chambers, 215cc intake ports.	2056
2057	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Head - Bare. Straight plug. 64cc chambers, 215cc intake ports.	2057
2058	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Head - Bare. Angle plug. 64cc chambers, 225cc intake ports.	2058
2059	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Head - Bare. Straight plug. 64cc chambers, 225cc intake ports.	2059
2064	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Super Street Head - Assembled. Angle plug. 64cc chambers, 195cc intake ports.	2064
2065	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Super Street Head - Assembled. Straight plug. 64cc chambers, 195cc intake ports.	2065
2068	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Super Street Head - Assembled. Angle plug. 64cc chambers, 215cc intake ports.	2068
2069	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Super Street Head - Assembled. Straight plug. 64cc chambers, 215cc intake ports.	2069
2072	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Super Street Head - Assembled. Angle plug. 64cc chambers, 215cc intake ports.	2072
2073	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Super Street Head - Assembled. Straight plug. 64cc chambers, 215cc intake ports.	2073
2076	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Super Street Head - Assembled. Angle plug. 64cc chambers, 225cc intake ports.	2076
2077	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Super Street Head - Assembled. Straight plug. 64cc chambers, 225cc intake ports.	2077
2080	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Race Version Head - Assembled. Angle plug. 64cc chambers, 195cc intake ports.	2080
2081	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Race Version Head - Assembled. Straight plug. 64cc chambers, 195cc intake ports.	2081
2084	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Race Version Head - Assembled. Angle plug. 64cc chambers, 215cc intake ports.	2084
2085	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Race Version Head - Assembled. Straight plug. 64cc chambers, 215cc intake ports.	2085
2088	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Race Version Head - Assembled. Angle plug. 64cc chambers, 215cc intake ports.	2088
2089	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Race Version Head - Assembled. Straight plug. 64cc chambers, 215cc intake ports.	2089
2092	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Race Version Head - Assembled. Angle plug. 64cc chambers, 225cc intake ports.	2092
2093	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3924	Classic 23° Race Version Head - Assembled. Straight plug. 64cc chambers, 225cc intake ports.	2093
2007	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS1 Stage II Head - Assembled. Perimeter Bolt design.	2007
2008	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS1 Stage II Head - Bare. Center Bolt design.	2008
2009	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS1 Stage II Head - Assembled. Center Bolt design.	2009
2026	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	5.3L Stage II Head - Bare. Center Bolt design.	2026
2027	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	5.3L Stage II Head - Assembled. Center Bolt design.	2027
2010	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	5.3L Stage III Head - Bare. Center Bolt design.	2010
2011	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	5.3L Stage III Head - Assembled. Center Bolt design.	2011
2028	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS6 Stage II Head - Bare. 59cc chambers.	2028
2029	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS6 Stage II Head - Assembled. 59cc chambers.	2029
2012	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS6 Stage II Head - Bare. 64cc chambers.	2012
2013	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS6 Stage II Head - Assembled. 64cc chambers.	2013
2032	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS6 Stage II Head - Bare. 59cc chambers.	2032
2033	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS6 Stage II Head - Assembled. 59cc chambers.	2033
2030	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS6 Stage II Head - Bare. 64cc chambers.	2030
2031	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS6 Stage II Head - Assembled. 64cc chambers.	2031
2014	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS6 Stage III Head - Bare. 64cc chambers.	2014
2015	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS6 Stage III Head - Assembled. 64cc chambers.	2015
2034	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS6 Stage III Head - Bare. 68cc chambers.	2034
2035	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS6 Stage III Head - Assembled. 68cc chambers.	2035
2050	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS6 Head - Blank. Custom runner & chamber machining required.	2050
2051	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS6 Chamber Only Head. CNC chambers only. With valve guides & seats.	2051
2036	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LQ9 Stage II Head - Bare.	2036
2037	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LQ9 Stage II Assembled - Bare.	2037
2016	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LQ9 Stage II Head - Bare.	2016
2017	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LQ9 Stage II Assembled - Bare.	2017
2018	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LQ9 Stage III Head - Bare.	2018
2019	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LQ9 Stage III Assembled - Bare.	2019
FORD							FORD	
1003	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR103	4.6L/5.4L Stage II Modular Head - Bare. Uses Autolite "Full Thread" spark plug.	1003
1004	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR103	4.6L/5.4L Stage II Modular Head - Assembled. Uses Autolite "Full Thread" spark plug.	1004
1005	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR103	4.6L/5.4L Stage III Modular Head - Bare. Uses Autolite "Full Thread" spark plug.	1005
1006	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR103	4.6L/5.4L Stage III Modular Head - Assembled. Uses Autolite "Full Thread" spark plug.	1006
1007	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR103	4.6L 1999-2001 4-Valve Stage 1.5 Head - Bare. Uses Autolite "Full Thread" spark plug.	1007
1008	ALUMINUM	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR103	4.6L 1999-2001 4-Valve Stage 1.5 Head - Assembled. Without cams. Uses Autolite "Full Thread" spark plug.	1008
MOPAR							MOPAR	
1050	ALUMINUM	HEMI	14MM - 1.00"	5/8"	TAPERED	XP5263	5.7L Hemi Stage I Head - Bare. Two plugs per cylinder.	1050
1051	ALUMINUM	HEMI	14MM - 1.00"	5/8"	TAPERED	XP5263	5.7L Hemi Stage I Head - Assembled. Two plugs per cylinder.	1051

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
PRO TOPLINE								PRO TOPLINE
CHEVROLET								CHEVROLET
223 2000 80	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Straight plug. 72cc chambers, 180cc intake ports.	223 2000 80
223 2000 80A	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Angle plug. 72cc chambers, 180cc intake ports.	223 2000 80A
223 2000 00	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Straight plug. 72cc chambers, 200cc intake ports.	223 2000 00
223 2000 00A	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Angle plug. 72cc chambers, 200cc intake ports.	223 2000 00A
223 2000 20	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Straight plug. 72cc chambers, 220cc intake ports.	223 2000 20
223 2000 20A	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Angle plug. 72cc chambers, 220cc intake ports.	223 2000 20A
223 2000 35	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Straight plug. 72cc chambers, 235cc intake ports.	223 2000 35
223 2000 35A	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Angle plug. 72cc chambers, 235cc intake ports.	223 2000 35A
223 2600 20	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° CNC Chamber Head - Bare. Straight plug. 72cc chambers, 220cc intake ports.	223 2600 20
223 2600 20A	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° CNC Chamber Head - Bare. Angle plug. 72cc chambers, 220cc intake ports.	223 2600 20A
223 2600 35	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° CNC Chamber Head - Bare. Straight plug. 72cc chambers, 235cc intake ports.	223 2600 35
223 2600 35A	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° CNC Chamber Head - Bare. Angle plug. 72cc chambers, 235cc intake ports.	223 2600 35A
223 4000 80	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Straight plug. 64cc chambers, 180cc intake ports.	223 4000 80
223 4000 80A	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Angle plug. 64cc chambers, 180cc intake ports.	223 4000 80A
223 4000 00	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Straight plug. 64cc chambers, 200cc intake ports.	223 4000 00
223 4000 00A	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Angle plug. 64cc chambers, 200cc intake ports.	223 4000 00A
223 4000 20	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Straight plug. 64cc chambers, 220cc intake ports.	223 4000 20
223 4000 20A	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Angle plug. 64cc chambers, 220cc intake ports.	223 4000 20A
223 4000 35	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Straight plug. 64cc chambers, 235cc intake ports.	223 4000 35
223 4000 35A	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Angle plug. 64cc chambers, 235cc intake ports.	223 4000 35A
223 4600 20	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° CNC Chamber Head - Bare. Straight plug. 64cc chambers, 220cc intake ports.	223 4600 20
223 4600 20A	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° CNC Chamber Head - Bare. Angle plug. 64cc chambers, 220cc intake ports.	223 4600 20A
223 4600 35	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° CNC Chamber Head - Bare. Straight plug. 64cc chambers, 235cc intake ports.	223 4600 35
223 4600 35A	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° CNC Chamber Head - Bare. Angle plug. 64cc chambers, 235cc intake ports.	223 4600 35A
223 5000 00	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Straight plug. 50cc chambers, 200cc intake ports.	223 5000 00
223 5000 00A	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Angle plug. 50cc chambers, 200cc intake ports.	223 5000 00A
223 5000 20	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Straight plug. 50cc chambers, 220cc intake ports.	223 5000 20
223 5000 20A	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ 23° Head - Bare. Angle plug. 50cc chambers, 220cc intake ports.	223 5000 20A
123 2000 80	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Straight plug. 72cc chambers, 180cc intake ports.	123 2000 80
123 2000 80A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Angle plug. 72cc chambers, 180cc intake ports.	123 2000 80A
123 2000 00	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Straight plug. 72cc chambers, 200cc intake ports.	123 2000 00
123 2000 00A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Angle plug. 72cc chambers, 200cc intake ports.	123 2000 00A
123 2000 20	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Straight plug. 72cc chambers, 220cc intake ports.	123 2000 20
123 2000 20A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Angle plug. 72cc chambers, 220cc intake ports.	123 2000 20A
123 2000 35	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Straight plug. 72cc chambers, 235cc intake ports.	123 2000 35
123 2000 35A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Angle plug. 72cc chambers, 235cc intake ports.	123 2000 35A
123 2600 20	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Bare. Straight plug. 72cc chambers, 220cc intake ports.	123 2600 20
123 2600 20A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Bare. Angle plug. 72cc chambers, 220cc intake ports.	123 2600 20A
123 2600 35	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Bare. Straight plug. 72cc chambers, 235cc intake ports.	123 2600 35
123 2600 35A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Bare. Angle plug. 72cc chambers, 235cc intake ports.	123 2600 35A
123 4000 80	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Straight plug. 64cc chambers, 180cc intake ports.	123 4000 80
123 4000 80A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Angle plug. 64cc chambers, 180cc intake ports.	123 4000 80A
123 4000 00	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Straight plug. 64cc chambers, 200cc intake ports.	123 4000 00
123 4000 00A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Angle plug. 64cc chambers, 200cc intake ports.	123 4000 00A
123 4000 20	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Straight plug. 64cc chambers, 220cc intake ports.	123 4000 20
123 4000 20A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Angle plug. 64cc chambers, 220cc intake ports.	123 4000 20A
123 4000 35	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Straight plug. 64cc chambers, 235cc intake ports.	123 4000 35
123 4000 35A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Angle plug. 64cc chambers, 235cc intake ports.	123 4000 35A
123 4600 20	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Bare. Straight plug. 64cc chambers, 220cc intake ports.	123 4600 20
123 4600 20A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Bare. Angle plug. 64cc chambers, 220cc intake ports.	123 4600 20A
123 4600 35	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Bare. Straight plug. 64cc chambers, 235cc intake ports.	123 4600 35
123 4600 35A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Bare. Angle plug. 64cc chambers, 235cc intake ports.	123 4600 35A
224 19000 320	IRON	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 119cc chambers, 320cc intake ports.	224 19000 320
224 19000 360	IRON	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 119cc chambers, 360cc intake ports.	224 19000 360
124 19000 320	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 119cc chambers, 320cc intake ports.	124 19000 320
124 19000 360	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 119cc chambers, 360cc intake ports.	124 19000 360
124 19600 320	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ CNC Chamber Head - Bare. 119cc chambers, 320cc intake ports.	124 19600 320
124 19600 360	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ CNC Chamber Head - Bare. 119cc chambers, 360cc intake ports.	124 19600 360
FORD								FORD
220 4000 180	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Bare. 64cc chambers, 180cc intake ports.	220 4000 180
220 4000 200	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Bare. 64cc chambers, 200cc intake ports.	220 4000 200
220 4000 215	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Bare. 64cc chambers, 215cc intake ports.	220 4000 215

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
FORD Continued								FORD Continued
220 8000 180	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Bare. 58cc chambers, 180cc intake ports.	220 8000 180
220 8000 200	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Bare. 58cc chambers, 200cc intake ports.	220 8000 200
220 8000 215	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Bare. 58cc chambers, 215cc intake ports.	220 8000 215
120 4000 180	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 64cc chambers, 180cc intake ports.	120 4000 180
120 4000 200	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 64cc chambers, 200cc intake ports.	120 4000 200
120 4000 215	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 64cc chambers, 215cc intake ports.	120 4000 215
120 8000 180	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 58cc chambers, 180cc intake ports.	120 8000 180
120 8000 200	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 58cc chambers, 200cc intake ports.	120 8000 200
120 8000 215	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 58cc chambers, 215cc intake ports.	120 8000 215
HONDA								HONDA
CHHO-18HPV	ALUMINUM	4-CYLINDER	14MM - .750"	5/8"	GASKET	3922	Pro Action™ Head - Bare. Honda GSR V-Tec.	CHHO-18HPV
Pro Action is a registered trademark of Racing Head Service and is used in this catalog for identification purposes only.								
RACING HEAD SERVICE								RACING HEAD SERVICE
CHEVROLET								CHEVROLET
12301	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Straight plug. 72cc chambers, 180cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12301
12301-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 72cc chambers, 180cc intake ports. "New" RHS™ castings only.	12301-01
12301-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 72cc chambers, 180cc intake ports. "New" RHS™ castings only.	12301-02
12302	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Angle plug. 72cc chambers, 180cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12302
12302-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 72cc chambers, 180cc intake ports. "New" RHS™ castings only.	12302-01
12302-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 72cc chambers, 180cc intake ports. "New" RHS™ castings only.	12302-02
12303	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Straight plug. 72cc chambers, 200cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12303
12303-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 72cc chambers, 200cc intake ports. "New" RHS™ castings only.	12303-01
12303-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 72cc chamber, 200cc intake ports. "New" RHS™ castings only.	12303-02
12304	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Angle plug. 72cc chambers, 200cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12304
12304-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 72cc chambers, 200cc intake ports. "New" RHS™ castings only.	12304-01
12304-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 72cc chambers, 200cc intake ports. "New" RHS™ castings only.	12304-02
12305	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Straight plug. 72cc chambers, 220cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12305
12305-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 72cc chambers, 220cc intake ports. "New" RHS™ castings only.	12305-01
12305-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 72cc chambers, 220cc intake ports. "New" RHS™ castings only.	12305-02
12306	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Angle plug. 72cc chambers, 220cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12306
12306-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 72cc chambers, 220cc intake ports. "New" RHS™ castings only.	12306-01
12306-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 72cc chambers, 220cc intake ports. "New" RHS™ castings only.	12306-02
12307	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Straight plug. 72cc chambers, 235cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12307
12307-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 72cc chambers, 235cc intake ports. "New" RHS™ castings only.	12307-01
12307-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 72cc chambers, 235cc intake ports. "New" RHS™ castings only.	12307-02
12308	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Angle plug. 72cc chambers, 235cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12308
12308-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 72cc chambers, 235cc intake ports. "New" RHS™ castings only.	12308-01
12308-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 72cc chambers, 235cc intake ports. "New" RHS™ castings only.	12308-02
12309	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Bare. Straight plug. 72cc chambers, 220cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12309
12309-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Flat tappet assembly. Straight plug. 72cc chambers, 220cc intake ports. "New" RHS™ castings only.	12309-01
12309-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Hydraulic roller assembly. Straight plug. 72cc chambers, 220cc intake ports. "New" RHS™ castings only.	12309-02
12310	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Bare. Angle plug. 72cc chambers, 220cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12310
12310-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Flat tappet assembly. Angle plug. 72cc chambers, 220cc intake ports. "New" RHS™ castings only.	12310-01
12310-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Hydraulic roller assembly. Angle plug. 72cc chambers, 220cc intake ports. "New" RHS™ castings only.	12310-02
12311	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Bare. Straight plug. 72cc chambers, 235cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline."	12311
12311-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Flat tappet assembly. Straight plug. 72cc chambers, 235cc intake ports. "New" RHS™ castings only."	12311-01

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
RACING HEAD SERVICE Continued							RACING HEAD SERVICE Continued	
CHEVROLET Continued							CHEVROLET Continued	
12311-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Hydraulic roller assembly. Straight plug. 72cc chambers, 235cc intake ports. "New" RHS™ castings only.	12311-02
12312	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Bare. Angle plug. 72cc chambers, 235cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12312
12312-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Flat tappet assembly. Angle plug. 72cc chambers, 235cc intake ports. "New" RHS™ castings only.	12312-01
12312-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Hydraulic roller assembly. Angle plug. 72cc chambers, 235cc intake ports. "New" RHS™ castings only.	12312-02
12317	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Straight plug. 64cc chambers, 180cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12317
12317-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 64cc chambers, 180cc intake ports. "New" RHS™ castings only.	12317-01
12317-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 64cc chambers, 180cc intake ports. "New" RHS™ castings only.	12317-02
12318	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Angle plug. 64cc chambers, 180cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12318
12318-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 64cc chambers, 180cc intake ports. "New" RHS™ castings only.	12318-01
12318-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 64cc chambers, 180cc intake ports. "New" RHS™ castings only.	12318-02
12319	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Straight plug. 64cc chambers, 200cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12319
12319-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 64cc chambers, 200cc intake ports. "New" RHS™ castings only.	12319-01
12319-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 64cc chambers, 200cc intake ports. "New" RHS™ castings only.	12319-02
12320	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Angle plug. 64cc chambers, 200cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12320
12320-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 64cc chambers, 200cc intake ports. "New" RHS™ castings only.	12320-01
12320-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 64cc chambers, 200cc intake ports. "New" RHS™ castings only.	12320-02
12321	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Straight plug. 64cc chambers, 220cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12321
12321-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 64cc chambers, 220cc intake ports. "New" RHS™ castings only.	12321-01
12321-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 64cc chambers, 220cc intake ports. "New" RHS™ castings only.	12321-02
12322	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Angle plug. 64cc chambers, 220cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12322
12322-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 64cc chambers, 220cc intake ports. "New" RHS™ castings only.	12322-01
12322-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 64cc chambers, 220cc intake ports. "New" RHS™ castings only.	12322-02
12323	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Straight plug. 64cc chambers, 235cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12323
12323-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 64cc chambers, 235cc intake ports. "New" RHS™ castings only.	12323-01
12323-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 64cc chambers, 235cc intake ports. "New" RHS™ castings only.	12323-02
12324	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Angle plug. 64cc chambers, 235cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12324
12324-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 64cc chambers, 235cc intake ports. "New" RHS™ castings only.	12324-01
12324-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 64cc chambers, 235cc intake ports. "New" RHS™ castings only.	12324-02
12325	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Bare. Straight plug. 64cc chambers, 220cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12325
12325-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Flat tappet assembly. Straight plug. 64cc chambers, 220cc intake ports. "New" RHS™ castings only.	12325-01
12325-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Hydraulic roller assembly. Straight plug. 64cc chambers, 220cc intake ports. "New" RHS™ castings only.	12325-02
12326	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Bare. Angle plug. 64cc chambers, 220cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12326
12326-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Flat tappet assembly. Angle plug. 64cc chambers, 220cc intake ports. "New" RHS™ castings only.	12326-01
12326-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Hydraulic roller assembly. Angle plug. 64cc chambers, 220cc intake ports. "New" RHS™ castings only.	12326-02
12327	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Bare. Straight plug. 64cc chambers, 235cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12327
12327-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Flat tappet assembly. Straight plug. 64cc chambers, 235cc intake ports. "New" RHS™ castings only.	12327-01
12327-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Hydraulic roller assembly. Straight plug. 64cc chambers, 235cc intake ports. "New" RHS™ castings only.	12327-02
12328	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Bare. Angle plug. 64cc chambers, 235cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12328

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
RACING HEAD SERVICE Continued							RACING HEAD SERVICE Continued	
CHEVROLET Continued							CHEVROLET Continued	
12328-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Flat tappet assembly. Angle plug. 64cc chambers, 235cc intake ports. "New" RHS™ castings only.	12328-01
12328-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° CNC Chamber Head - Hydraulic roller assembly. Angle plug. 64cc chambers, 235cc intake ports. "New" RHS™ castings only.	12328-02
12333	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Straight plug. 50cc chambers, 200cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12333
12333-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 50cc chambers, 200cc intake ports. "New" RHS™ castings only.	12333-01
12333-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 50cc chambers, 200cc intake ports. "New" RHS™ castings only.	12333-02
12334	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Angle plug. 50cc chambers, 200cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12334
12334-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 50cc chambers, 200cc intake ports. "New" RHS™ castings only.	12334-01
12334-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 50cc chambers, 200cc intake ports. "New" RHS™ castings only.	12334-02
12335	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Straight plug. 50cc chambers, 220cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12335
12335-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 50cc chambers, 220cc intake ports. "New" RHS™ castings only.	12335-01
12335-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 50cc chambers, 220cc intake ports. "New" RHS™ castings only.	12335-02
12336	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Bare. Angle plug. 50cc chambers, 220cc intake ports. "New" RHS™ castings only. "Older" castings see Pro Topline.	12336
12336-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 50cc chambers, 220cc intake ports. "New" RHS™ castings only.	12336-01
12336-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 50cc chambers, 220cc intake ports. "New" RHS™ castings only.	12336-02
12400	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Torker™ Vortec Head - Bare. 76cc chambers.	12400
12401	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Torker™ Vortec Head - Bare. 76cc chambers.	12401
12402	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Torker™ Vortec Head - Bare. 67cc chambers.	12402
12403	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Torker™ Vortec Head - Bare. 67cc chambers.	12403
12404	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Torker™ Vortec Head - Bare. 64cc chambers.	12404
12405	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Torker™ Vortec Head - Bare. 64cc chambers.	12405
12410	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Torker™ Vortec Head - Bare. 64cc chambers.	12410
12410-01	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Torker™ Vortec Head - Flat tappet assembly. 64cc chambers.	12410-01
12410-02	IRON	SMALL BLOCK	14MM - .708"	5/8"	TAPERED	AR472	Pro Torker™ Vortec Head - Hydraulic roller assembly. 64cc chambers.	12410-02
12001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Straight plug. 72cc chambers, 180cc intake ports.	12001
12001-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 72cc chambers, 180cc intake ports.	12001-01
12001-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 72cc chambers, 180cc intake ports.	12001-02
12002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Angle plug. 72cc chambers, 180cc intake ports.	12002
12002-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 72cc chambers, 180cc intake ports.	12002-01
12002-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 72cc chambers, 180cc intake ports.	12002-02
12003	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Straight plug. 72cc chambers, 200cc intake ports.	12003
12003-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 72cc chambers, 200cc intake ports.	12003-01
12003-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 72cc chambers, 200cc intake ports.	12003-02
12004	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Angle plug. 72cc chambers, 200cc intake ports.	12004
12004-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 72cc chambers, 200cc intake ports.	12004-01
12004-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 72cc chambers, 200cc intake ports.	12004-02
12005	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Straight plug. 72cc chambers, 220cc intake ports.	12005
12005-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 72cc chambers, 220cc intake ports.	12005-01
12005-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 72cc chambers, 220cc intake ports.	12005-02
12006	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Angle plug. 72cc chambers, 220cc intake ports.	12006
12006-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 72cc chambers, 220cc intake ports.	12006-01
12006-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 72cc chambers, 220cc intake ports.	12006-02
12007	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Straight plug. 72cc chambers, 235cc intake ports.	12007
12007-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 72cc chambers, 235cc intake ports.	12007-01
12007-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 72cc chambers, 235cc intake ports.	12007-02
12008	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Angle plug. 72cc chambers, 235cc intake ports.	12008
12008-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 72cc chambers, 235cc intake ports.	12008-01
12008-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 72cc chambers, 235cc intake ports.	12008-02
12011	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Bare. Straight plug. 72cc chambers, 220cc intake ports.	12011
12011-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Flat tappet assembly. Straight plug. 72cc chambers, 220cc intake ports.	12011-01
12011-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Hydraulic roller assembly. Straight plug. 72cc chambers, 220cc intake ports.	12011-02
12012	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Bare. Angle plug. 72cc chambers, 220cc intake ports.	12012
12012-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Flat tappet assembly. Angle plug. 72cc chambers, 220cc intake ports.	12012-01
12012-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Hydraulic roller assembly. Angle plug. 72cc chambers, 220cc intake ports.	12012-02
12013	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Bare. Straight plug. 72cc chambers, 235cc intake ports.	12013
12013-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Flat tappet assembly. Straight plug. 72cc chambers, 235cc intake ports.	12013-01
12013-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Hydraulic roller assembly. Straight plug. 72cc chambers, 235cc intake ports.	12013-02

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
RACING HEAD SERVICE Continued							RACING HEAD SERVICE Continued	
CHEVROLET Continued							CHEVROLET Continued	
12014	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Bare. Angle plug. 72cc chambers, 235cc intake ports.	12014
12014-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Flat tappet assembly. Angle plug. 72cc chambers, 235cc intake ports.	12014-01
12014-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Hydraulic roller assembly. Angle plug. 72cc chambers, 235cc intake ports.	12014-02
12022	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Straight plug. 64cc chambers, 180cc intake ports.	12022
12022-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 64cc chambers, 180cc intake ports.	12022-01
12022-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 64cc chambers, 180cc intake ports.	12022-02
12023	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Angle plug. 64cc chambers, 180cc intake ports.	12023
12023-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 64cc chambers, 180cc intake ports.	12023-01
12023-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 64cc chambers, 180cc intake ports.	12023-02
12024	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Straight plug. 64cc chambers, 200cc intake ports.	12024
12024-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 64cc chambers, 200cc intake ports.	12024-01
12024-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 64cc chambers, 200cc intake ports.	12024-02
12025	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Angle plug. 64cc chambers, 200cc intake ports.	12025
12025-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 64cc chambers, 200cc intake ports.	12025-01
12025-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 64cc chambers, 200cc intake ports.	12025-02
12026	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Straight plug. 64cc chambers, 220cc intake ports.	12026
12026-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 64cc chambers, 220cc intake ports.	12026-01
12026-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 64cc chambers, 220cc intake ports.	12026-02
12029	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Angle plug. 64cc chambers, 220cc intake ports.	12029
12029-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 64cc chambers, 220cc intake ports.	12029-01
12029-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 64cc chambers, 220cc intake ports.	12029-02
12030	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Straight plug. 64cc chambers, 235cc intake ports.	12030
12030-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Flat tappet assembly. Straight plug. 64cc chambers, 235cc intake ports.	12030-01
12030-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Hydraulic roller assembly. Straight plug. 64cc chambers, 235cc intake ports.	12030-02
12032	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Bare. Angle plug. 64cc chambers, 235cc intake ports.	12032
12032-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Flat tappet assembly. Angle plug. 64cc chambers, 235cc intake ports.	12032-01
12032-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° Head - Hydraulic roller assembly. Angle plug. 64cc chambers, 235cc intake ports.	12032-02
12033	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Bare. Straight plug. 64cc chambers, 220cc intake ports.	12033
12033-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Flat tappet assembly. Straight plug. 64cc chambers, 220cc intake ports.	12033-01
12033-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Hydraulic roller assembly. Straight plug. 64cc chambers, 220cc intake ports.	12033-02
12034	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Bare. Angle plug. 64cc chambers, 220cc intake ports.	12034
12034-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Flat tappet assembly. Angle plug. 64cc chambers, 220cc intake ports.	12034-01
12034-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Hydraulic roller assembly. Angle plug. 64cc chambers, 220cc intake ports.	12034-02
12035	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Bare. Straight plug. 64cc chambers, 235cc intake ports.	12035
12035-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Flat tappet assembly. Straight plug. 64cc chambers, 235cc intake ports.	12035-01
12035-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Hydraulic roller assembly. Straight plug. 64cc chambers, 235cc intake ports.	12035-02
12036	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Bare. Angle plug. 64cc chambers, 235cc intake ports.	12036
12036-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Flat tappet assembly. Angle plug. 64cc chambers, 235cc intake ports.	12036-01
12036-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ 23° CNC Chamber Head - Hydraulic roller assembly. Angle plug. 64cc chambers, 235cc intake ports.	12036-02
54210	ALUMINUM	LS GEN III BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Elite™ CNC Ported Head - Bare. 62cc chambers, 210cc intake ports	54210
54210-02	ALUMINUM	LS GEN III BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Elite™ CNC Ported Head - Beehive™ assembly. 62cc chambers, 210cc intake ports	54210-02
54210-05	ALUMINUM	LS GEN III BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Elite™ CNC Ported Head - Dual valve spring assembly. 62cc chambers, 210cc intake ports	54210-05
54210-06	ALUMINUM	LS GEN III BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Elite™ CNC Ported Head - Solid roller assembly. 62cc chambers, 210cc intake ports	54210-06
54225	ALUMINUM	LS GEN III BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Elite™ CNC Ported Head - Bare. 62cc chambers, 225cc intake ports	54225
54225-02	ALUMINUM	LS GEN III BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Elite™ CNC Ported Head - Beehive™ assembly. 62cc chambers, 225cc intake ports	54225-02
54225-05	ALUMINUM	LS GEN III BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Elite™ CNC Ported Head - Dual valve spring assembly. 62cc chambers, 225cc intake ports	54225-05
54225-06	ALUMINUM	LS GEN III BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Elite™ CNC Ported Head - Solid roller assembly. 62cc chambers, 225cc intake ports	54225-06
11301	IRON	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 119cc chambers, 320cc intake ports.	11301
11301-02	IRON	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Hydraulic roller assembly. 119cc chambers, 320cc intake ports.	11301-02
11301-03	IRON	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Solid roller assembly. 119cc chambers, 320cc intake ports.	11301-03
11302	IRON	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 119cc chambers, 360cc intake ports.	11302
11302-02	IRON	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Hydraulic roller assembly. 119cc chambers, 360cc intake ports.	11302-02
11302-03	IRON	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Solid roller assembly. 119cc chambers, 360cc intake ports.	11302-03
11001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 119cc chambers, 320cc intake ports.	11001
11001-02	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Hydraulic roller assembly. 119cc chambers, 320cc intake ports.	11001-02
11001-03	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Solid roller assembly. 119cc chambers, 320cc intake ports.	11001-03
11002	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 119cc chambers, 360cc intake ports.	11002
11002-02	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Hydraulic roller assembly. 119cc chambers, 360cc intake ports.	11002-02
11002-03	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Solid roller assembly. 119cc chambers, 360cc intake ports.	11002-03
11003	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ CNC Chamber Head - Bare. 119cc chambers, 320cc intake ports.	11003
11003-02	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ CNC Chamber Head - Hydraulic roller assembly. 119cc chambers, 320cc intake ports.	11003-02
11003-03	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ CNC Chamber Head - Solid roller assembly. 119cc chambers, 320cc intake ports.	11003-03

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
RACING HEAD SERVICE Continued							RACING HEAD SERVICE Continued	
CHEVROLET Continued							CHEVROLET Continued	
11004	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ CNC Chamber Head - Bare. 119cc chambers, 360cc intake ports.	11004
11004-02	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ CNC Chamber Head - Hydraulic roller assembly. 119cc chambers, 360cc intake ports.	11004-02
11004-03	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ CNC Chamber Head - Solid roller assembly. 119cc chambers, 360cc intake ports.	11004-03
FORD							FORD	
35301	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Bare. 64cc chambers, 180cc intake ports.	35301
35301-01	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Flat tappet assembly. 64cc chambers, 180cc intake ports.	35301-01
35301-02	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Hydraulic roller assembly. 64cc chambers, 180cc intake ports.	35301-02
35302	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Bare. 64cc chambers, 200cc intake ports.	35302
35302-01	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Flat tappet assembly. 64cc chambers, 200cc intake ports.	35302-01
35302-02	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Hydraulic roller assembly. 64cc chambers, 200cc intake ports.	35302-02
35303	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Bare. 64cc chambers, 215cc intake ports.	35303
35303-01	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Flat tappet assembly. 64cc chambers, 215cc intake ports.	35303-01
35303-02	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Hydraulic roller assembly. 64cc chambers, 215cc intake ports.	35303-02
35304	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Bare. 58cc chambers, 180cc intake ports.	35304
35304-01	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Flat tappet assembly. 58cc chambers, 180cc intake ports.	35304-01
35304-02	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Hydraulic roller assembly. 58cc chambers, 180cc intake ports.	35304-02
35305	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Bare. 58cc chambers, 200cc intake ports.	35305
35305-01	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Flat tappet assembly. 58cc chambers, 200cc intake ports.	35305-01
35305-02	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Hydraulic roller assembly. 58cc chambers, 200cc intake ports.	35305-02
35306	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Bare. 58cc chambers, 215cc intake ports.	35306
35306-01	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Flat tappet assembly. 58cc chambers, 215cc intake ports.	35306-01
35306-02	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR133, AR132	Pro Action™ Head - Hydraulic roller assembly. 58cc chambers, 215cc intake ports.	35306-02
35001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 64cc chambers, 180cc intake ports.	35001
35001-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Flat tappet assembly. 64cc chambers, 180cc intake ports.	35001-01
35001-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Hydraulic roller assembly. 64cc chambers, 180cc intake ports.	35001-02
35002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 64cc chambers, 200cc intake ports.	35002
35002-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Flat tappet assembly. 64cc chambers, 200cc intake ports.	35002-01
35002-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Hydraulic roller assembly. 64cc chambers, 200cc intake ports.	35002-02
35003	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 64cc chambers, 215cc intake ports.	35003
35003-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Flat tappet assembly. 64cc chambers, 215cc intake ports.	35003-01
35003-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Hydraulic roller assembly. 64cc chambers, 215cc intake ports.	35003-02
35004	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 58cc chambers, 180cc intake ports.	35004
35004-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Flat tappet assembly. 58cc chambers, 180cc intake ports.	35004-01
35004-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Hydraulic roller assembly. 58cc chambers, 180cc intake ports.	35004-02
35005	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 58cc chambers, 200cc intake ports.	35005
35005-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Flat tappet assembly. 58cc chambers, 200cc intake ports.	35005-01
35005-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Hydraulic roller assembly. 58cc chambers, 200cc intake ports.	35005-02
35006	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Bare. 58cc chambers, 215cc intake ports.	35006
35006-01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Flat tappet assembly. 58cc chambers, 215cc intake ports.	35006-01
35006-02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3910	Pro Action™ Head - Hydraulic roller assembly. 58cc chambers, 215cc intake ports.	35006-02
HONDA							HONDA	
57001	ALUMINUM	4-CYLINDER	14MM - .750"	5/8"	GASKET	3922	Pro Action™ Head - Bare. Honda GSR V-Tec.	57001
RHS, Pro Action, Pro Elite, Pro Torker are registered trademarks of Racing Head Service and are used in this catalog for identification purposes only.								
TRICK FLOW SPECIALTIES®							TRICK FLOW SPECIALTIES®	
CHEVROLET							CHEVROLET	
TFS-32400006	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	R-Series 215 Head - Assembled. 67cc chambers, 215cc intake ports, & 1.530" dual springs. For race-only small block engines.	TFS-32400006
TFS-32400007	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	R-Series 215 Head - Assembled. 67cc chambers, 215cc intake ports, & 1.550" dual springs. For race-only small block engines.	TFS-32400007
TFS-3240T006	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	R-Series 215 Head - Assembled. 67cc chambers, 215cc intake ports, & 1.530" dual springs, with titanium retainer upgrade. For race-only small block engines.	TFS-3240T006
TFS-3240T007	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	R-Series 215 Head - Assembled. 67cc chambers, 215cc intake ports, & 1.550" dual springs, with titanium retainer upgrade. For race-only small block engines.	TFS-3240T007
TFS-3241B001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3922	R-Series 215 Head - Bare. 67cc chambers, with valve seats & guides.	TFS-3241B001
TFS-30400001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Assembled. 62cc chambers, 195cc intake ports, & 1.250" single springs. For 327, 350, 400 CID engines through 1986.	TFS-30400001
TFS-30400002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Assembled. 62cc chambers, 195cc intake ports, & 1.470" single springs. For 327, 350, 400 CID engines through 1986.	TFS-30400002
TFS-30400003	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Assembled. 62cc chambers, 195cc intake ports, & 1.460" dual springs. For 327, 350, 400 CID engines through 1986.	TFS-30400003
TFS-30400005	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Assembled. 62cc chambers, 195cc intake ports, & 1.250" single springs. For 350 CID engines 1987-95 (NOT LT1).	TFS-30400005

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
TRICK FLOW SPECIALTIES® Continued							TRICK FLOW SPECIALTIES® Continued	
CHEVROLET Continued							CHEVROLET Continued	
TFS-30400006	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Assembled. 62cc chambers, 195cc intake ports, & 1.470" single springs. For 350 CID engines 1987-95 (NOT LT1).	TFS-30400006
TFS-30400007	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Assembled. 62cc chambers, 195cc intake ports, & 1.460" dual springs. For 350 CID engines 1987-95 (NOT LT1).	TFS-30400007
TFS-30400001-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Assembled. CNC Profiled 64cc chambers, 195cc intake ports, & 1.250" single springs. For 327, 350, 400 CID engines through 1986.	TFS-30400001-CNC
TFS-30400002-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Assembled. CNC Profiled 64cc chambers, 195cc intake ports, & 1.470" single springs. For 327, 350, 400 CID engines through 1986.	TFS-30400002-CNC
TFS-30400003-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Assembled. CNC Profiled 64cc chambers, 195cc intake ports, & 1.460" dual springs. For 327, 350, 400 CID engines through 1986.	TFS-30400003-CNC
TFS-30400005-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Assembled. CNC Profiled 64cc chambers, 195cc intake ports, & 1.250" single springs. For 350 CID engines 1987-95 (NOT LT1).	TFS-30400005-CNC
TFS-30400006-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Assembled. CNC Profiled 64cc chambers, 195cc intake ports, & 1.470" single springs. For 350 CID engines 1987-95 (NOT LT1).	TFS-30400006-CNC
TFS-30400007-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Assembled. CNC Profiled 64cc chambers, 195cc intake ports, & 1.460" dual springs. For 350 CID engines 1987-95 (NOT LT1).	TFS-30400007-CNC
TFS-30400012-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Assembled. CNC Profiled 72cc chambers, 195cc intake ports, & 1.470" single springs. For 327, 350, 400 CID engines through 1986.	TFS-30400012-CNC
TFS-30400013-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Assembled. CNC Profiled 72cc chambers, 195cc intake ports, & 1.460" dual springs. For 327, 350, 400 CID engines through 1986.	TFS-30400013-CNC
TFS-30400014-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Assembled. CNC Profiled 72cc chambers, 195cc intake ports, & 1.470" single springs. For 350 CID engines 1987-95 (NOT LT1).	TFS-30400014-CNC
TFS-30400015-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Assembled. CNC Profiled 72cc chambers, 195cc intake ports, & 1.460" dual springs. For 350 CID engines 1987-95 (NOT LT1).	TFS-30400015-CNC
TFS-3041B002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Kenny Duttweiler 23° Head - Bare. 62cc chambers, 195cc intake ports, with valve seats & guides.	TFS-3041B002
TFS-30300001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	23° 175 Head - Assembled. 56cc chambers, 175cc intake ports, & 1.250" single springs. For 327, 350, 400 CID engines through 1986.	TFS-30300001
TFS-30300002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	23° 175 Head - Assembled. 56cc chambers, 175cc intake ports, & 1.470" single springs. For 327, 350, 400 CID engines through 1986.	TFS-30300002
TFS-30300003	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	23° 175 Head - Assembled. 56cc chambers, 175cc intake ports, & 1.460" dual springs. For 327, 350, 400 CID engines through 1986.	TFS-30300003
TFS-30300005	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	23° 175 Head - Assembled. 56cc chambers, 175cc intake ports, & 1.250" single springs. For 350 CID engines 1987-95 (NOT LT1).	TFS-30300005
TFS-30300006	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	23° 175 Head - Assembled. 56cc chambers, 175cc intake ports, & 1.470" single springs. For 350 CID engines 1987-95 (NOT LT1).	TFS-30300006
TFS-30300007	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	23° 175 Head - Assembled. 56cc chambers, 175cc intake ports, & 1.460" dual springs. For 350 CID engines 1987-95 (NOT LT1).	TFS-30300007
TFS-3032B001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	23° 175 Head - Bare. 56cc chambers, 175cc intake ports, with valve seats & guides.	TFS-3032B001
TFS-3032B005	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	23° 175 Head - Bare. 56cc chambers, 175cc intake ports, with valve seats & guides.	TFS-3032B005
TFS-3180001A	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	18° Head - Assembled. 56cc chambers, 250cc intake ports, & 1.560" dual springs. For circle track & drag racing.	TFS-3180001A
TFS-3180T801	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	18° Head - Assembled. 56cc chambers, 250cc intake ports, & 1.640" dual springs. For circle track & drag racing.	TFS-3180T801
TFS-3180T001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	18° Head - Assembled. 56cc chambers, 250cc intake ports, & 1.560" dual springs. For circle track & drag racing.	TFS-3180T001
TFS-3181B001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	18° Head - Bare. 56cc chambers, 250cc intake ports, with valve seats & guides.	TFS-3181B001
TFS-3182B001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	18° Head - Bare. 56cc chambers, 250cc intake ports, with valve seats & guides.	TFS-3182B001
TFS-30400010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	LT1 Head - Assembled. 62cc chambers, 195cc intake ports, & 1.460" dual springs.	TFS-30400010
TFS-3042B010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	LT1 Head - Bare. 62cc chambers, 195cc intake ports, with valve seats & guides.	TFS-3042B010
TFS-3060T001-C01	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS 1 Head - Assembled. CNC ported, 64cc chambers, 215cc intake ports, 1.300" dual springs, with titanium retainer upgrade.	TFS-3060T001-C01
TFS-3061B001-C01	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	AR103	LS 1 Head - Bare. CNC ported, 64cc chambers, 215cc intake ports, with valve seats & guides.	TFS-3061B001-C01
TFS-41400001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 320 Head - Assembled. 122cc chambers, 320cc intake ports, & 1.530" dual springs. For race-only big block engines.	TFS-41400001
TFS-41400002	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 320 Head - Assembled. 122cc chambers, 320cc intake ports, & 1.550" dual springs. For race-only big block engines.	TFS-41400002
TFS-41400003	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 320 Head - Assembled. 122cc chambers, 320cc intake ports, & 1.550" dual springs. For race-only big block engines.	TFS-41400003
TFS-41400004	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 340 Head - Assembled. 122cc chambers, 340cc intake ports, & 1.530" dual springs. For race-only big block engines.	TFS-41400004
TFS-41400005	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 340 Head - Assembled. 122cc chambers, 340cc intake ports, & 1.550" dual springs. For race-only big block engines.	TFS-41400005
TFS-41400006	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 340 Head - Assembled. 122cc chambers, 340cc intake ports, & 1.550" dual springs. For race-only big block engines.	TFS-41400006
TFS-41400007	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 360 Head - Assembled. 122cc chambers, 360cc intake ports, & 1.530" dual springs. For race-only big block engines.	TFS-41400007
TFS-41400008	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 360 Head - Assembled. 122cc chambers, 360cc intake ports, & 1.550" dual springs. For race-only big block engines.	TFS-41400008
TFS-4140T005	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 340 Head - Assembled. 122cc chambers, 340cc intake ports, & 1.550" dual springs, with titanium retainer upgrade. For race-only big block engines.	TFS-4140T005
TFS-4140T006	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 340 Head - Assembled. 122cc chambers, 340cc intake ports, & 1.550" dual springs, with titanium retainer upgrade. For race-only big block engines.	TFS-4140T006
TFS-4140T805	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 340 Head - Assembled. 122cc chambers, 340cc intake ports, & 1.640" dual springs, with titanium retainer upgrade. For race-only big block engines.	TFS-4140T805

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
TRICK FLOW SPECIALTIES® Continued							TRICK FLOW SPECIALTIES® Continued	
CHEVROLET Continued							CHEVROLET Continued	
TFS-4140T806	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 340 Head - Assembled. 122cc chambers, 340cc intake ports, & 1.640" dual springs, with titanium retainer upgrade. For race-only big block engines.	TFS-4140T806
TFS-4140T008	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 360 Head - Assembled. 122cc chambers, 360cc intake ports, & 1.550" dual springs, with titanium retainer upgrade. For race-only big block engines.	TFS-4140T008
TFS-4140T808	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 360 Head - Assembled. 122cc chambers, 360cc intake ports, & 1.640" dual springs, with titanium retainer upgrade. For race-only big block engines.	TFS-4140T808
TFS-4141B320	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 320 Head - Bare. 122cc chambers, 320cc intake ports, with valve seats & guides.	TFS-4141B320
TFS-4141B340	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 340 Head - Bare. 122cc chambers, 340cc intake ports, with valve seats & guides.	TFS-4141B340
TFS-4141B360	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	R-Series 360 Head - Bare. 122cc chambers, 360cc intake ports, with valve seats & guides.	TFS-4141B360
TFS-41300001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Oval Port Head - Assembled. 113cc chambers, 280cc intake ports, & 1.530" dual springs. For street/strip applications.	TFS-41300001
TFS-41300002	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Oval Port Head - Assembled. 113cc chambers, 280cc intake ports, & 1.560" dual springs. For street/strip applications.	TFS-41300002
TFS-4130T002	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Oval Port Head - Assembled. 113cc chambers, 280cc intake ports, & 1.560" dual springs, with titanium retainer upgrade. For street/strip applications.	TFS-4130T002
TFS-4130T003	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Oval Port Head - Assembled. 113cc chambers, 280cc intake ports, & 1.640" dual springs, with titanium retainer upgrade. For street/strip applications.	TFS-4130T003
TFS-4131B001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Oval Port Head - Bare. 113cc chambers, 280cc intake ports, with valve seats & guides.	TFS-4131B001
FORD							FORD	
TFS-52400003-C01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	CNC Ported R-Series Head - Assembled. 65cc chambers, 225cc intake ports, & 1.530" dual springs.	TFS-52400003-C01
TFS-52400005-C01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	CNC Ported R-Series Head - Assembled. 65cc chambers, 225cc intake ports, & 1.560" dual springs.	TFS-52400005-C01
TFS-5240T005-C01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	CNC Ported R-Series Head - Assembled. 65cc chambers, 225cc intake ports, & 1.560" dual springs, with titanium retainer upgrade.	TFS-5240T005-C01
TFS-5241B003-C01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	CNC Ported R-Series Head - Bare. 65cc chambers, 225cc intake ports, with valve seats & guides.	TFS-5241B003-C01
TFS-51400004-C01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	CNC Ported Twisted Wedge™ Head - Assembled. 64cc chambers, 185cc intake ports, & 1.460" dual springs.	TFS-51400004-C01
TFS-51400004-C02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	CNC Ported Twisted Wedge™ Head - Assembled. 65cc chambers, 205cc intake ports, & 1.460" dual springs.	TFS-51400004-C02
TFS-5141B002-C01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	CNC Ported Twisted Wedge™ Head - Bare. 64cc chambers, 185cc intake ports, with valve seats & guides.	TFS-5141B002-C01
TFS-5141B002-C02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	CNC Ported Twisted Wedge™ Head - Bare. 65cc chambers, 205cc intake ports, with valve seats & guides.	TFS-5141B002-C02
TFS-51400010-C01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	CNC Ported Track Heat Head - Assembled. 64cc chambers, 185cc intake ports, & 1.460" dual springs.	TFS-51400010-C01
TFS-51400010-C02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	CNC Ported Track Heat Head - Assembled. 65cc chambers, 205cc intake ports, & 1.460" dual springs.	TFS-51400010-C02
TFS-5141B010-C01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	CNC Ported Track Heat Head - Bare. 64cc chambers, 185cc intake ports, with valve seats & guides.	TFS-5141B010-C01
TFS-5141B010-C02	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	CNC Ported Track Heat Head - Bare. 65cc chambers, 205cc intake ports, with valve seats & guides.	TFS-5141B010-C02
TFS-51700012-C01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	CNC Ported High Port Head - Assembled. 70cc chambers, 225cc intake ports, & 1.460" dual springs.	TFS-51700012-C01
TFS-5170T010-C01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	CNC Ported High Port Head - Assembled. 58cc chambers, 225cc intake ports, & 1.560" dual springs.	TFS-5170T010-C01
TFS-5170T012-C01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	CNC Ported High Port Head - Assembled. 70cc chambers, 225cc intake ports, & 1.460" dual springs.	TFS-5170T012-C01
TFS-5170T013-C01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	CNC Ported High Port Head - Assembled. 70cc chambers, 225cc intake ports, & 1.550" dual springs.	TFS-5170T013-C01
TFS-5171B010-C01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	CNC Ported High Port Head - Bare. 58cc chambers, 225cc intake ports, with valve seats & guides.	TFS-5171B010-C01
TFS-5171B012-C01	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	CNC Ported High Port Head - Bare. 70cc chambers, 225cc intake ports, with valve seats & guides.	TFS-5171B012-C01
TFS-51400010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Track Heat Head - Assembled. 61cc chambers, 170cc intake ports, & 1.460" dual springs.	TFS-51400010
TFS-51400011	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Track Heat Head with O-Rings - Assembled. 61cc chambers, 170cc intake ports, & 1.460" dual springs.	TFS-51400011
TFS-5141B010	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Track Heat Head - Bare. 61cc chambers, 170cc intake ports, with valve seats & guides.	TFS-5141B010
TFS-5141B011	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Track Heat Head - Bare. 61cc chambers, 170cc intake ports, with valve seats & guides.	TFS-5141B011
TFS-52400005-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	R-Series Head - Assembled. 61cc chambers, 206cc intake ports, & 1.560" dual springs. For race-only 5.0L and 351W engines.	TFS-52400005-CNC
TFS-52400003-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	R-Series Head - Assembled. 61cc chambers, 206cc intake ports, & 1.530" dual springs. For race-only 5.0L and 351W engines.	TFS-52400003-CNC
TFS-5240T005-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	R-Series Head - Assembled. 61cc chambers, 206cc intake ports, & 1.560" dual springs, with titanium retainer upgrade. For race-only 5.0L and 351W engines.	TFS-5240T005-CNC
TFS-52400006-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	R-Series Head with O-Rings - Assembled. 61cc chambers, 206cc intake ports, & 1.560" dual springs. For race-only 5.0L and 351W engines.	TFS-52400006-CNC
TFS-52400004-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	R-Series Head with O-Rings - Assembled. 61cc chambers, 206cc intake ports, & 1.530" dual springs. For race-only 5.0L and 351W engines.	TFS-52400004-CNC
TFS-5240T006-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	R-Series Head with O-Rings - Assembled. 61cc chambers, 206cc intake ports, & 1.560" dual springs, with titanium retainer upgrade. For race-only 5.0L and 351W engines.	TFS-5240T006-CNC
TFS-5242B004-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	R-Series Head - Bare. 61cc chambers, 206cc intake ports, with valve seats & guides.	TFS-5242B004-CNC
TFS-5242B003-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	R-Series Head - Bare. 61cc chambers, 206cc intake ports, with valve seats & guides.	TFS-5242B003-CNC
TFS-5241B004-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	R-Series Head - Bare. 61cc chambers, 206cc intake ports, with valve seats & guides.	TFS-5241B004-CNC
TFS-5241B003-CNC	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	AR3932	R-Series Head - Bare. 61cc chambers, 206cc intake ports, with valve seats & guides.	TFS-5241B003-CNC
TFS-51400002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Twisted Wedge™ Head - Assembled. 61cc chambers, 170cc intake ports, & 1.470" single springs. For 289, 302, 351W engines through 1996.	TFS-51400002
TFS-51400004	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Twisted Wedge™ Head - Assembled. 61cc chambers, 170cc intake ports, & 1.460" dual springs. For 289, 302, 351W engines through 1996.	TFS-51400004
TFS-51400003	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Twisted Wedge™ Head with O-Rings - Assembled. 61cc chambers, 170cc intake ports, & 1.470" single springs. For 289, 302, 351W engines through 1996.	TFS-51400003
TFS-51400005	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Twisted Wedge™ Head with O-Rings - Assembled. 61cc chambers, 170cc intake ports, & 1.460" dual springs. For 289, 302, 351W engines through 1996.	TFS-51400005

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.

* Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".

Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
TRICK FLOW SPECIALTIES® Continued							TRICK FLOW SPECIALTIES® Continued	
FORD Continued							FORD Continued	
TFS-5141B002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Twisted Wedge™ Head - Bare. 61cc chambers, 170cc intake ports, with valve seats & guides.	TFS-5141B002
TFS-5141B003	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Twisted Wedge™ Head - Bare. 61cc chambers, 170cc intake ports, with valve seats & guides.	TFS-5141B003
TFS-51700001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	High Port Head - Assembled. 64cc chambers, 192cc intake ports, & 1.460" dual springs.	TFS-51700001
TFS-51700002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	High Port Head - Assembled. 64cc chambers, 192cc intake ports, & 1.460" dual springs.	TFS-51700002
TFS-5171B001	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	High Port Head - Bare. 64cc chambers, 192cc intake ports, with valve seats & guides.	TFS-5171B001
TFS-5171B002	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	High Port Head - Bare. 64cc chambers, 192cc intake ports, with valve seats & guides.	TFS-5171B002
TFS-5440T801	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3922	A460 Head - Assembled. 91cc chambers, 340cc intake ports, & 1.640" dual springs, with titanium retainers. For race-only 429/460 big block engines.	TFS-5440T801
TFS-5440T802	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3922	A460 Head - Assembled. 91cc chambers, 340cc intake ports, & 1.640" dual springs, with titanium retainers. For race-only 429/460 big block engines.	TFS-5440T802
TFS-5441B001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3922	A460 Head - Bare. 91cc chambers, 340cc intake ports, with valve seats & guides.	TFS-5441B001
TFS-53400001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	429/460 Street Head - Assembled. 74cc chambers, 290cc intake ports, 1.460" dual springs. For high performance 429/460 street & street/strip applications.	TFS-53400001
TFS-53400002	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	429/460 Street Head - Assembled. 74cc chambers, 290cc intake ports, 1.530" dual springs. For high performance 429/460 street & street/strip applications.	TFS-53400002
TFS-53400003	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	429/460 Street Head - Assembled. 74cc chambers, 290cc intake ports, 1.550" dual springs. For high performance 429/460 street & street/strip applications.	TFS-53400003
TFS-5340T002	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	429/460 Street Head - Assembled. 74cc chambers, 290cc intake ports, 1.530" dual springs, w/titanium retainer upgrade. For high performance 429/460 street/strip applications.	TFS-5340T002
TFS-5340T003	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	429/460 Street Head - Assembled. 74cc chambers, 290cc intake ports, 1.550" dual springs, w/titanium retainer upgrade. For high performance 429/460 street/strip applications.	TFS-5340T003
TFS-5340T004	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	429/460 Street Head - Assembled. 74cc chambers, 290cc intake ports, 1.640" dual springs, w/titanium retainer upgrade. For high performance 429/460 street/strip applications.	TFS-5340T004
TFS-5342B001	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	429/460 Street Head - Bare. 74cc chambers, 290cc intake ports, with valve seats & guides.	TFS-5342B001
Twisted Wedge is a registered trademark of Trick Flow Specialties and is used in this catalog for identification purposes only.								
WORLD PRODUCTS							WORLD PRODUCTS	
CHEVROLET							CHEVROLET	
043600	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	Stock Replacement Head - Bare. 76cc chambers. Straight plug.	043600
043600-1	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	Stock Replacement Head - Assembled. 76cc chambers. Straight plug.	043600-1
043610	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	Stock Replacement Head - Bare. 67cc chambers. Straight plug.	043610
043610-1	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	Stock Replacement Head - Assembled. 67cc chambers. Straight plug.	043610-1
043640	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	Stock Replacement Head - Bare. 76cc chambers. Straight plug. 1987 & up intake.	043640
043640-1	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	Stock Replacement Head - Assembled. 76cc chambers. Straight plug. 1987 & up intake.	043640-1
043650	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	Stock Replacement Head - Bare. 67cc chambers. Straight plug. 1987 & up intake.	043650
043650-1	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	Stock Replacement Head - Assembled. 67cc chambers. Straight plug. 1987 & up intake.	043650-1
042650	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	Stock Replacement Head - Bare. 58cc chambers. Straight plug. For 305 CID engines.	042650
042650-1	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	Stock Replacement Head - Assembled. 58cc chambers. Straight plug. For 305 CID engines.	042650-1
042750	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	Stock Replacement Head - Bare. 58cc chambers. Straight plug. For 305 CID engines. 1987 & up intake.	042750
042750-1	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	Stock Replacement Head - Assembled. 58cc chambers. Straight plug. For 305 CID engines. 1987 & up intake.	042750-1
042600	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	S/R Torquer Head - Bare. 67cc chambers. Straight plug.	042600
042600-1	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	S/R Torquer Head - Assembled. 67cc chambers. Straight plug.	042600-1
043670	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	S/R Torquer Head - Bare. 76cc chambers. Straight plug.	043670
043670-1	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	S/R Torquer Head - Assembled. 76cc chambers. Straight plug.	043670-1
042770	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	S/R Torquer Head - Bare. 76cc chambers. Straight plug. 1987 & up intake.	042770
042770-1	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25 or 26	S/R Torquer Head - Assembled. 76cc chambers. Straight plug. 1987 & up intake.	042770-1
011150	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR132 or AR134	Sportsman II Head - Bare. 64cc chambers. Angle plug.	011150
011150-1	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR132 or AR134	Sportsman II Head - Assembled. 64cc chambers. Angle plug. Hydraulic.	011150-1
011150-2	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR132 or AR134	Sportsman II Head - Assembled. 64cc chambers. Angle plug. Solid or Hydraulic Roller.	011150-2
011250	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR132 or AR134	Sportsman II Head - Bare. 64cc chambers. Straight plug.	011250
011250-1	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR132 or AR134	Sportsman II Head - Assembled. 64cc chambers. Straight plug. Hydraulic.	011250-1
011250-2	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR132 or AR134	Sportsman II Head - Assembled. 64cc chambers. Straight plug. Solid or Hydraulic Roller.	011250-2
012150	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR132 or AR134	Sportsman II Head - Bare. 72cc chambers. Angle plug.	012150
012150-1	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR132 or AR134	Sportsman II Head - Assembled. 72cc chambers. Angle plug. Hydraulic.	012150-1
012150-2	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR132 or AR134	Sportsman II Head - Assembled. 72cc chambers. Angle plug. Solid or Hydraulic Roller.	012150-2
012250	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR132 or AR134	Sportsman II Head - Bare. 72cc chambers. Straight plug.	012250
012250-1	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR132 or AR134	Sportsman II Head - Assembled. 72cc chambers. Straight plug. Hydraulic.	012250-1
012250-2	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	AR132 or AR134	Sportsman II Head - Assembled. 72cc chambers. Straight plug. Solid or Hydraulic Roller.	012250-2
014150	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25	Motown 220 Head - Bare. 64cc chambers. Angle plug.	014150
014150-2	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25	Motown 220 Head - Assembled. 64cc chambers. Angle plug. Solid or Hydraulic Roller.	014150-2
014150-3	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25	Motown 220 Head - Assembled. 64cc chambers. Angle plug. Mechanical Roller.	014150-3
014250	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25	Motown 220 Head - Bare. 64cc chambers. Straight plug.	014250
014250-2	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25	Motown 220 Head - Assembled. 64cc chambers. Straight plug. Solid or Hydraulic Roller.	014250-2

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Cylinder Heads - Plugs

Cylinder Heads - Plugs

Part #	Head Type	Block Type	Thread/Reach	Hex	Seat	Heat Range Starting Point*	Comments/Descriptions/Notes	Part #
WORLD PRODUCTS Continued							WORLD PRODUCTS Continued	
CHEVROLET Continued							CHEVROLET Continued	
014250-3	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25	Motown 220 Head - Assembled. 64cc chambers. Straight plug. Mechanical Roller.	014250-3
024150	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Motown 220 Lite Aluminum Head - Bare. 64cc chambers. Angle plug.	024150
024150-2	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Motown 220 Lite Aluminum Head - Assembled. 64cc chambers. Angle plug. Solid or Hydraulic Roller.	024150-2
024150-3	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Motown 220 Lite Aluminum Head - Assembled. 64cc chambers. Angle plug. Mechanical Roller.	024150-3
025150	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	Warhawk® LS1X 15° Head - Bare. 64cc chambers, 200cc intake ports.	025150
025150-1	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	Warhawk® LS1X 15° - Assembled. 64cc chambers, 200cc intake ports. Hydraulic.	025150-1
025150-2	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	Warhawk® LS1X 15° - Assembled. 64cc chambers, 200cc intake ports. Flat tappet or Hydraulic Roller.	025150-2
025150-3	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	Warhawk® LS1X 15° - Assembled. 64cc chambers, 200cc intake ports. Solid Roller.	025150-3
025250	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	Warhawk® LS1X 15° - Bare. 72cc chambers, 220cc intake ports.	025250
025250-1	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	Warhawk® LS1X 15° - Assembled. 72cc chambers, 220cc intake ports. Hydraulic.	025250-1
025250-2	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	Warhawk® LS1X 15° - Assembled. 72cc chambers, 220cc intake ports. Flat tappet or Hydraulic Roller.	025250-2
025250-3	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	Warhawk® LS1X 15° - Assembled. 72cc chambers, 220cc intake ports. Solid Roller.	025250-3
025350	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	Warhawk® LS7X 12° - Bare. 64cc chambers, 255cc intake ports.	025350
025350-2	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	Warhawk® LS7X 12° - Assembled. 64cc chambers, 255cc intake ports. Flat tappet or Hydraulic Roller.	025350-2
025350-3	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	Warhawk® LS7X 12° - Assembled. 64cc chambers, 255cc intake ports. Solid Roller.	025350-3
025400	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	Warhawk® LS7X 12° - Bare. 72cc chambers, 255cc intake ports.	025400
025400-2	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	Warhawk® LS7X 12° - Assembled. 72cc chambers, 255cc intake ports. Flat tappet or Hydraulic Roller.	025400-2
025400-3	ALUMINUM	LS GEN III BLOCK	14MM - .708"	5/8"	TAPERED	103	Warhawk® LS7X 12° - Assembled. 72cc chambers, 255cc intake ports. Solid Roller.	025400-3
030040	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	25	Merlin Oval Port Head - Bare. 119cc chambers, 269cc intake ports.	030040
030040-2	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	25	Merlin Oval Port Head - Assembled. 119cc chambers, 269cc intake ports. Solid or Hydraulic Roller.	030040-2
030620	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	25	Merlin Rectangular Port Head - Bare. 119cc chambers, 320cc intake ports.	030620
030620-2	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	25	Merlin Rectangular Port Head - Assembled. 119cc chambers, 320cc intake ports. Hydraulic.	030620-2
030620-3	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	25	Merlin Rectangular Port Head - Assembled. 119cc chambers, 320cc intake ports. Solid or Hydraulic Roller.	030620-3
030620-4	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	25	Merlin Rectangular Port Head - Assembled. 119cc chambers, 320cc intake ports. Racing Roller.	030620-4
030630	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	25	Merlin Rectangular Port Head - Bare. 119cc chambers, 345cc intake ports.	030630
030630-2	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	25	Merlin Rectangular Port Head - Assembled. 119cc chambers, 345cc intake ports. Hydraulic.	030630-2
030630-3	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	25	Merlin Rectangular Port Head - Assembled. 119cc chambers, 345cc intake ports. Solid or Hydraulic Roller.	030630-3
030630-4	IRON	BIG BLOCK	14MM - .460"	5/8"	TAPERED	25	Merlin Rectangular Port Head - Assembled. 119cc chambers, 345cc intake ports. Racing Roller.	030630-4
020650	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Merlin III Aluminum Rectangular Port Head - Bare. 119cc chambers, 310cc intake ports.	020650
020650-2	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Merlin III Aluminum Rectangular Port Head - Assembled. 119cc chambers, 310cc intake ports. Hydraulic.	020650-2
020650-3	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Merlin III Aluminum Rectangular Port Head - Assembled. 119cc chambers, 310cc intake ports. Solid or Hydraulic Roller.	020650-3
020650-4	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Merlin III Aluminum Rectangular Port Head - Assembled. 119cc chambers, 310cc intake ports. Racing Roller.	020650-4
020660	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Merlin III Aluminum Rectangular Port Head - Bare. 119cc chambers, 350cc intake ports.	020660
020660-2	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Merlin III Aluminum Rectangular Port Head - Assembled. 119cc chambers, 350cc intake ports. Hydraulic.	020660-2
020660-3	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Merlin III Aluminum Rectangular Port Head - Assembled. 119cc chambers, 350cc intake ports. Solid or Hydraulic Roller.	020660-3
020660-4	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Merlin III Aluminum Rectangular Port Head - Assembled. 119cc chambers, 350cc intake ports. Racing Roller.	020660-4
020750	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Merlin-X Aluminum 16° Head - Bare. 80cc chambers, 350cc intake ports.	020750
020750-2	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Merlin-X Aluminum 16° Head - Assembled. 80cc chambers, 350cc intake ports. Hydraulic.	020750-2
020750-3	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Merlin-X Aluminum 16° Head - Assembled. 80cc chambers, 350cc intake ports. Solid or Hydraulic Roller.	020750-3
020750-4	ALUMINUM	BIG BLOCK	14MM - .750"	5/8"	GASKET	3924	Merlin-X Aluminum 16° Head - Assembled. 80cc chambers, 350cc intake ports. Racing Roller.	020750-4
FORD							FORD	
052900	IRON	6-CYLINDER	14MM - .708"	5/8"	TAPERED	103	2.9L V6 Stock Replacement Head - Bare.	052900
052900-1	IRON	6-CYLINDER	14MM - .708"	5/8"	TAPERED	103	2.9L V6 Stock Replacement Head - Assembled	052900-1
053030	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25	Windsor Jr. Head - Bare. 58cc chambers, 180cc intake ports.	053030
053030-1	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25	Windsor Jr. Head - Assembled. 58cc chambers, 180cc intake ports. Hydraulic.	053030-1
053030-2	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25	Windsor Jr. Head - Assembled. 58cc chambers, 180cc intake ports. Solid or Hydraulic Roller.	053030-2
053040	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25	Windsor Sr. Head - Bare. 64cc chambers, 200cc intake ports.	053040
053040-1	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25	Windsor Sr. Head - Assembled. 64cc chambers, 200cc intake ports. Hydraulic.	053040-1
053040-2	IRON	SMALL BLOCK	14MM - .460"	5/8"	TAPERED	25	Windsor Sr. Head - Assembled. 64cc chambers, 200cc intake ports. Solid or Hydraulic Roller.	053040-2
023020	ALUMINUM	SMALL BLOCK	14MM - .750"	5/8"	GASKET	3924	Windsor Sr. Lite Head - Bare. 64cc chambers, 200cc intake ports.	023020

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.

Head manufacturer's original equipment heat range starting point or equivalent plug shown in **bold print**.
 * Engine performance modifications, fuel requirements, comp. ratio, domed pistons, high speed driving conditions, etc. may require colder spark heat range or different core nose projection (if available). Magneto ignition on high compression engines may require gap adjustment .018"-.025".
 Information in this section was obtained through various sources and deemed reliable at the time of printing. Honeywell is not responsible for the changes in manufacturer's products, their part numbers, or availability.